

# Early Life Factors Affecting Allergy Development in Japanese Children

学位名	修士(公衆衛生学)
学位授与機関	聖路加国際大学
学位授与年度	2020
学位授与番号	32633公修専第065
URL	<a href="http://hdl.handle.net/10285/00016425">http://hdl.handle.net/10285/00016425</a>

**References**

- Arakawa, H. H. (2017). Japanese guidelines for childhood asthma 2017. *Allergology International*, 66 pp. 190-204.
- Bager, P. W. (2008). Caesarean delivery and risk of atopy and allergic disease: meta-analyses. *Clinical and Experimental Allergy*, 38, 634–642. doi:10.1111/j.1365-2222.2008.02939.x
- Ball, T. C.-R. (2000). Siblings, day-care attendance, and the risk of asthma and wheezing during childhood. *New England Journal of Medicine*, 343(8):538-43. doi:10.1056/NEJM200008243430803.
- Bernsen, R. J. (2003). Birth order and sibship size as independent risk factor for asthma, allergy, and eczema. *Pediatr Allergy Immunol*, 14:454-469.
- Daly, K. B. (1999). Epidemiology of Otitis Media Onset by Six Months of Age. *PEDIATRICS*, 103(6), 1158-1166.
- Dogaru, C. N. (2014). Breastfeeding and Childhood Asthma: Systematic Review and Meta-Analysis. *American Journal of Epidemiology*, 179(19):1153-1167. doi:10.1093/aje/kwu072
- Ebisawa, M. I. (2017). Japanese guidelines for food allergy 2017. *Allergol Int*, (66) 248-264.
- Feldman, A. H. (2015). Toward primary prevention of asthma. Reviewing the evidence for early-life respiratory viral infections as modifiable risk factors to prevent childhood asthma. *Am. J. Respir. Crit. Care. Med.*, 191, 34–44.
- Fukui, T. R. (2017). Reassessing the Ecology of Medical Care in Japan. *Journal of Community Health*, 42, 935-941. doi:10.1007/s10900-017-0337-4

## Early Life Factors Affecting Allergy Development

- Furuhata, M. O. (2020). Factors Associated with the Development of Childhood Asthma in Japan: A Nationwide Longitudinal Study. *Maternal and Child Health Journal*, (7):911-922. doi:10.1007/s10995-020-02944-0.
- Heikkinen, T. T. (1999). Prevalence of Various Respiratory Viruses in the Middle Ear during Acute Otitis Media. *New Eng J Med*, 340:260-264.
- Hill, D. S. (2018). The atopic march; Critical evidence and clinical relevance. *Ann Allergy Asthma Immunol*, 120; 131-137.
- Holt, P. (1996). Infections and the development of allergy. *Toxicol Lett.*, 86:205–210.
- Hoshino, E. O. (2018). Variation in somatic symptoms by patient health questionnaire-9 depression scores in a representative Japanese sample. *BMC Public Health*, 18:1406. doi:10.1186/s12889-018-6327-3
- Illi, S. e. (2001). Early childhood infectious diseases and the development of asthma up to school age: a birth cohort study. *Br. Med. J.*, 322, 390–395.
- Karmaus, W. A. (2001). Does the sibling effect have its origin in utero? Investigating birth order, cord blood immunoglobulin E concentration, and allergic sensitization at age 4 years. *Am J Epidemiol*, 154: 909–15.
- Katayama, I. A. (2017). Japanese guidelines for atopic dermatitis 2017. *Allergol Int*, (66) 230-247.
- Kikkawa, T. Y. (2018). Birth order and paediatric allergic disease: A nationwide longitudinal survey. *Clin Exp Allergy*, (5):577-585. doi:10.1111/cea.13100.
- Kusunoki, T. M. (2012). Birth order effect on childhood food allergy. *Pediatr Allergy Immunol*, (3):250-4. doi:10.1111/j.1399-3038.2011.01246.x.
- Lambrecht, B. H. (2017). The immunology of the allergy epidemic and the hygiene hypothesis. *Nature Immunol*, (18) 1076-1083. doi:10.1038/ni.3829

Early Life Factors Affecting Allergy Development

Lodge, C. T. (2015). Breastfeeding and asthma and allergies: a systematic review and meta-analysis. *104*, pp. 38–53. doi:10.1111/apa.13132

Loh, W. T. (2018). The Epidemiology of Food Allergy in the Global Context. *Int. J. Environ. Res. Public Health*, *15*(9), 2043. doi:10.3390/ijerph15092043

Matsumoto, N. Y. (2020). Breastfeeding and risk of food allergy: A nationwide birth cohort in Japan. *Allergology International*, *69*(1), 91-97. doi:10.1016/j.alit.2019.08.007

Mattiuzzi, C. L. (2020). Worldwide asthma epidemiology: insights from the Global Health Data Exchange database. *Allergy & Rhinology*, *10*(1):75-80. doi:10.1002/alr.22464

MHLW, M. o. (2012). *Low birth weight infant health guidance manual (in Japanese)*.

Retrieved from

[https://www.mhlw.go.jp/seisakunitsuite/bunya/kodomo/kodomo\\_kosodate/boshihoken/dl/kenkou-0314c.pdf](https://www.mhlw.go.jp/seisakunitsuite/bunya/kodomo/kodomo_kosodate/boshihoken/dl/kenkou-0314c.pdf)

MHLW, M. o. (2020). *Survey of medical expenses consultations for infants (in Japanese)*.

Retrieved from [https://www.mhlw.go.jp/stf/newpage\\_13333.html](https://www.mhlw.go.jp/stf/newpage_13333.html)

MIC, M. o. (2021). *Classification of municipality*. Retrieved from

[https://www.soumu.go.jp/main\\_sosiki/jichi\\_gyousei/bunken/chihoukoukyoudantai\\_kubun.html](https://www.soumu.go.jp/main_sosiki/jichi_gyousei/bunken/chihoukoukyoudantai_kubun.html)

Nishima, S. O. (2013). [A study on the prevalence of allergic diseases in school children in western districts of Japan]. [*Jpn J Pediatr Allergy Clin Immunol*], *27* pp. 149-169 (in Japanese).

Okubo, K. K. (2017). Japanese guidelines for allergic rhinitis 2017. *Allergology International*, *(66)* 205-219.

Pawankar, R. C. (2012). Allergic diseases and asthma: a major global health concern. *Curr Opin Allergy Clin Immunol*, *12*: 39–41.

## Early Life Factors Affecting Allergy Development

Pawankar, R. C. (2012). WAO White Book on Allergy 2011–2012, Executive Summary.

WAO.

Romagnani, S. (1992). Human Th1 and Th2 subsets: regulation of differentiation and role in protection and immunopathology. *Int Arch Allergy Immunol.*, 98:279–285.

Sabina, I. E. (2001). Early childhood infectious diseases and the development of asthma up to school age: a birth cohort study. 322:390. doi:10.1136/bmj.322.7283.390

Sasaki, M. Y. (2016). Environmental factors associated with childhood eczema: Findings from a national web-based survey. *Allergology International*, 65: 420-424. doi:10.1016/j.alit.2016.03.007

Sly, P. H. (1989). Childhood asthma following hospitalization with acute viral bronchiolitis in infancy. *Pediatr Pulmonol.*, 7:153–158.

Stein, R. S. (1999). Respiratory syncytial virus in early life and risk of wheeze and allergy by age 13 years. *Lancet*, 354:541–545.

Strachan, D. (1989). Hay fever, hygiene, and household size. *Br. Med. J.*, 299, 1259–1260.

Strachan, D. S.-K. (1997). Worldwide variations in prevalence of symptoms of allergic rhinoconjunctivitis in children: the International Study of Asthma and Allergies in Childhood (ISAAC). *Pediatr Allergy Immunol*, (4):161-76. doi:10.1111/j.1399-3038.1997.tb00156.x.

Takamura, E. U. (2017). Japanese guidelines for allergic conjunctival diseases 2017. *Allergol Int*, (66) 220-229.

Yamakawa, M. Y. (2014). Breast-feeding and hospitalization for asthma in early childhood: a nationwide longitudinal survey in Japan. *Public Health Nutrition*, 18(10), 1756–1761. doi:10.1017/S1368980014002407