

引用文献

- Abendroth, M., & Flannery, J. (2006). Predicting the risk of compassion fatigue: A study of hospice nurses. *Journal of Hospice and Palliative Nursing*, 8, 346-356.
- 秋月百合, 藤村一美(2007). 日本における病院勤務助産師のバーンアウトに関する研究. 日本助産学会誌, 21(1), 30-39.
- Asukai, N., Kato, H., Kawamura, N., Kim, Y., Yamamoto, K., et al. (2002). Reliability and validity of the Japanese-language version of the impact of event scale-revised (IES-R-J): Four studies of different traumatic events. *The Journal of Nervous and Mental Disease*, 190(3), 175-182.
- 飛鳥井望(2012). レジリエンスと心の科学—PTSD になる人とならない人. 臨床精神医学, 41(2), 157-162.
- Ayers, S., & Pickering, A. (2001). Do women get posttraumatic stress disorder as a result of childbirth? A prospective study of incidence. *Birth*, 28(2), 111-8.
- Bakker, R. H., Groenewegen, P. P., Jabaaij, L., et al. (1996). 'Burnout' among Dutch midwives. *Midwifery*, 12(4), 174-81.
- Beck, C. T. (2004). Birth trauma: in the eye of the beholder. *Nurs Res*, 53(1), 28-35.
- Beck, C. T. (2012). A mixed methods study of secondary traumatic stress in labor and delivery nurses. *Journal of Obstetric, Gynecologic & Neonatal Nursing (JOGNN)*, 41(6), 747-760.
- Brewin, C. R., Andrews, B., & Valentine, J. D. (2000). Meta-analysis of risk factors for posttraumatic stress disorder in trauma-exposed adults. *Journal Consult Clin Psychol*, 68(5), 748-66.
- Cann, A., Calhoun, L. G., Tedeschi, R. G., & Taku, K., et al. (2010). A short form of the Posttraumatic Growth Inventory. *Anxiety, Stress, & Coping*, 23(2), 127-137.
- Cohen, S. (1998). Psychosocial models of the role of social support in the etiology of physical disease. *Health Psychology*, 7(3), 269-297.
- Connor, K. M., & Davidson, J. R. (2013). Development of a new resilience scale: the Connor-Davidson Resilience Scale (CD-RISC). *Depress Anxiety*, 18(2), 76-82.
- Creedy, D. K., Shochet, I. M., & Horsfall, J. (2000). Childbirth and the development of acute trauma symptoms: incidence and contributing factors. *Birth*, 27(2), 104-11.
- Creswell, J. W., & Plano Clark, V. L. (2011). *Designing and conducting mixed methods research*. CA: SAGE Publications, Inc.
- Figley, C. R. (1995). *Compassion fatigue: Coping with secondary traumatic stress disorder in those who treat the traumatized*. New York: Burnner-Routledge.
- Foa, B. E., Terence, K. M., Friedman, M. J., & Cohen, J. A. (2009). PTSD 治療ガイド

- イン. 飛鳥井望(2013). 金剛出版.
- Foureur, M., Besley, K., Burton, G., Yu, N., & Crisp, J. (2013). Enhancing the resilience of nurses and midwives: pilot of a mindfulness-based program for increased health, sense of coherence and decreased depression, anxiety and stress. *Contemp Nurse*, 45(1), 114-25.
- Hildingsson, I., Westlund, K., & Wiklund, I. (2013). Burnout in Swedish midwives. *Sex Reprod Health*, 4(3), 87-91.
- Holzemer, W. L. (2000). *Substration and the outcome model for health care research*. 看護研究, 33(5), 360-363.
- Horowitz, M., Wilner, N. & Alvarez, W. (1979). Impact of Event Scale: A measure of subjective stress. *Psychosomatic Medicine*, 41, 209-218.
- 石井秀宗(2007). 統計分析のここが知りたい: 保健・看護・心理・教育系研究のまとめ方. 東京:文光堂.
- 泉陽子(2014). 新たなメンタルヘルス対策 ストレスチェックの法制化について 改正労働安全衛生法による労働者のストレスチェックについて. ストレス科学, 29(2), 148.
- Jin, Y., Xu J., Liu H., & Liu D. (2014). Posttraumatic stress disorder and posttraumatic growth among adult survivors of wenchuan earthquake after 1 year: Prevalence and correlates. *Archives of Psychiatric Nursing*, 28(1), 67-73.
- Johnson, J. V., & Hall E. M. (1998). Job Strain, Work Place Social Support, and Cardiovascular Disease: A Cross-Sectional Study of a Random Sample of the Swedish Working Population. *American Journal of Public Health*, 78(10), 1336-1342.
- Joinson, C. (1992). Coping with compassion fatigue. *Nursing*, 22(4), 116-122.
- 加藤敏(編), 神庭重信(編), 中谷陽二(編)ら(2011). 現代精神医学辞典. 東京:弘文堂, 774.
- 川上憲人, 大野 裕, 竹島 正, 堀口逸子, 立森久照, 深尾 彰(2007). こころの健康についての疫学調査に関する研究. 平成 18 年度厚生労働科学研究費補助金(こころの健康科学研究事業).
- こころの健康についての疫学調査に関する研究 総括研究報告書
- 川喜田二郎(1986). KJ 法—渾沌をして語らしめる. 中央公論者, 32-33.
- Kawamoto N., Kim Y., & Asukai N. (2001). Suppression of cellular immunity found in the subjects with a past history of PTSD. *Am Journal Psychiatry*, 158, 484-486.
- 河本さおり, 三木明子, 富永知美, 前田和子(2009). 看護職の離職に関するストレス要因と離職防止につながったサポート. 日本看護学会論文集 : 精神看護, 39, 158-160.
- Kessler, R. C., Sonnega,A., Bromet, E., Hughes, M., & Nelson, C.B. (1995). Posttraumatic stress disorder in the national comorbidity survey. *Archives of General Psychiatry*, 52(12), 1048-1060.
- King, L. A., King, D. W., Fairbank, J. A., Keane, T. M. , & Adams, G. A. (1998).

- Resilience-recovery factors in post-traumatic stress disorder among female and male Vietnam veterans: hardiness, postwar social support, and additional stressful life events. *Journal Pers Soc Psychol*, 74(2), 420-34.
- 小牧一裕, 田中國夫(1993). 職場用ソーシャル・サポートの効果. 関西学院大学社会学部紀要, 67, 57-67.
- 厚生労働省(2011).<http://www.mhlw.go.jp/kokoro/speciality/data.html> [2014-01-05]
- 厚生労働省(2013).http://www.mhlw.go.jp/toukei/saikin/hw/eisei/12/dl/h24_hojoyukan.pdf [2014-12-05]
- LaRowe, K. (2005). *Breath of Life: Transforming Compassion Fatigue into Flow*. *Acanthus Publishing*, 21.
- Lazarus, R. S. (1999). *Stress and emotion*. New York: Springer.
- Lepore, S. J. (2001). *A social-cognitive processing model of emotional adjustment to cancer*. In A. Baum & B. Anderson (Eds.), *Psychosocial interventions for cancer*. Washington, DC: American Psychological Association.
- Lepore, S. J., & Revenson, T. A. (2006). *Handbook of posttraumatic growth – researchpractice*. 宅香菜子, 清水研(2014). 医学書院(pp.46).
- Li Y., Cao F., Cao D., & Liu J. (2014). Nursing students' post-traumatic growth, emotional intelligence and psychological resilience. *Journal Psychiatr Mental Health Nurs*.
- Maslach, C. (1976). *Burn-out, Human behavior*, 5(9), 16-22.
- 松丸智恵子, 木村好克, 根本とよ子, 島上康子, 武田恒子(1987). 助産婦の Burn out と職場環境との関連. 日本看護学会集録, 18回(看管理), 30-32.
- Maytum, J. C., Heiman, M. B., & Garwick, A. W. (2004). Compassion fatigue and burnout in nurses who work with children with chronic conditions and their families. *Journal Pediatr Health Care*, 18(4), 171-9.
- McCann, I.L. & Pearlman, L.A. (1990 a). Vicarious traumatization: A framework for understanding the psychological effects of working with victims. *Journal of traumatic stress*, 3(1), 131-149.
- McCann, I.L. & Pearlman, L.A. (1990 b). *Psychological trauma and the adult survivor : Theory, therapy, and transformation*. New York :Brunner/mazel.
- McDonald, G., Jackson, D., Wilkes, L., & Vickers, M. H. (2012). A work-based educational intervention to support the development of personal resilience in nurses and midwives. *Nurse Educ Today*, 32(4), 378-84.
- Menage, J. (1993). Post-traumatic stress disorder in woman who have undergone obstetric or psychology, 11, 221-228.
- 三木明子, 黒田梨絵(2012). 救急領域の現場で看護師が被る惨事ストレスの実態と影響.

- 日本看護学会論文集：看護総合, (42), 108-111.
- 三木明子, 黒田梨絵, 田代朱音(2013). 病院勤務看護師が被る部署別の惨事ストレスとIES-Rとの関連. 日本看護学会論文集：看護管理, (43), 383-386.
- Min, J. A., Lee, C. U., & Hwang, S. I., et al. (2014). The moderation of resilience on the negative effect of pain on depression and post-traumatic growth in individuals with spinal cord injury. *Disabil Rehabil*, 36(14), 1196-202.
- 三谷智子, 白川太郎(2005). 消防職員のストレスと心拍変動の関係. 日本集団災害医学会誌, 9(3), 286-291.
- Mollart, L., Skinner, V. M., Newing, C., & Foureur, M. (2013). Factors that may influence midwives work-related stress and burnout. *Women Birth*, 26(1), 26-32.
- Murray, C. J., & Lopez, A. D. (1997). Alternative projections of mortality and disability by cause 1990-2020: Global Burden of Disease Study. *Lancet*, 349(9064), 1498-1504.
- 中島聰美, 伊藤正哉, 白井明美, 金吉晴(2010). 日本版コナー・デビッドソン回復力尺度の信頼性と妥当性 一般成人と大学生を対象とした検討. 国立精神・神経センター精神保健研究所年報, (22), 294.
- Nishi, D., Matsuoka, Y., & Kim, Y. (2010). Posttraumatic growth, posttraumatic stress disorder and resilience of motor vehicle accident survivors. *Biopsychosocial Medicine*, 2010, 1751-0759.
- 新山悦子, 小濱啓次(2005). 助産師の職場における心的外傷経験 自由記述による収集と分類. 日本看護学会論文集:母性看護, (36), 172-174.
- 新山悦子, 小濱啓次(2006). 助産師の職場における心的外傷体験 心的外傷的出来事別による心的外傷反応の検討. 日本看護学会論文集:母性看護, (37), 152-154.
- 岡野憲一郎(2009). 心的外傷とレジリエンスの概念. トライアド・マティック・ストレス, 7(2), 148-156.
- 大澤智子, 加藤寛(2008). 看護師の職場における被暴力体験とその影響に関する調査研究. 心的トライアド研究, (4), 69-81.
- Pearlman, L. A. & Saakvitne, K. W. (1995). *Trauma and the therapist : Countertransference and vicarious traumatization in psychotherapy with incest survivors*. New York : W.W.Norton.
- Perry, B., Toffner, G., Merrick, T., & Dalton, J. (2011). An exploration of the experience of compassion fatigue in clinical oncology nurses. *Canadian Oncology Nursing Journal : Revue Canadienne De Nursing Oncologique*, 21(2), 91-105.
- Pietrzak, R. H., Johnson, D. C., Goldstein, M. B., Malley, J. C., & Southwick, S. M. (2009). Psychological resilience and postdeployment social support project against traumatic stress and depressive symptoms in soldiers returning from Operations Enduring Freedom and Iraqi Freedom. *Journal Spec Oper Med*, 9(3), 67-73.

- Polk, L. V. (1997). Toward a middle-range theory of resilience. *ANS Advances in Nursing Science*, 19(3), 1-13.
- Rice, H. & Warland, J. (2013). Bearing witness: Midwives experiences of witnessing traumatic Birth. *Midwifery*, 29(9), 1056-1063.
- Saegert, S., Thompson, S. P., & Warren, M. R. (2001). *Social capital and poor communities*. New York: Russell Sage Foundation Publications.
- Salomonsson, B., Alehagen, S., & Wijma, K. (2011). Swedish midwives' views on severe fear of childbirth. *Sex Reprod Health*, 2(4), 153-159.
- Seidmahnoodi, J., Rahimi, C., & Mohamadi, N. (2011). Resiliency and religious orientation: Factors contributing to posttraumatic growth in iranian subjects. *Iran, J. Psychiatry*, 6(4), 145-150.
- Stamm, B. H. (1995). 二次的外傷性ストレス：臨床家、研究者、教育者のためのセルフケアの問題、金(2003)、誠信書房。
- Stanton, A. L., Danoff-Burg, S., Cameron, C. L., Bishop, M., Collins, C. A., Kirk, S. B., et al. (2000). Emotionally expressive coping predicts psychological and physical adjustment to breast cancer. *Journal of Consulting and Clinical Psychology*, 68(5), 875-882
- 砂見緩子、八重田淳(2013). 看護師のレジリエンスに関する研究 レジリエンスと経年変化. 日本看護学会論文集：看護管理, (43), 359-362.
- 高辻千恵(2002). 幼児の園生活におけるレジリエンスー尺度の作成と対人葛藤場面への反応による妥当性の検討. 教育心理学研究, 50(4), 427-435.
- 竹田伸也、太田真貴(2014). 福祉施設で働く対人援助職者のメンタルヘルス行動の動機づけと精神的健康との関連について. 米子医学雑誌, 65(3), 89-94.
- 竹田剛、八木原真由、宮田敬一、平井大祐、小谷紗智子(2013). レジリエンスの精神的健康への影響に関する発達的検討. 心理臨床学研究, 31 (3), 353-363.
- Taku, K., Calhoun, L. G., Tedeschi, R. G., et al. (2007). Examining posttraumatic growth among Japanese university students. *Anxiety, Stress, & Coping*, 20(4), 353-367.
- Taku, K. (2014). Relationships among perceived psychological growth, resilience and burnout in physicians. *Personality and Individual Differences*, (59), 120-123.
- 宅香菜子(2010). がんサバイバーの Posttraumatic growth . [Posttraumatic growth in cancer survivors] 腫瘍内科 / 腫瘍内科編集委員会 編, 5(2)(通号 26), 211-217.
- 谷口清弥(2012). 看護師のメンタルヘルスとレジリエンス支援プログラムによる介入の有効性アセションプログラムとの比較から. メンタルヘルスの社会学, (18) ,41-49.
- Tedeschi, R. G., & Calhoun, L. G. (1996). The posttraumatic growth inventory: Measuring the positive legacy of trauma. *Journal of Traumatic Stress*.

- True, W. R., Rice, J., Eisen, S. A., et al. (1993). A twin study of genetic and environmental contributions to liability for posttraumatic stress symptoms. *Archives of General Psychiatry*, 50, 257-64.
- 津野香奈美, 大島一輝, 森俊夫, 窪田和巳, 川上憲人(2013). 東日本大震災における関東地方の自治体職員のレジリエンスと PTSD 症状との関連. 産業ストレス研究, 21(1), 74.
- Vasterling, J. J., Proctor, S. P., Amoroso, P., Kane, R., Gackstetter, G., Ryan, M. A., & Friedman, M. J. (2006). The Neurocognition Deployment Health Study: a prospective cohort study of Army Soldiers. *Mil Med*, 171(3), 253-60.
- 渡邊美寿津(2007). 職場復帰困難事例への対応 「メンタルヘルス職場復帰困難事例への対応に関する研究」調査より. 産業精神保健, 15(4), 246-253.
- Waysman, M., Schwarzwald, J., & Solomon, Z. H. (2001). An examination of its relationship with positive and negative long term changes following trauma. *Journal Trauma Stress*, 74, 420-434.
- Weiss, D.S., Wilson, J.P., & Keane T.M. (2004). *The impact of event scale-revised. assessing psychological trauma and PTSD (Second edition)*. New York: The Guilford Press, 168-189.
- 山下由紀子, 伊藤美花, 嶋崎淳子, 笹川真紀子, 小西聖子(2004). 市町村保健師の二次的外傷性ストレスの観点からみたメンタルヘルス. トライアド・マガジン, 2(2), 187-199.
- Yoshida, Y., & Sandall, J. (2013). Occupational burnout and work factors in community and hospital midwives: a survey analysis. *Midwifery*, 29(8), 921-926.
- Yu, Y., Peng, L., Chen, & L., et al. (2014). Resilience and social support promote posttraumatic growth of women with infertility: The mediating role of positive coping. *Psychiatry Research*, 215(2), 401-405.
- Zaers, S., Waschke, M., & Ehlert, U. (2008). Depressive symptoms and symptoms of post-traumatic stress disorder in women after childbirth. *Journal Psychosom Obstet Gynaecol*, 29(1), 61-71.