

## 第 6 章 文献

- Akkaya, H., & Buke, B. (2018). A frequently asked question: Is it normal not to feel my baby's movements yet? *Journal of the Chinese Medical Association : JCMA*, 81(8), 742-746. doi:S1726-4901(17)30279-4 [pii]
- Alhusen, J. L. (2008). A literature update on maternal-fetal attachment. *Journal of Obstetric, Gynecologic, and Neonatal Nursing : JOGNN*, 37(3), 315-328. doi:10.1111/j.1552-6909.2008.00241.x [doi]
- Alhusen, J. L., Hayat, M. J., & Gross, D. (2013). A longitudinal study of maternal attachment and infant developmental outcomes. *Archives of Women's Mental Health*, 16(6), 521-529. doi:10.1007/s00737-013-0357-8 [doi]
- 馬場, 香 里.(2016)構造方程式モデリングを用いた乳児虐待と家族内の要因の因果構造の探索. 聖路加国際大学.
- Bellieni, C. V., Ceccarelli, D., Rossi, F., Buonocore, G., Maffei, M., Perrone, S., & Petraglia, F. (2007). Is prenatal bonding enhanced by prenatal education courses? *Minerva Ginecologica*, 59(2), 125-129.
- Bradford, B., & Maude, R. (2018). Maternal perception of fetal movements in the third trimester: A qualitative description. *Women and Birth : Journal of the Australian College of Midwives*, 31(5), e287-e293. doi:S1871-5192(17)30483-3 [pii]
- Brockington, I. F., Aucamp, H. M., & Fraser, C. (2006). Severe disorders of the mother-infant relationship: Definitions and frequency. *Archives of Women's Mental Health*, 9(5), 243-251. doi:10.1007/s00737-006-0133-0 [doi]

Brockington, I. F., Oates, J., George, S., Turner, D., Vostanis, P., Sullivan, M., . . . Murdoch, C. (2001). *A screening questionnaire for mother-infant bonding disorders*  
doi:10.1007/s007370170010

Brockington, I., Butterworth, R., & Glangeaud-Freudenthal, N. (2017). An international position paper on mother-infant (perinatal) mental health, with guidelines for clinical practice. *Archives of Women's Mental Health*, 20(1), 113-120. doi:10.1007/s00737-016-0684-7 [doi]

Chang, H. C., Yu, C. H., Chen, S. Y., & Chen, C. H. (2015). The effects of music listening on psychosocial stress and maternal-fetal attachment during pregnancy. *Complementary Therapies in Medicine*, 23(4), 509-515. doi:10.1016/j.ctim.2015.05.002 [doi]

Condon, J. T., & Corkindale, C. (1997). The correlates of antenatal attachment in pregnant women. *The British Journal of Medical Psychology*, 70 ( Pt 4)(Pt 4), 359-372. doi:10.1111/j.2044-8341.1997.tb01912.x [doi]

Condon, J. T. (1993). The assessment of antenatal emotional attachment: Development of a questionnaire instrument. *British Journal of Medical Psychology*, 66(2), 167-183. doi:10.1111/j.2044-8341.1993.tb01739.x

Cranley, M. S. (1981). Development of a tool for the measurement of maternal attachment during pregnancy. *Nursing Research*, 30(5), 281-284.

Dubber, S., Reck, C., Muller, M., & Gawlik, S. (2015). Postpartum bonding: The role of perinatal depression, anxiety and maternal-fetal bonding during pregnancy. *Archives of Women's Mental Health*, 18(2), 187-195. doi:10.1007/s00737-014-0445-4 [doi]

Froen, J. F. (2004). A kick from within--fetal movement counting and the cancelled progress in antenatal care. *Journal of Perinatal Medicine*, 32(1), 13-24. doi:10.1515/JPM.2004.003 [doi]

Guney, E., & Ucar, T. (2019). Effect of the fetal movement count on maternal-fetal attachment. *Japan Journal of Nursing Science : JJNS*, 16(1), 71-79. doi:10.1111/jjns.12214 [doi]

Heidrich, S. M., & Cranley, M. S. (1989). Effect of fetal movement, ultrasound scans, and amniocentesis on maternal-fetal attachment. *Nursing Research*, 38(2), 81-84.

Higgins, J. P. T., & Green, S. (2008). *Cochrane handbook for systematic review of interventions*. West Sussex, UK: Wiley-Blackwell & The Cochrane Collaboration.

伊藤 由美. (2011). 母親による胎教の動機づけとしての絵本の読み聞かせにおける育児不安への影響. *母性衛生*, 52(2), 337-344.

北村俊則(2019). 周産期ボンディングとボンディング障害-子どもを愛せない親たち-. ミネルヴァ書房.p14-16

厚生労働省 (2019) .子ども虐待による死亡事後事例等の検証結果等について、平成30 年度の児童相談所での児童虐待相談対応件数及び「通告受理後 24 時間以内の安全確認ルール」の実施状況の緊急点検の結果  
[https://www.mhlw.go.jp/stf/houdou/0000190801\\_00001.html](https://www.mhlw.go.jp/stf/houdou/0000190801_00001.html) [2019-9-30]

Kumar, R. C. (1997). "Anybody's child": Severe disorders of mother-to-infant bonding. *The British Journal of Psychiatry : The Journal of Mental Science*, 171, 175-181. doi:S0007125000259552 [pii]

Mikhail, M. S., Freda, M. C., Merkatz, R. B., Polizzotto, R., Mazloom, E., & Merkatz, I. R. (1991). The effect of fetal movement counting on maternal attachment to fetus. *American Journal of Obstetrics and Gynecology*, 165(4 Pt 1), 988-991. doi:0002-9378(91)90455-Z [pii]

森, 恵 美(2016).助産師基礎教育テキスト 妊娠期の診断とケア. 東京: 日本看護協会出版会.p.189

Muller, M. E. (1993). Development of the prenatal attachment inventory. *Western Journal of Nursing Research*, 15(2), 199-5. doi:10.1177/019394599301500205 [doi]

中野仁雄(2000).妊産褥婦および乳幼児のメンタルヘルスシステムづくりに関する研究 平成 12 年度厚生科学研究補助金(子ども家庭総合研究)総括報告書.厚生労働科学研究成果データベース

成田,伸 &前原,澄子(1993).母親の胎児への愛着形成に関する研究.日本看護科学会誌.13(2),1-9.

日本産科婦人科学会 & 日本産婦人科医会 (2017).産婦人科診療ガイドライン産科編 2017. 公益社団法人 日本産科婦人科学会事務局.

日本周産期メンタルヘルス学会(2017).周産期メンタルヘルス コンセンサスガイド 2017 CQ17 ボンディング障害(母親から子どもへの情緒的絆を築くことの障害)への対応は?..

[http://pmhguideline.com/consensus\\_guide/consensus\\_guide2017.html](http://pmhguideline.com/consensus_guide/consensus_guide2017.html)

日本助産学会(2017).エビデンスに基づく助産ガイドライン - 妊娠期・分娩期 2016.一般社団法人 日本助産学会 ガイドライン委員会

- Nishikawa, M., & Sakakibara, H. (2013). Effect of nursing intervention program using abdominal palpation of leopold's maneuvers on maternal-fetal attachment. *Reproductive Health, 10*, 12-12. doi:10.1186/1742-4755-10-12 [doi]
- Ohashi,Y.,sakanashi,K.,Tanaka,T., kitamura,T.2016.Mother-To-Infant bonding disorder,but not depression,5daya after delivery is a risk factor for neonate emotional abuse:a study in Japanese mothers of 1 month olds. *The Open Family studics journal*8 ,27-36.
- Righetti, P. L., Dell'Avanzo, M., Grigio, M., & Nicolini, U. (2005). Maternal/paternal antenatal attachment and fourth-dimensional ultrasound technique: A preliminary report. *British Journal of Psychology (London, England : 1953), 96*(Pt 1), 129-137. doi:10.1348/000712604X15518 [doi]
- Rossen, L., Hutchinson, D., Wilson, J., Burns, L., A Olsson, C., Allsop, S., . . . Mattick, R. P. (2016). Predictors of postnatal mother-infant bonding: The role of antenatal bonding, maternal substance use and mental health. *Archives of Women's Mental Health, 19*(4), 609-622. doi:10.1007/s00737-016-0602-z [doi]
- Rustico, M. A., Mastromatteo, C., Grigio, M., Maggioni, C., Gregori, D., & Nicolini, U. (2005). Two-dimensional vs. two- plus four-dimensional ultrasound in pregnancy and the effect on maternal emotional status: A randomized study. *Ultrasound in Obstetrics & Gynecology : The Official Journal of the International Society of Ultrasound in Obstetrics and Gynecology, 25*(5), 468-472. doi:10.1002/uog.1894 [doi]
- Saastad, E., Israel, P., Ahlborg, T., Gunnes, N., & Froen, J. F. (2011). Fetal movement counting--effects on maternal-fetal attachment: A multicenter randomized controlled trial. *Birth (Berkeley, Calif.), 38*(4), 282-293. doi:10.1111/j.1523-536X.2011.00489.x [doi]

佐藤 喜根子, & 佐藤 祥子. (2010). 妊娠期からの継続した心理的支援が周産期女性の不安・抑うつに及ぼす効果. *母性衛生*, 51(1), 215-225.

Solanki, M. S., Zafar, M., & Rastogi, R. (2013). Music as a therapy: Role in psychiatry. *Asian Journal of Psychiatry*, 6(3), 193-199. doi:10.1016/j.ajp.2012.12.001 [doi]

杉下 佳文. (2016). 妊娠期からの産後うつ予防における介入研究(第 1 報) 胎児への愛着促進プログラムの導入. *メンタルヘルス岡本記念財団研究助成報告集*, (27), 47-51.

杉下 佳文. (2017). 妊娠期からの産後うつ予防における介入研究(第 2 報) 胎児への愛着促進プログラムの導入. *メンタルヘルス岡本記念財団研究助成報告集*, (28), 81-86.

鈴井, 江. (2017). 【超音波検査の今と助産師のかかわり方】超音波検査を望む母親の心理と、助産師としての向き合い方. *助産雑誌*, 71(6), 426-432.

The National Institute for Health and Care Excellence. National Institute for Health and Care Excellence guidance- Antenatal care for uncomplicated pregnancies Clinical guideline[CG62] Published date: March 2008 Last updated: February 2019  
<http://www.nice.org.uk/nicemedia/pdf/CG62FullGuidelineCorrectedJune2008.pdf>  
Nationalantenatal-care-for-uncomplicated-pregnancies-pdf[2019-11-29]

吉田敬子, 鈴宮寛子, 山下洋(監)(2017). 厚生労働省 平成 28 年度子ども・子育て支援推進調査研究事業 産前・産後の支援のあり方に関する調査研究妊産婦メンタルヘルスケアマニュアル. 公益社団法人日本産婦人科医会.