

文献

- Anderson, W. G., Arnold, R. M., Angus, D. C., & Bryce, C. L. (2008). Posttraumatic stress and complicated grief in family members of patients in the intensive care unit. *Journal of General Internal Medicine*, 23(11), 1871-1876.
- Barnes-Daly, M., Phillips, G., & Ely, E. W. (2017). Improving Hospital Survival and Reducing Brain Dysfunction at Seven California Community Hospitals: Implementing PAD Guidelines Via the ABCDEF Bundle in 6,064 Patients. *Critical Care Medicine*, 45(2), 171-178.
- Baumgarten, M., & Paulsen, I. (2015). Patients' experiences of being mechanically ventilated in an ICU: a qualitative metasynthesis. *Scandinavian Journal of Caring Sciences*, 29(2), 205-214.
- Borthwick, M., Bourne, R., Craig, M., Egan, A., & Oxley, J. (2006). UK Clinical Pharmacy association recommendations for the detection, prevention and treatment of delirium 2006. Retrieved January 10 2018 from <http://www.scottishintensivecare.org.uk/uploads/2014-07-24-19-57-26-UKCPADeliriumResourcepdf-92654.pdf>
- Castillo, M.I., Cooke, M.L., Macfarlane, B., & Aitken, L. M. (2016). Trait Anxiety But Not State Anxiety During Critical Illness Was Associated With Anxiety and Depression Over 6 Months After ICU. *Critical Care Medicine*, 44(1), 100-110.
- Davidson, J. E., Harvey, M. A., & Schuller, J. (2013). Post-intensive care syndrome: What it is and how to help prevent it. *American Nurse Today*, 8(5).

- Davidson, J.E., Hopkins, R.O., Louis, D., & Iwashyna, T. J. (2013). Post-intensive Care Syndrome. Society of Critical Care Medicine. Retrieved January 8, 2017 from <http://www.myicucare.org/Thrive/Pages/Post-intensive-Care-Syndrome.aspx>
- Ely, E. W., Shintani, A., Truman, B., Speroff, T., Gordon, S. M., Harrell, F. E., ... Dittus, R. S. (2004). Delirium as a Predictor of Mortality in Mechanically Ventilated Patients in the Intensive Care Unit. *JAMA*, 291(14), 1753-1762.
- 福家良太(2016). Post-intensive care syndromeと栄養管理. *日本静脈経腸栄養学会雑誌*, 31(3), 817-820.
- Harvey, M.A., & Davidson, J. E. (2016). Postintensive care syndrome: Right care, right now...and later. *Critical Care Medicine*, 44(2), 381-385.
- 長谷川 隆一. (2014). ABCDEバンドルの実践 医師の立場から. *日本呼吸ケア・リハビリテーション学会誌*, 24(2), 192-196.
- Heyland, D. K., Hopman, W., Coe, W., Tranmer, J., & McColl, M. A. (2000). Long-term health-related quality of life in survivors of sepsis. Short Form 36: A valid and reliable measure of health-related quality of life. *Critical Care Medicine*, 28(11), 3599-3605.
- 平澤博之(2012). ICU患者の長期転帰. *ICUとCCU*, 36(6), 391-398.
- Hoorn, S. T., Elbers, P. W., Girbes, A. R., & Tuinman, P. R. (2016). Communicating with conscious and mechanically ventilated critically ill patients: a systematic review. *Critical Care*, 20, 333.
- Iwashyna, T. J., Ely, E. W., Smith, D. M., & Langa, K. M. (2010). Long-term cognitive impairment and functional disability among survivors of severe sepsis. *JAMA*, 304(16), 1787-1794.

Iwashyna, T. J., Cooke, C. R., Wunsch, H., & Kahn, J. M. (2012). Population burden of Long-Term survivorship after severe sepsis in older Americans. *Journal of the American Geriatrics Society*, 60(6), 1070-1077.

Jonghe, B., Lacherade, J. C., Sharshar, T., & Outin, H.(2009). Intensive care unit-acquired weakness: Risk factors and prevention. *Critical Care Medicine*, 37(10), 309-315.

古賀雄二, 大坂卓, 藤村祥子 (2017). PICSの予防と対策 せん妄対策. *看護技術*, 63(4), 74-77.

Li, S., Wang, T., Wu, S., Liang, S., & Tung, H. (2011). Efficacy of controlling night-time noise and activities to improve patients' sleep quality in a surgical intensive care unit. *Journal of Clinical Nursing*, 20(3-4), 396-407.

McKinley, S., Nagy, S., Stein-Parbury, J., Bramwell, M., & Hudson, J. (2002). Vulnerability and security in seriously ill patients in intensive care. *Intensive Critical Care Nurse*, 18(1), 27-36.

Morris, P. E., Berry, M. J., Files, D. C., Thompson, J. C., Hauser, J., Flores, L.,...Young, M. P. (2016). Standardized rehabilitation and hospital length of stay among patients with acute respiratory failure: A randomized clinical trial. *JAMA*, 315(24), 2694-2702.

Needham, D. M., Davidson, J., Cohen, H., Hopkins, R. O., Weinert, C., Wunsch, H.,...Harvey, M. A. (2012). Improving long-term outcomes after discharge from intensive care unit: report from a stakeholders' conference. *Critical Care Medicine*, 40(2), 502-509.

日本集中治療医学会, 日本救急医学会合同. 日本敗血症ガイドライン(2016年改訂版).

- Oeyen, S. G., Vandijck, D. M., Benoit, D. D., Annemans, L., & Decruyenaere, J. M. (2010). Quality of life after intensive care: A systematic review of the literature. *Society of Critical Care Medicine*, 38(12), 2386-2400.
- 及川真人(2017). PICSの予防と対策 早期リハビリテーション. *看護技術*, 63(4), 71-75.
- Pandharipande, P., Cotton, B. A., Shintani, A., Thompson, J., Pun, B. T., Morris, J. A., ... Ely, E. W. (2008). PREVALENCE AND RISK FACTORS FOR DEVELOPMENT OF delirium in surgical and trauma ICU patients. *The Journal of Trauma: Injury, Infection, and Critical Care*, 65(1), 34-41.
- Payen, J. F., Chanques, G., Mantz, J., Hercule, C., & Auriant, I. (2007) Current practices in sedation and analgesia for mechanically ventilated critically ill patients. *Anesthesiology*, 106(4), 687-695.
- Rompaey, B. V., Elseviers, M. M., Drom, W. V., Fromont, V., & Jorens, P. G. (2012). The effect of earplugs during the night on the onset of delirium and sleep perception: a randomized controlled trial in intensive care patients. *Critical Care*, 16(3).
- 齋藤伸行(2013). 重症敗血症における筋力低下と予後. *ICUとCCU*, 37(4), 287-295.
- 讚井將満(2010). 麻酔薬は敵か味方か 集中治療室における鎮静の中樞神経への影響 譫妄, 記憶, 認知機能障害, うつ, PTSD. *LiSA*, 17(11), 1064-1072.
- Schweickert, W. D., Pohlman, M. C., Pohlman, A. S., Nigos, C., Pawlik, A. J., Esbrook, C. L., ... Kress, J. P. (2009). Early physical and occupational therapy in mechanically ventilated, critically ill patients: a randomised controlled trial. *The Lancet*, 373(9678), 1874-1882.
- ScM, M.H., Parker, A. M., Bienvenu, O.J., Dinglas, V. D., Colantuoni, E., Hopkins, R. O., & Needham, D.M. (2016). Psychiatric Symptoms in Acute Respiratory Distress

Syndrome Survivors: A 1-Year National Multicenter Study. *Critical Care Medicine*, 44(5), 954-965.

Singer, M., Deutschman, C. S., Seymour, C. W., Shankar-Hari, M., Annane, D., Bauer, M., ... Angus, D. C. (2016). The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, 315(8), 801-810.

Stevens, R. D., Dowdy, D. W., Michaels, R. K., Mendez-Tellez, P. A., Pronovost, P. J., & Needham, D. M. (2007). Neuromuscular dysfunction acquired in critical illness: a systematic review. *Intensive Care Medicine*, 33:1876-1891

武居哲洋(2014). ICU-acquired weakness 重症患者に生じるポリニューロパチー, ミオパチー. *BRAIN and NERVE*, 66(2), 161-170.

Vasilevskis, E. E., Ely, E. W., Speroff, E., Pun, B. T., Boehm, L., & Dittus, R. S. (2010). Reducing iatrogenic risks: ICU-acquired delirium and weakness--crossing the quality chasm. *Chest*, 138(5), 1224-1233.

What To Expect Before and After Discharge. (n.d.). In Society of Critical Care Medicine. Retrieved January 3, 2018 from <http://www.mycucare.org/Thrive/Pages/What-To-Expect-After-Discharge.aspx>

Weinhouse, G. L., Schwab, R. J., Watson, P. L., Patil, N., Vaccaro, B., Pandharipande, P., & Ely, E. W. (2009). Bench-to-bedside review: Delirium in ICU patients - importance of sleep deprivation. *Critical Care*, 13(6), 234.

Winters, B. D., Eberlein, M., Leung, J., Needham, D. M., Pronovost, P. J., & Sevransky, J. E. (2010). Long-term mortality and quality of life in sepsis: A systematic review. *Society of Critical Care Medicine*, 38(5), 1276-1283.