

第 6 章 文献

- Alder, J., Stadlmayr, W., Tschudin, S., & Bitzer, J. (2006). Post-traumatic symptoms after childbirth: What should we offer? *Journal of Psychosomatic Obstetrics and Gynaecology*, 27(2), 107-112.
- Ayers, S. (2014). Fear of childbirth, postnatal post-traumatic stress disorder and midwifery care. *Midwifery*, 30(2), 145-148. 10.1016/j.midw.2013.12.001 [doi]
- Ayers, S., Claypool, J., & Eagle, A. (2006). Birth trauma. what happens after a difficult birth? postnatal debriefing services. *British Journal of Midwifery*, 14(3), 157-161.
- Ayers, S., Joseph, S., McKenzie-McHarg, K., Slade, P., & Wijma, K. (2008). Post-traumatic stress disorder following childbirth: Current issues and recommendations for future research. *Journal of Psychosomatic Obstetrics and Gynecology*, 29(4), 240-250. 10.1080/01674820802034631
- Ayers, S., McKenzie-McHarg, K., & Eagle, A. (2007). Cognitive behaviour therapy for postnatal post-traumatic stress disorder: Case studies. *Journal of Psychosomatic Obstetrics and Gynaecology*, 28(3), 177-184. 779653414 [pii]
- Barnes, M. (2007). PTSD after childbirth: Michelle barnes shares her experiences. *AIMS Journal*, 19(1), 9-10.
- Bastos, M. H., Furuta, M., Small, R., McKenzie-McHarg, K., & Bick, D. (2015). Debriefing interventions for the prevention of psychological trauma in women following childbirth. *The Cochrane Database of Systematic Reviews*, (4):CD007194. doi(4), CD007194. 10.1002/14651858.CD007194.pub2 [doi]
- Beck, C. T., & Harrison, L. (2017). Posttraumatic stress in mothers related to giving birth prematurely: A mixed research synthesis. *Journal of the American Psychiatric Nurses Association*, 23(4), 241-257. 10.1177/1078390317700979
- Blum, H. P. (1978). Reconstruction in a case of postpartum depression. *The Psychoanalytic Study of the Child*, 33, 335-362.
- Borg Cunen, N., McNeill, J., & Murray, K. (2014). A systematic review of midwife-led interventions to address post partum post-traumatic stress. *Midwifery*, 30(2), 170-

184. 10.1016/j.midw.2013.09.003 [doi]
- Brown-Bowers, A., Fredman, S. J., Wanklyn, S. G., & Monson, C. M. (2012). Cognitive-behavioral conjoint therapy for posttraumatic stress disorder: Application to a couple's shared traumatic experience. *Journal of Clinical Psychology*, 68(5), 536-547. 10.1002/jclp.21850 [doi]
- Chang, S. R., Chen, K. H., Ho, H. N., Lai, Y. H., Lin, M. I., Lee, C. N., & Lin, W. A. (2015). Depressive symptoms, pain, and sexual dysfunction over the first year following vaginal or cesarean delivery: A prospective longitudinal study. *International Journal of Nursing Studies*, 52(9), 1433-1444. 10.1016/j.ijnurstu.2015.04.019 [doi]
- Church, S., & Scanlan, M. (2002). Post-traumatic stress disorder after childbirth. do midwives have a preventative role? *The Practising Midwife*, 5(6), 10-13.
- Clement, S. (2001). Psychological aspects of caesarean section. *Best Practice & Research. Clinical Obstetrics & Gynaecology*, 15(1), 109-126. 10.1053/beog.2000.0152 [doi]
- Collins, R. (2006). What is the purpose of debriefing women in the postnatal period? *Evidence Based Midwifery*, 4(1), 4-9.
- Conde, A. A., Figueiredo, B., Costa, R., Pacheco, A., & Pais, Á. (2008). Perception of the childbirth experience: Continuity and changes over the postpartum period. *Journal of Reproductive and Infant Psychology*, 26(2), 139-154. 10.1080/02646830801918414
- De Schepper, S., Vercauteren, T., Tersago, J., Jacquemyn, Y., Raes, F., & Franck, E. (2016). Post-traumatic stress disorder after childbirth and the influence of maternity team care during labour and birth: A cohort study. *Midwifery*, 32, 87-92. 10.1016/j.midw.2015.08.010 [doi]
- Enkin, M. (2001). A midwife-led debriefing session after operative childbirth did not reduce postpartum depression...commentary on small R, lumley J, donohue L et al. randomised controlled trial of midwife led debriefing to reduce maternal depression after operative childbirth. *BMJ* 2000 oct 28;32:1043-7. *ACP Journal Club*, 134(3), 86-86.

- Fenech, G., & Thomson, G. (2014). Tormented by ghosts from their past': A meta-synthesis to explore the psychosocial implications of a traumatic birth on maternal well-being. *Midwifery*, 30(2), 185-193. 10.1016/j.midw.2013.12.004 [doi]
- Foa, E. B., Keane, T. M., Friedman, M. J., Cohen, J. A., & 飛鳥井 望. (2013). *Ptsd 治療ガイドライン* (第2版 ed.). 東京: 金剛出版.
- Ford, E., Ayers, S., & Bradley, R. (2010). Exploration of a cognitive model to predict post-traumatic stress symptoms following childbirth. *Journal of Anxiety Disorders*, 24(3), 353-359. 10.1016/j.janxdis.2010.01.008
- Furuta, M., Spain, D., Bick, D., Ng, E. S., & Sin, J. (2016). Effectiveness of trauma-focused psychological therapies compared to usual postnatal care for treating post-traumatic stress symptoms in women following traumatic birth: A systematic review protocol. *BMJ Open*, 6(11), e013697-2016-013697. 10.1136/bmjopen-2016-013697 [doi]
- Gadassi, K. F. (2013). What if anything were possible? traumatic birth as fertile ground for growth. *Midwifery Today with International Midwife*, (108)(108), 20-21.
- Gamble, J., & Creedy, D. (2004). Content and processes of postpartum counseling after a distressing birth experience: A review. *Birth (Berkeley, Calif.)*, 31(3), 213-218. 10.1111/j.0730-7659.2004.00307.x [doi]
- Gamble, J., Creedy, D., & Moyle, W. (2004). Counselling processes to address psychological distress following childbirth: Perceptions of midwives. *Australian Midwifery*, 17(3), 16-19.
- Gamble, J., Creedy, D., Moyle, W., Webster, J., McAllister, M., & Dickson, P. (2005). Effectiveness of a counseling intervention after a traumatic childbirth: A randomized controlled trial. *Birth: Issues in Perinatal Care*, 32(1), 11-19.
- Gamble, J., & Creedy, D. K. (2009). A counselling model for postpartum women after distressing birth experiences. *Midwifery*, 25(2), e21-30. S0266-6138(07)00064-2 [pii]
- Gamble, J. A., Creedy, D. K., Webster, J., & Moyle, W. (2002). A review of the literature on debriefing or non-directive counselling to prevent postpartum

- emotional distress. *Midwifery*, 18(1), 72-79. 10.1054/midw.2001.0287 [doi]
- Gentry, A. (2010). Preventing and healing infant birth trauma. *Midwifery Today with International Midwife*, (96)(96), 48-49.
- George, A., Thilly, N., Rydberg, J. A., Luz, R., & Spitz, E. (2013). Effectiveness of eye movement desensitization and reprocessing treatment in post-traumatic stress disorder after childbirth: A randomized controlled trial protocol. *Acta Obstetrica Et Gynecologica Scandinavica*, 92(7), 866-868. 10.1111/aogs.12132 [doi]
- Grigoriadis, S., & Romans, S. (2006). Postpartum psychiatric disorders: What do we know and where do we go? *Current Psychiatry Reviews*, 2(1), 151-158. 10.2174/157340006775101481
- Hall, M. F. (2014). How to help women at risk for acute stress disorder after childbirth. *Nursing for Women's Health*, 18(6), 449-454. 10.1111/1751-486X.12157 [doi]
- Hall, M. F. (2013). The psychological impact of medical trauma: One woman's childbirth story. *Nursing for Women's Health*, 17(4), 271-274. 10.1111/1751-486X.12045
- 比嘉 速望. (2017). 母体搬送後に緊急帝王切開となった産婦への対応の検討 母体搬送時から出産後の産婦との関わりを通して. *沖縄赤十字病院医学雑誌*, 22(1), 45-48.
- 東野 妙子, 原 愛由美, 久保田 和香, 岩見 祐子, & 園生 陽子. (2003). マニュアルを活用した「出産体験の振り返り」の分析. *聖母女子短期大学紀要*, (16), 13-24.
- Higgins, J., Green, S., Prof, & Cochrane Collaboration. (2008). *Cochrane handbook for systematic reviews of interventions*. Boulder, Colo.: NetLibrary.
- 保条 麻紀, 中山 サツキ, 中島 昌子, 森本 美鶴, 黒瀬 泉, & 早瀬 麻子. (2005). 【緊急帝王切開,事前・事後にできること】 緊急母体搬送前後における妊産婦と夫の実態調査から助産師の連携と看護の課題. *助産雑誌*, 59(7), 600-605.
- Hollander, M. H., van Hastenberg, E., van Dillen, J., van Pampus, M. G., de Miranda, E., & Stramrood, C. A. I. (2017). Preventing traumatic childbirth experiences: 2192 women's perceptions and views. *Archives of Women's Mental Health*, 20(4), 515-523. 10.1007/s00737-017-0729-6 [doi]
- Holmes, E. A., James, E. L., Coode-Bate, T., & Deeprose, C. (2009). Can playing the

- computer game “Tetris” reduce the build-up of flashbacks for trauma? A proposal from cognitive science. *Plos One*, 4(1), .
doi:10.1371/journal.pone.0004153. e4153
- Horsch, A., Vial, Y., Favrod, C., Harari, M. M., Blackwell, S. E., Watson, P., . . . Holmes, E. A. (2017). Reducing intrusive traumatic memories after emergency caesarean section: A proof-of-principle randomized controlled study. *Behaviour Research and Therapy*, 94, 36-47. S0005-7967(17)30067-0 [pii]
- Hunter, A. (2013). Working with postpartum post-traumatic stress disorder: Potential challenges for midwives and other health practitioners. *MIDIRS Midwifery Digest*, 23(3), 367-372.
- 乾 つぶら, 島田 三恵子, 林 猪都子, & 猪俣 理恵. (2015). 分娩の主観的評価に影響を与える要因 医療処置と入院中のケア. *母性衛生*, 56(2), 399-406.
- 伊藤 道子. (2015). 【バースレビューの心得】ナラティヴからひも解くバースレビュー 時間を置いて語られた前回出産への否定的認識. *助産雑誌*, 69(12), 994-997.
- Iyadurai, L., Blackwell, S. E., Meiser-Stedman, R., Watson, P. C., Bonsall, M. B., Geddes, J. R., . . . Holmes, E. A. (2017). Preventing intrusive memories after trauma via a brief intervention involving tetris computer game play in the emergency department: A proof-of-concept randomized controlled trial. *Molecular Psychiatry*, 10.1038/mp.2017.23 [doi]
- James, S. (2015). Women’s experiences of symptoms of posttraumatic stress disorder (PTSD) after traumatic childbirth: A review and critical appraisal. *Archives of Women's Mental Health*, 18(6), 761-771. 10.1007/s00737-015-0560-x
- Johnston-Robledo, I., & Barnack, J. (2004). Psychological issues in childbirth: Potential roles for psychotherapists. *Women & Therapy*, 27(3), 133-150.
- Joseph, S., & Bailham, D. (2004). Traumatic childbirth: What we know and what we can do. *RCM Midwives : The Official Journal of the Royal College of Midwives*, 7(6), 258-261.
- 我部山 キヨ子, 堀内 寛子, 入澤 みち子, & 脇田 満里子. (1998). 出産体験の評価に対する縦断的研究(第 4 報) 産後 1 年の出産の満足度に影響する因子. *母性衛生*, 39(4), 337-345.

- 我部山 キヨ子. 臨床助産師必携：生命と文化をふまえた支援(第2版 ed.). 東京：医学書院.
- 亀田 幸枝, 島田 啓子, 田淵 紀子, 関塚 真美, & 坂井 明美. (2006). 出産に対する Self-efficacy と出産体験の関係. *金沢大学つるま保健学会誌*, 29(2), 93-100.
- 神谷 るり子, 広瀬 泰子, 藤井 純子, & 他. (1996). 緊急帝王切開術の受容に影響する因子に関する一考察. *岐阜県母性衛生学会雑誌*, 18, 49-52.
- Kershaw, K., Jolly, J., Bhabra, K., & Ford, J. (2005). Randomised controlled trial of community debriefing following operative delivery. *BJOG: An International Journal of Obstetrics and Gynaecology*, 112(11), 1504-1509. 10.1111/j.1471-0528.2005.00723.x
- King, L., McKenzie-McHarg, K., & Horsch, A. (2017). Testing a cognitive model to predict posttraumatic stress disorder following childbirth. *BMC Pregnancy and Childbirth*, 17(1), 32-016-1194-3. 10.1186/s12884-016-1194-3 [doi]
- 北田 真紗美, 伊澤 智香子, 石井 志摩, & 亀川 しのぶ. (2016). 緊急帝王切開となった初産婦の気持ちの変化 妊娠・産褥期の保健指導の課題を見出す. *大阪母性衛生学会雑誌*, 52(1), 101-105.
- 北川 善子, 川島 純子, 宮本 雅枝, 小松 輝子, 萩野 眞貴子, & 西村 米子. (2001). 緊急帝王切開術を経験した褥婦のわだかまり. *日本看護学会論文集：母性看護*, (31), 58-60.
- 北村, 俊. (2007). *周産期メンタルヘルスケアの理論：産後うつ病発症メカニズムの理解のために：事例で読み解く*. 東京：医学書院.
- 堀 なぎさ, 有水 美貴, 角 知紗都, 川畑 昌子, 家村 千明, 西原 ひとみ, ... 昇 眞寿夫. (2012). 効果的なバースレビューの方法に向けて. *鹿児島県母性衛生学会誌*, 17, 12-14.
- Kitson-Reynolds, E. (2016). Greater support and debriefing may help student midwives to process traumatic birth experiences. *Evidence-Based Nursing*, 19(1), 6-2015-102194. Epub 2015 Oct 6. 10.1136/eb-2015-102194 [doi]
- Knapp, E. J. (2011). Acute distress and PTSP following childbirth: A complex longitudinal case study. *Midwifery Today with International Midwife*, (100)(100), 44-6, 66-8.
- Korabova, I., & Masopustova, Z. (2016). Post-traumatic stress disorder after childbirth. [Posttraumatická stresová porucha po porodu] *Ceska Gynekologie*, 81(1), 14-19. 57624 [pii]

- Lake, F. (1978). Treating psychosomatic disorders related to birth trauma. *Journal of Psychosomatic Research*, 22(4), 227-238.
- Lapp, L. K., Agbokou, C., Peretti, C. S., & Ferreri, F. (2010). Management of post traumatic stress disorder after childbirth: A review. *Journal of Psychosomatic Obstetrics and Gynaecology*, 31(3), 113-122. 10.3109/0167482X.2010.503330 [doi]
- Larsson, B., Karlstrom, A., Rubertsson, C., & Hildingsson, I. (2015). The effects of counseling on fear of childbirth. *Acta Obstetrica Et Gynecologica Scandinavica*, 94(6), 629-636. 10.1111/aogs.12634 [doi]
- Leach, S. (2010). Postnatal debriefing: Not just for traumatic births. *The Practising Midwife*, 13(9), 14-16.
- Lemola, S., Stadlmayr, W., & Grob, A. (2007). Maternal adjustment five months after birth: The impact of the subjective experience of childbirth and emotional support from the partner. *Journal of Reproductive and Infant Psychology*, 25(3), 190-202. 10.1080/02646830701467231
- LIETAERT PEERBOLTE, M. (1951). Psychotherapeutic evaluations of birth-trauma analysis; a preliminary contribution to fodor's therapy. *The Psychiatric Quarterly*, 25(4), 589-603.
- Machado, M. C., Assis, K. F., Oliveira Fde, C., Ribeiro, A. Q., Araujo, R. M., Cury, A. F., . . . Franceschini Sdo, C. (2014). Determinants of the exclusive breastfeeding abandonment: Psychosocial factors. *Revista De Saude Publica*, 48(6), 985-994. 10.1590/S0034-8910.2014048005340 [doi]
- Mangaoang, M. (2009). Childbirth-related post-traumatic stress disorder and its treatment. *Irish Journal of Psychological Medicine*, 26(2), 76-81.
- Marjorie, V. (2004). Traumatic birth. *RCM Midwives : The Official Journal of the Royal College of Midwives*, 7(8), 356.
- 増永 啓子. (2008). 【シチュエーションで学ぶはじめての助産業務】場面 はじめてのバースレビュー. *ペリネイタルケア*, 27(4), 375-377.
- 松本 鈴子, 横尾 京子, 岡村 仁, & 中込 さと子. (2006). 産後 1 ヶ月における出産に伴う母親の心的外傷後ストレスの出現 nicu 入院児の母親と健常新生児の母親の比較. *広島大学保健学ジャーナル*, 6(1), 71-80.

- 松岡 悦子, & 加納 尚美. (2010). 出産時の医療介入とマタニティーブルーズとの関連の検討. *母性衛生*, 51(2), 433-438.
- McFarlane, A. C. (2003). Debriefing: Care and sympathy are not enough. *The Medical Journal of Australia*, 178(11), 533-534. mcf10179_fm-2 [pii]
- McKenzie-McHarg, K. (2004). Commentary: Traumatic birth: Understanding predictors, triggers, and counseling process is essential to treatment. *Birth: Issues in Perinatal Care*, 31(3), 219-221.
- McKenzie-McHarg, K. (2004). Traumatic birth: Understanding predictors, triggers, and counseling process is essential to treatment. *Birth (Berkeley, Calif.)*, 31(3), 219-221. 10.1111/j.0730-7659.2004.00308.x [doi]
- 壬生 まゆみ, 諸原 祐三子, & 奈良 美保子. (2002). 緊急帝王切開産婦における出産体験の喪失を軽減するための予期的指導の効果. *日本看護学会論文集: 母性看護*, (32), 58-60.
- Mitchell, J. T. (1983). When disaster strikes...the critical incident stress debriefing process. *JEMS: A Journal of Emergency Medical Services*, 8(1), 36-39.
- Mohlander, M., & Ryding, E. L. (2013). Counseling can help women with fear of childbirth. A visit to the aurora center in stockholm assessed by questionnaire survey. [Samtal kan hjälpa kvinnor med förlossningsrädsla. Besök på Auroramottagning i Stockholm varderade genom enkätstudie] *Lakartidningen*, 110(12), 618-620.
- Mullan, J. (2017). Certified birth Trauma/PTSD resolution, practitioner training programme. *Midwives*, 20(1), 25-25.
- 武藤 清栄. (2015). 【バースレビューの心得】現場での上手な話の聴き方. *助産雑誌*, 69(12), 998-1002.
- Muzik, M., Cameron, H. G., Fezzey, A., & Rosenblum, K. L. (2009). Motherhood in the face of trauma: PTSD in the childbearing year. *Zero to Three*, 29(5), 28-33.
- 中間 みちよ, & 山内 京子. (2007). 緊急帝王切開術を受けた母親の心理と看護援助の方向性. *看護学統合研究*, 8(2), 30-33.
- Navarro, P., Garcia-Estevé, L., Ascaso, C., Aguado, J., Gelabert, E., & Martín-Santos, R. (2008). Non-psychotic psychiatric disorders after childbirth: Prevalence and comorbidity in a community sample. *Journal of Affective Disorders*, 109(1-2), 171-

176. S0165-0327(07)00355-2 [pii]

西園, 文. (2011). 産後メンタルヘルス援助の考え方と実践 : 地域で支える子育てのスタート. 東京: 岩崎学術出版社.

小川 朋子. (2005). 【分娩進行に沿った分娩介助のコツ】 出産体験の振り返り. *ペリネイタルケア*, 24(10), 1001-1006.

小川 朋子. (2006). 【"産んでよかった"と実感できるように バースレビュー徹底研究】 総論 バースレビューの意義. *ペリネイタルケア*, 25(8), 756-760.

大久保 功子. (2015). 【バースレビューの心得】 バースレビュー再考 取り組む際に気を付けたこと. *助産雑誌*, 69(12), 982-987.

Olde, E., van der Hart, O., Kleber, R., & van Son, M. (2006). Posttraumatic stress following childbirth: A review. *Clinical Psychology Review*, 26(1), 1-16. S0272-7358(05)00099-1 [pii]

Olin, R. -, & Faxelid, E. (2003). Parents' needs to talk about their experiences of childbirth. *Scandinavian Journal of Caring Sciences*, 17(2), 153-159. 10.1046/j.1471-6712.2003.00105.x

Peate, I., & Hamilton, C., 1962-.*Becoming a midwife in the 21st century*. Chichester: John Wiley.

Phillips, S. (2003). Psychological issues. debriefing following traumatic childbirth. *British Journal of Midwifery*, 11(12), 725-730.

Poel, Y. H., Swinkels, P., & de Vries, J. I. (2009). Psychological treatment of women with psychological complaints after pre-eclampsia. *Journal of Psychosomatic Obstetrics and Gynaecology*, 30(1), 65-72. 10.1080/01674820802545990 [doi]

Priddis, H. S., Keedle, H., & Dahlen, H. (2017). The perfect storm of trauma: The experiences of women who have experienced birth trauma and subsequently accessed residential parenting services in australia. *Women and Birth : Journal of the Australian College of Midwives*, S1871-5192(17)30061-6 [pii]

Priest, S. R., Henderson, J., Evans, S. F., & Hagan, R. (2003). Stress debriefing after childbirth: A randomised controlled trial. *The Medical Journal of Australia*, 178(11), 542-545. pri10551_fm [pii]

Psychotherapy with college students. committee on the college student group for the

- advancement of psychiatry. (1990). *Report (Group for the Advancement of Psychiatry : 1984), (130)(130)*, 1-140.
- Rauh, C., Beetz, A., Burger, P., Engel, A., Haberle, L., Fasching, P. A., . . . Faschingbauer, F. (2012). Delivery mode and the course of pre- and postpartum depression. *Archives of Gynecology and Obstetrics*, *286*(6), 1407-1412. 10.1007/s00404-012-2470-8 [doi]
- Reed, M., Fenwick, J., Hauck, Y., Gamble, J., & Creedy, D. K. (2014). Australian midwives' experience of delivering a counselling intervention for women reporting a traumatic birth. *Midwifery*, *30*(2), 269-275. 10.1016/j.midw.2013.07.009 [doi]
- Robinson, J. (2007). Post traumatic stress disorder. *AIMS Journal*, *19*(1), 5-8.
- Rose, S., Bisson, J., Churchill, R., & Wessely, S. (2002). Psychological debriefing for preventing post traumatic stress disorder (PTSD). *The Cochrane Database of Systematic Reviews*, (2):CD000560. doi(2), CD000560. CD000560 [pii]
- Rouhe, H., Salmela-Aro, K., Toivanen, R., Tokola, M., Halmesmäki, E., Ryding, E. -, & Saisto, T. (2015). Group psychoeducation with relaxation for severe fear of childbirth improves maternal adjustment and childbirth experience-a randomised controlled trial. *Journal of Psychosomatic Obstetrics and Gynecology*, *36*(1), 1-9. 10.3109/0167482X.2014.980722
- Rowan, C., Bick, D., & Bastos, M. H. (2007). Postnatal debriefing interventions to prevent maternal mental health problems after birth: Exploring the gap between the evidence and UK policy and practice. *Worldviews on Evidence-Based Nursing*, *4*(2), 97-105. WVN088 [pii]
- Rowe, C. E., Jr. (2008). The impact of a traumatic birth injury on the internal world of an adult patient: A self-psychological psychoanalysis. *Psychoanalytic Review*, *95*(1), 107-129. 10.1521/prev.2008.95.1.107 [doi]
- Rowe, H. J., & Fisher, J. R. (2010). Development of a universal psycho-educational intervention to prevent common postpartum mental disorders in primiparous women: A multiple method approach. *BMC Public Health*, *10*, 499-2458-10-499. 10.1186/1471-2458-10-499 [doi]
- Rowlands, I. J., & Redshaw, M. (2012). Mode of birth and women's psychological and

- physical wellbeing in the postnatal period. *BMC Pregnancy and Childbirth*, 12, 138-2393-12-138. 10.1186/1471-2393-12-138 [doi]
- Rubin, R., 新道, 幸), & 後藤, 桂.母性論 : 母性の主観的体験. 東京: 医学書院.
- Ryding, E. L. (2002). Crisis intervention after emergency cesarean section can result in a more positive experience of the labor. [Krisintervention efter akut kejsarsnitt kan ge positivare bild av förlossningen] *Lakartidningen*, 99(7), 626-627.
- Ryding, E. L., Wiren, E., Johansson, G., Ceder, B., & Dahlstrom, A. M. (2004). Group counseling for mothers after emergency cesarean section: A randomized controlled trial of intervention. *Birth (Berkeley, Calif.)*, 31(4), 247-253. BIR316 [pii]
- Sandstrom, M., Wiberg, B., Wikman, M., Willman, A. K., & Hogberg, U. (2008). A pilot study of eye movement desensitisation and reprocessing treatment (EMDR) for post-traumatic stress after childbirth. *Midwifery*, 24(1), 62-73. S0266-6138(06)00098-2 [pii]
- Schlosser, S. (1978). The emergency C-section patient. why she needs help... what you can do. *Rn*, 41(9), 52-57.
- Schwab, W., Marth, C., & Bergant, A. M. (2012). Post-traumatic stress disorder post partum: The impact of birth on the prevalence of post-traumatic stress disorder (PTSD) in multiparous women. *Geburtshilfe Und Frauenheilkunde*, 72(1), 56-63. 10.1055/s-0031-1280408 [doi]
- Scotese Baxter, J. M. (2012). The obstetric registered nurse's lived experience of birth trauma. *JOGNN: Journal of Obstetric, Gynecologic & Neonatal Nursing*, 41, S159-60. 10.1111/j.1552-6909.2012.01362_58.x
- Scott, K. D., Klaus, P. H., & Klaus, M. H. (1999). The obstetrical and postpartum benefits of continuous support during childbirth. *Journal of Women's Health and Gender-Based Medicine*, 8(10), 1257-1264.
- Selkirk, R., McLaren, S., Ollerenshaw, A., McLachlan, A. J., & Moten, J. (2006). The longitudinal effects of midwife-led postnatal debriefing on the psychological health of mothers. *Journal of Reproductive and Infant Psychology*, 24(2), 133-147. 10.1080/02646830600643916
- 芹沢 真実. (1998). 緊急帝王切開分娩をした初産婦の心理的喪失体験を分析して. 神奈川県

立看護教育大学校事例研究集録, 21, 40-43.

- Shaw, R. J., St John, N., Lilo, E., Jo, B., Benitz, W., Stevenson, D. K., & Horwitz, S. M. (2014). Prevention of traumatic stress in mothers of preterms: 6-month outcomes. *Pediatrics*, 134(2), e481; e488. 10.1542/peds.2014-0529
- Sheen, K., & Slade, P. (2015). The efficacy of 'debriefing' after childbirth: Is there a case for targeted intervention? *Journal of Reproductive & Infant Psychology*, 33(3), 308-320. 10.1080/02646838.2015.1009881
- 椎谷 由実, 坂上 明子, & 山本 英子. (2015). 緊急帝王切開における分娩体験の受容と自分なりの意味づけを促す看護. *母性衛生*, 55(4), 643-650.
- Simpson, K. (2011). Birth trauma. *The Practising Midwife*, 14(7), 15; discussion 15.
- Simpson, M., & Catling, C. (2016). Understanding psychological traumatic birth experiences: A literature review. *Women and Birth : Journal of the Australian College of Midwives*, 29(3), 203-207. 10.1016/j.wombi.2015.10.009 [doi]
- Skibniewski-Woods, D. (2011). A review of postnatal debriefing of mothers following traumatic delivery. *Community Practitioner : The Journal of the Community Practitioners' & Health Visitors' Association*, 84(12), 29-32.
- Small, R., Lumley, J., Donohue, L., Potter, A., & Waldenstrom, U. (2000). Randomised controlled trial of midwife led debriefing to reduce maternal depression after operative childbirth. *British Medical Journal*, 321(7268), 1043-1047.
- Small, R., Lumley, J., & Toomey, L. (2006). Midwife-led debriefing after operative birth: Four to six year follow-up of a randomised trial [ISRCTN24648614]. *BMC Medicine*, 410.1186/1741-7015-4-3
- Söderquist, J., Wijma, B., & Wijma, K. (2006). The longitudinal course of post-traumatic stress after childbirth. *Journal of Psychosomatic Obstetrics and Gynecology*, 27(2), 113-119. 10.1080/01674820600712172
- Soet, J. E., Brack, G. A., & DiIorio, C. (2003). Prevalence and predictors of women's experience of psychological trauma during childbirth. *Birth (Berkeley, Calif.)*, 30(1), 36-46. 215 [pii]
- Soltani, N., Abedian, Z., Mokhber, N., & Esmaily, H. (2015). The association of family support after childbirth with posttraumatic stress disorder in women with

- preeclampsia. *Iranian Red Crescent Medical Journal*, 17(10), e17865.
10.5812/ircmj.17865 [doi]
- Sorenson, D. S. (2003). Healing traumatizing provider interactions among women through short-term group therapy. *Archives of Psychiatric Nursing*, 17(6), 259-269. S0883941703001304 [pii]
- Steinberg, S. I., & Bellavance, F. (1999). Characteristics and treatment of women with antenatal and postpartum depression. *International Journal of Psychiatry in Medicine*, 29(2), 209-233. 10.2190/J96Y-YU6C-5PXQ-C4J9 [doi]
- Stevenson, M. D., Scope, A., Sutcliffe, P. A., Booth, A., Slade, P., Parry, G., . . . group cognitive behavioural therapy for postnatal depression advisory group. (2010). Group cognitive behavioural therapy for postnatal depression: A systematic review of clinical effectiveness, cost-effectiveness and value of information analyses. *Health Technology Assessment (Winchester, England)*, 14(44), 1-107, iii-iv. 10.3310/hta14440 [doi]
- Stone, H. L. (2009). Post-traumatic stress disorder in postpartum patients: What nurses can do. *Nursing for Women's Health*, 13(4), 284-291. 10.1111/j.1751-486X.2009.01438.x [doi]
- Stramrood, C. A., van der Velde, J., Doornbos, B., Marieke Paarlberg, K., Weijmar Schultz, W. C., & van Pampus, M. G. (2012). The patient observer: Eye-movement desensitization and reprocessing for the treatment of posttraumatic stress following childbirth. *Birth (Berkeley, Calif.)*, 39(1), 70-76. 10.1111/j.1523-536X.2011.00517.x [doi]
- 鈴木 由美子. (2015). 【バースレビューの心得】 バースレビューにかかわった経験からみえてきたこと. *助産雑誌*, 69(12), 988-992.
- Taghizadeh, Z., Arbabi, M., Kazemnejad, A., Irajpour, A., & Lopez, V. (2015). Iranian mothers' perceptions of the impact of the environment on psychological birth trauma: A qualitative study. *International Journal of Nursing Practice*, 21 Suppl 2, 58-66. 10.1111/ijn.12286 [doi]
- 竹原 健二, 野口 真貴子, 嶋根 卓也, & 三砂 ちづる. (2009). 豊かな出産体験がその後の女性の育児に及ぼす心理的な影響. *日本公衆衛生雑誌*, 56(5), 312-321.

- Tam, W. H., Lee, D. T., Chiu, H. F., Ma, K. C., Lee, A., & Chung, T. K. (2003). A randomised controlled trial of educational counselling on the management of women who have suffered suboptimal outcomes in pregnancy. *BJOG : An International Journal of Obstetrics and Gynaecology*, 110(9), 853-859. S1470032803029124 [pii]
- Tam, W. H., Lee, D. T. S., Chiu, H. F. K., Ma, K. C., Lee, A., Chung, T. K. H., & Small, R. (2004). Educational counselling did not improve psychological wellbeing in women with suboptimal childbirth outcomes. *Evidence-Based Obstetrics and Gynecology*, 6(4), 173-174. 10.1016/j.ebobgyn.2004.08.001
- Tammelleo, A. D. (2000). TX: Forceps delivery -- 'ping-pong' depression: Alleged failure to train & supervise nurses. *Nursing Law's Regan Report*, 40(12), 3-3.
- 谷口 綾, 大久保 功子, 齋藤 真希, 廣山 奈津子, 小田柿 ふみ, & 三隅 順子. (2014). 帝王切開で出産した女性の妊娠中から産後 1 ヶ月までの心理的プロセス 覚悟と納得. *日本看護科学会誌*, 34, 94-102.
- Tham, V., Ryding, E. L., & Christensson, K. (2010). Experience of support among mothers with and without post-traumatic stress symptoms following emergency caesarean section. *Sexual & Reproductive Healthcare : Official Journal of the Swedish Association of Midwives*, 1(4), 175-180. 10.1016/j.srhc.2010.06.004 [doi]
- Thomson, G., & Downe, S. (2016). Emotions and support needs following a distressing birth: Scoping study with pregnant multigravida women in north-west england. *Midwifery*, 40, 32-39. 10.1016/j.midw.2016.06.010 [doi]
- Tiedje, L. B. (2005). Toward evidence-based practice. [commentary on] content and processes of postpartum counseling after a distressing birth experience: A review. *MCN: The American Journal of Maternal Child Nursing*, 30(3), 217-217.
- 豊嶋 政江, 上利 賀津江, 福田 和代, 重岡 郁代, 福田 美紀, 齋藤 富美江, & 山本 孝子. (2012). バースレビュー面接が出産体験に及ぼす影響 意識調査を通して. *日本看護学会論文集: 母性看護*, (42), 25-27.
- 次原 詩乃, 佐々木 規子, & 宮原 春美. (2017). 出産自己評価に影響を及ぼす要因. *保健学研究*, 29, 9-16.
- 梅本 彰子, 村山 恵美子, 高橋 直子, 大口 香理, 瀧沢 美由紀, & 定方 美恵子. (2011).

- バースレビューを受けた褥婦の体験分析. *日本看護学会論文集: 母性看護*, (41), 96-99.
- Vesel, J., & Nickasch, B. (2015). An evidence review and model for prevention and treatment of postpartum posttraumatic stress disorder. *Nursing for Women's Health*, 19(6), 504-525. 10.1111/1751-486X.12234 [doi]
- Vincent, C. (1995). Caring for patients harmed by treatment. *Quality in Health Care : QHC*, 4(2), 144-150.
- 和田 サヨ子, & 近藤 潤子. (1986). 出産後の想起(Review)による産婦の妊娠出産過程における情緒の分析 出産時の喪失体験を中心として. *日本看護科学会誌*, 6(3), 11-21.
- Whitton, A., Warner, R., & Appleby, L. (1996). The pathway to care in post-natal depression: Women's attitudes to post-natal depression and its treatment. *The British Journal of General Practice*, 46(408), 427-428.
- 山下 貴美子, & 遠藤 俊子. (2009). 母体搬送後に緊急帝王切開術となった母親の出産体験 心理状態とストレス反応の分析を通して. *山梨県母性衛生学会誌*, 8(1), 17-27.
- 山口 裕子, 三浦 智恵子, 杉内 哲子, 児玉 恵, 田中 陽子, & 星川 結衣子. (2011). バースレビューにおける助産師の意識調査 助産師のアンケートを通して. *日本看護学会論文集: 母性看護*, (41), 104-107.
- 横手 直美. (2004). 緊急帝王切開後の女性の急性ストレス反応 出産体験と産褥 1 週間の体験の分析を通して. *日本助産学会誌*, 18(1), 37-48.
- 横手 直美. (2009). 分娩に起因した女性のトラウマ体験と産褥早期の心的外傷後ストレス反応. *日本看護科学学会学術集会講演集*, 29 回, 200.
- 横手 直美, 永田 真弓, & 宮里 邦子. (2006). 緊急帝王切開で生児を出産した女性の『母親としての再起』の認知プロセス 産褥 1 週間における主観的体験の質的分析. *母性衛生*, 46(4), 617-624.