

引用文献

- Brimacombe, J. (1995) . The advantages of the LMA over the tracheal tube or facemask: A meta-analysis. *Canadian Journal of Anaesthesia*, 42(11) , 1017-1023. doi:10.1007/BF03011075 [doi]
- Chen, K. T., Tzeng, J. I., Lu, C. L., Liu, K. S., Chen, Y. W., Hsu, C. S., and Wang, J. J. (2004) . Risk factors associated with postoperative sore throat after tracheal intubation: An evaluation in the postanesthetic recovery room. *Acta Anaesthesiologica Taiwanica : Official Journal of the Taiwan Society of Anesthesiologists*, 42(1) , 3-8.
- Christensen, A. M., Willemoes-Larsen, H., Lundby, L., and Jakobsen, K. B. (1994) . Postoperative throat complaints after tracheal intubation. *British Journal of Anaesthesia*, 73(6) , 786-787.
- Combes, X., Schauvliege, F., Peyrouset, O., Motamed, C., Kirov, K., Dhonneur, G., and Duvaldestin, P. (2001) . Intracuff pressure and tracheal morbidity: Influence of filling with saline during nitrous oxide anesthesia. *Anesthesiology*, 95(5) , 1120-1124.
- Dingley, J., Whitehead, M. J., and Wareham, K. (1994) . A comparative study of the incidence of sore throat with the laryngeal mask airway. *Anaesthesia*, 49(3) , 251-254.
- El-Boghdadly, K., Bailey, C. R., and Wiles, M. D. (2016) . Postoperative sore throat: A systematic review. *Anaesthesia*, 71(6) , 706-717. doi:10.1111/anae.13438 [doi]
- Hagberg, C., Georgi, R., and Krier, C. (2005) . Complications of managing the airway. *Best Practice and Research. Clinical Anaesthesiology*, 19(4) , 641-659.
- Harding, C. J., and McVey, F. K. (1987) . Interview method affects incidence of postoperative sore throat. *Anaesthesia*, 42(10) , 1104-1107.
- Higgins, P. P., Chung, F., and Mezei, G. (2002) . Postoperative sore throat after ambulatory surgery. *British Journal of Anaesthesia*, 88(4) , 582-584.

- Macario, A., Weinger, M., Carney, S., and Kim, A. (1999) . Which clinical anesthesia outcomes are important to avoid? the perspective of patients. *Anesthesia and Analgesia*, 89 (3) , 652-658.
- McHardy, F. E., and Chung, F. (1999) . Postoperative sore throat: Cause, prevention and treatment. *Anaesthesia*, 54 (5) , 444-453.
- Michalek, P., Donaldson, W., Vobrubova, E., and Hakl, M. (2015) . Complications associated with the use of supraglottic airway devices in perioperative medicine. *BioMed Research International*, 2015, 746560. doi:10.1155/2015/746560 [doi]
- Monroe, M. C., Gravenstein, N., and Saga-Rumley, S. (1990) . Postoperative sore throat: Effect of oropharyngeal airway in orotracheally intubated patients. *Anesthesia and Analgesia*, 70 (5) , 512-516.
- Navarro, R. M., and Baughman, V. L. (1997) . Lidocaine in the endotracheal tube cuff reduces postoperative sore throat. *Journal of Clinical Anesthesia*, 9 (5) , 394-397. doi:S0952818097000688 [pii]
- Scuderi, P. E. (2010) . Postoperative sore throat: More answers than questions. *Anesthesia and Analgesia*, 111 (4) , 831-832. doi:10.1213/ANE.0b013e3181ee85c7 [doi]
- Stout, D. M., Bishop, M. J., Dwersteg, J. F., and Cullen, B. F. (1987) . Correlation of endotracheal tube size with sore throat and hoarseness following general anesthesia. *Anesthesiology*, 67 (3) , 419-421.
- Taghavi Gilani, M., Miri Soleimani, I., Razavi, M., and Salehi, M. (2015) . Reducing sore throat following laryngeal mask airway insertion: Comparing lidocaine gel, saline, and washing mouth with the control group. *Revista Brasileira De Anestesiologia*, 65 (6) , 450-454. doi:10.1016/j.bjan.2013.07.001 [doi]
- Tanaka, Y., Nakayama, T., Nishimori, M., Tsujimura, Y., Kawaguchi, M., and Sato, Y. (2015) . Lidocaine for preventing postoperative sore throat. *The Cochrane Database of Systematic Reviews*, (7) :CD004081. doi (7) , CD004081. doi:10.1002/14651858.CD004081.pub3 [doi]
- Venugopal, A., Jacob, R. M., and Koshy, R. C. (2016) . A randomized control study comparing the pharyngolaryngeal morbidity of laryngeal mask airway versus

endotracheal tube. *Anesthesia, Essays and Researches*, 10 (2) , 189-194.

doi:10.4103/0259-1162.174466 [doi]

Xu, Y. J., Wang, S. L., Ren, Y., Zhu, Y., and Tan, Z. M. (2012) . A smaller endotracheal tube combined with intravenous lidocaine decreases post-operative sore throat - a randomized controlled trial. *Acta Anaesthesiologica Scandinavica*, 56 (10) , 1314-1320. doi:10.1111/j.1399-6576.2012.02768.x [doi]

Yadav, M., Chalumuru, N., and Gopinath, R. (2016) . Effect of magnesium sulfate nebulization on the incidence of postoperative sore throat. *Journal of Anaesthesiology, Clinical Pharmacology*, 32 (2) , 168-171. doi:10.4103/0970-9185.173367 [doi]

南口真実, 田中優, 北川和彦, 井上聡巳, 川口昌彦, 桐田忠昭. (2014) . 術後咽頭痛に影響を与える因子についての検討. *麻酔*, 63 (4) , 401-405.

急性術後痛管理, 疼痛の生理学. (2016) . 日本麻酔科学会・周術期管理チーム委員会 (編) . (2016) . *周術期管理チームテキスト第3版*. (pp.742-748) . 兵庫県神戸市: 公益社団法人日本麻酔科学会