

引用・参考文献一覧

- Ashikari, R. H., Ashikari, A. Y., Kelemen, P. R., & Salzberg, C. A. (2008). Subcutaneous mastectomy and immediate reconstruction for prevention of breast cancer for high-risk patients. *Breast Cancer*, 15(3), 185-191.
- Bordeleau, L., Panchal, S., & Goodwin, P. (2010). Prognosis of BRCA-associated breast cancer: A summary of evidence. *Breast Cancer Research and Treatment*, 119(1), 13-24. doi:10.1007/s10549-009-0566-z
- Beattie, M. S., Crawford, B., Lin, F., Vittinghoff, E., & Ziegler, J. (2009). Uptake, Time Course, and Predictors of Risk-Reducing Surgeries in *BRCA* Carriers. *Genetic Testing and Molecular Biomarkers*, 13(1), 51-56. <http://doi.org/10.1089/gtmb.2008.0067>
- Bradbury, A. R., Ibe, C. N., Dignam, J. J., Cummings, S. A., Verp, M., White, M. A., . . . Olopade, O. I. (2008). Uptake and timing of bilateral prophylactic salpingo-oophorectomy among BRCA1 and BRCA2 mutation carriers. *Genetics in Medicine*, 10(3), 161-166.
- Braithwaite, D., Emery, J., Walter, F., Prevost, A. T., & Sutton, S. (2004). Psychological impact of genetic counseling for familial cancer: A systematic review and meta-analysis. *J Natl Cancer Inst*, 96, 122-133.
- Chapman, J. S., Jacoby, V., & Chen, L. M. (2015). Managing symptoms and maximizing quality of life after preventive interventions for cancer risk reduction. *Current Opinion in Obstetrics & Gynecology*, 27(1), 40-44. doi:10.1097/GCO.0000000000000146 [doi]
- Chen, S., & Parmigiani, G. (2007). Meta-analysis of BRCA1 and BRCA2 penetrance. *Journal of Clinical Oncology*, 25(11), 1329-1333. doi:10.1200/JCO.2006.09.1066
- Connors, L. M., Voian, N., Shi, Y., Lally, R. M., & Edge, S. (2014). Decision making after BRCA genetic testing. *Clinical Journal of Oncology Nursing*, 18(3), E58-63 1p. doi:10.1188/14.CJON.E58-E63
- Covelli, A. M., Baxter, N. N., McCready, D. R., & Wright, F. C. (2015). 'Taking control of cancer': Understanding Women's choice for mastectomy. *Annals of Surgical Oncology*, 22(2), 383-391.
- Evans, D. G. R., Ingham, S. L., Baidam, A., Ross, G. L., Lalloo, F., Buchan, I., & Howell, A. (2013). Contralateral mastectomy improves survival in women with BRCA1/2-associated breast cancer. *Breast Cancer Research and Treatment*, 140(1), 135-142.

- Flugelman, A., Rennert, G., & Eidelman, S. (2014). Psychological and familial aspects of the familial breast and ovarian cancer genetic counseling process. *Harefuah*, 153(1), 22-6, 65.
- Ford, D., Easton, D., Stratton, M., Narod, S., Goldgar, D., Devilee, P., . . . Chang-Claude, J. (1998). Genetic heterogeneity and penetrance analysis of the BRCA1 and BRCA2 genes in breast cancer families. *The American Journal of Human Genetics*, 62(3), 676-689.
- Foulkes, W. D. (2008). Inherited susceptibility to common cancers. *N Engl J Med*, 359(20), 2143-2153. doi:10.1056/NEJMra0802968
- Frank, T. S., Deffenbaugh, A. M., Reid, J. E., Hulick, M., Ward, B. E., Lingenfelter, B., . . . Critchfield, G. C. (2002). Clinical characteristics of individuals with germline mutations in BRCA1 and BRCA2: Analysis of 10,000 individuals. *Journal of Clinical Oncology : Official Journal of the American Society of Clinical Oncology*, 20(6), 1480-1490.
- Friebel, T. M., Domchek, S. M., Neuhausen, S. L., Wagner, T., Evans, D. G., Isaacs, C., . . . Rebbeck, T. R. (2007). Bilateral prophylactic oophorectomy and bilateral prophylactic mastectomy in a prospective cohort of unaffected BRCA1 and BRCA2 mutation carriers. *Clinical Breast Cancer*, 7(11), 875-882.
doi:<http://dx.doi.org/10.3816/CBC.2007.n.053>
- グレッグ美鈴, 麻原きよみ, 横山 美江(2007). よくわかる質的研究の進め方・まとめ方: 看護研究のエキスパートをめざして. 東京: 医歯薬出版.
- 萩原 英子, 二渡 玉江 (2011). 乳房の異常を自覚し手術に臨む乳がん患者のがんの認知プロセス. *日本看護研究学会雑誌*, 34(5), 21-30.
- Hamilton, R., Williams, J. K., Bowers, B. J., & Calzone, K. (2009). Life trajectories, genetic testing, and risk reduction decisions in 18–39 year old women at risk for hereditary breast and ovarian cancer. *Journal of Genetic Counseling*, 18(2), 147-159.
- Hatcher, M. B., & Fallowfield, L. J. (2003). A qualitative study looking at the psychosocial implications of bilateral prophylactic mastectomy. *The Breast*, 12(1), 1-9.
doi:[http://dx.doi.org/10.1016/S0960-9776\(02\)00135-2](http://dx.doi.org/10.1016/S0960-9776(02)00135-2)
- Herrinton, L. J., Barlow, W. E., Yu, O., Geiger, A. M., Elmore, J. G., Barton, M. B., . . . Fletcher, S. W. (2005). Efficacy of prophylactic mastectomy in women with unilateral breast cancer: A cancer research network project. *J Clin Oncol*, 23, 4275-4286.

Hartmann, L. C., Schaid, D. J., Woods, J. E., Crotty, T. P., Myers, J. L., Arnold, P. G., . . . Jenkins, R. B. (1999). Efficacy of bilateral prophylactic mastectomy in women with a family history of breast cancer. *N Engl J Med*, 340(2), 77-84.
doi:10.1056/NEJM199901143400201

廣川 恵子 (2006). 身体の異常に気づいてから外来でがん告知を受けるまでの患者の体験. *高知女子大学看護学会誌*, 31(1), 27-34.

広田 典祥, 木田 晴海, 青木 照代 他 (1994). 乳がん患者の病氣行動に関する研究 主として病氣ストレス反応と病氣対処行動について. *医療*, 48(11), 917-923.

Hoskins, L. M., & Greene, M. H. (2012). Anticipatory loss and early mastectomy for young female BRCA1/2 mutation carriers. *Qualitative Health Research*, 22(12), 1633-1646.
doi:10.1177/1049732312458182

Howard, A. F., Balneaves, L. G., & Bottorff, J. L. (2009). Women's decision making about risk-reducing strategies in the context of hereditary breast and ovarian cancer: A systematic review. *Journal of Genetic Counseling*, 18(6), 578-597.

Howard, A. F., Balneaves, L. G., Bottorff, J. L., & Rodney, P. (2011). Preserving the self: The process of decision making about hereditary breast cancer and ovarian cancer risk reduction. *Qualitative Health Research*, 21(4), 502-519.
doi:10.1177/1049732310387798

舟島 なをみ(2007). *質的研究への挑戦* (第2版). 東京：医学書院

稲見 薫, 武田 祐子 (2013). 家族性大腸腺腫症患者のライフイベントに関する調査. *家族性腫瘍*, 13(2), 39-43.

Joseph, M., Rab, F., Panabaker, K., & Nisker, J. (2015). Feelings of women with strong family histories who subsequent to their breast cancer diagnosis tested BRCA positive. *International Journal of Gynecological Cancer : Official Journal of the International Gynecological Cancer Society*, 25(4), 584-592. doi:10.1097/IGC.0000000000000403 [doi]

Julian-Reynier, C., Mancini, J., Mouret-Fourme, E., Gauthier-Villars, M., Bonadona, V., Berthet, P., . . . Noguès, C. (2011). Cancer risk management strategies and perceptions of unaffected women 5 years after predictive genetic testing for BRCA1/2 mutations. *European Journal of Human Genetics*, 19(5), 500-506.

- Kannel, W. B., Hjortland, M. C., McNAMARA, P. M., & Gordon, T. (1976). Menopause and risk of cardiovascular disease: The framingham study. *Annals of Internal Medicine*, 85(4), 447-452.
- Kenkhuis, M. J. A., de Bock, G. H., Oude Elferink, P., Arts, H. J. G., Oosterwijk, J. C., Jansen, L., & Mourits, M. J. E. (2010). Short-term surgical outcome and safety of risk reducing salpingo-oophorectomy in BRCA1/2 mutation carriers. *Maturitas*, 66(3), 310-314. doi:<http://dx.doi.org/10.1016/j.maturitas.2010.03.018>
- Kirova, Y. M., Savignoni, A., Sigal-Zafrani, B., de La Rochefordiere, A., Salmon, R. J., This, P., . . . Fourquet, A. (2010). Is the breast-conserving treatment with radiotherapy appropriate in BRCA1/2 mutation carriers? long-term results and review of the literature. *Breast Cancer Research and Treatment*, 120(1), 119-126.
- 北村 英子, 久保田 順子, 井上 明日香, 多川 晴美 (2004). 乳癌患者の不安とその時期について. *日本看護学会論文集: 成人看護 ii*, (34), 39-41.
- 小林 志津子, 斉藤 繭子, 片岡 明美, 大野 真司, 中村 清吾, 福井 次夫, . . . 新保 卓郎.(2006). 日本女性の乳癌死を減少させることは可能か 日本人女性の乳癌検診受診行動の促進要因と阻害要因の検討. *日本乳癌検診学会誌*, 15(1), 69-74.
- Lloyd, S. M., Watson, M., Oaker, G., Sacks, N., Querci Della Rovere, U., & Gui, G. (2000). Understanding the experience of prophylactic bilateral mastectomy: A qualitative study of ten women. *Psycho-Oncology*, 9(6), 473-485. doi:10.1002/1099-1611(200011/12)9:6<473::AID-PON490>3.0.CO;2-T
- Lodder, L. N., Frets, P. G., Trijsburg, R. W., Meijers-Heijboer, E. J., Klijn, J. G., Seynaeve, C., . . . Verhoog, L. C. (2002). One year follow-up of women opting for presymptomatic testing for BRCA1 and BRCA2: Emotional impact of the test outcome and decisions on risk management (surveillance or prophylactic surgery). *Breast Cancer Research and Treatment*, 73(2), 97-112.
- Lynch, H. T., Shaw, M., Magnuson, C., Larsen, A., & Krush, A. (1966). Hereditary factors in cancer: Study of two large midwestern kindreds. *Archives of Internal Medicine*, 117(2), 206-212.
- Madalinska, J. B., Hollenstein, J., Bleiker, E., van Beurden, M., Valdimarsdottir, H. B., Massuger, L. F., . . . Aaronson, N. K. (2005). Quality-of-life effects of prophylactic salpingo-oophorectomy versus gynecologic screening among women at increased risk of hereditary ovarian cancer. *J Clin Oncol*, 23, 6890-6898.

- Madalinska, J. B., van Beurden, M., Bleiker, E. M., Valdimarsdottir, H. B., Lubsen-Brandsma, L., Massuger, L. F., . . . Aaronson, N. K. (2007). Predictors of prophylactic bilateral salpingo-oophorectomy compared with gynecologic screening use in BRCA1/2 mutation carriers. *Journal of Clinical Oncology : Official Journal of the American Society of Clinical Oncology*, 25(3), 301-307. doi:25/3/301 [pii]
- Mæland, M. K., Eriksen, E. O., & Synnes, O. (2014). The loss of a mother and dealing with genetic cancer risk: Women who have undergone prophylactic removal of the ovaries. *European Journal of Oncology Nursing*, 18(5), 521-526. doi:<http://dx.doi.org/10.1016/j.ejon.2014.04.006>
- Marchetti, C., De Felice, F., Palaia, I., Perniola, G., Musella, A., Musio, D., . . . Panici, P. B. (2014). Risk-reducing salpingo-oophorectomy: A meta-analysis on impact on ovarian cancer risk and all cause mortality in BRCA 1 and BRCA 2 mutation carriers. *BMC Women's Health*, 14(1), 150.
- McCullum, M., Bottorff, J. L., Kelly, M., Kieffer, S. A., & Balneaves, L. G. (2007). Time to decide about risk-reducing mastectomy: A case series of BRCA1/2 gene mutation carriers. *BMC Women's Health*, 7, 3. doi:1472-6874-7-3 [pii]
- McDonnell, S. K., Schaid, D. J., Myers, J. L., Grant, C. S., Donohue, J. H., Woods, J. E., . . . Hartmann, L. C. (2001). Efficacy of contralateral prophylactic mastectomy in women with a personal and family history of breast cancer. *J Clin Oncol*, 19, 3938-3943.
- McQuirter, M., Castiglia, L. L., Loiselle, C. G., & Wong, N. (2010). Decision-making process of women carrying a BRCA1 or BRCA2 mutation who have chosen prophylactic mastectomy. *Oncology Nursing Forum*, 37(3), 313-320. doi:10.1188/10.ONF.313-320 [doi]
- Metcalfe, K., Lynch, H. T., Ghadirian, P., Tung, N., Olivotto, I., Warner, E., . . . Narod, S. A. (2004). Contralateral breast cancer in BRCA1 and BRCA2 mutation carriers. *J Clin Oncol*, 22, 2328-2335.
- Metcalfe, K. A., & Narod, S. A. (2002). Breast cancer risk perception among women who have undergone prophylactic bilateral mastectomy. *Journal of the National Cancer Institute*, 94(20), 1564-1569.
- Michelsen, T. M., Tonstad, S., Pripp, A. H., Tropé, C. G., & Dørum, A. (2010). Coronary heart disease risk profile in women who underwent salpingo-oophorectomy to prevent hereditary breast ovarian cancer. *International Journal of Gynecological Cancer*, 20(2), 233-239.

- Michelsen, T. M., Dorum, A., Trope, C. G., Fossa, S. D., & Dahl, A. A. (2009). Fatigue and quality of life after risk-reducing salpingo-oophorectomy in women at increased risk for hereditary breast-ovarian cancer. *International Journal of Gynecological Cancer : Official Journal of the International Gynecological Cancer Society*, 19(6), 1029-1036. doi:10.1111/IGC.0b013e3181a83cd5 [doi]
- Miki, Y., Swensen, J., Shattuck-Eidens, D., Futreal, P. A., Harshman, K., Tavtigian, S., . . . Ding, W. (1994). A strong candidate for the breast and ovarian cancer susceptibility gene BRCA1. *Science (New York, N.Y.)*, 266(5182), 66-71.
- Miller, S. M., Roussi, P., Daly, M. B., & Scarpato, J. (2010). New strategies in ovarian cancer: Uptake and experience of women at high risk of ovarian cancer who are considering risk-reducing salpingo-oophorectomy. *Clinical Cancer Research*, 16(21), 5094-5106. doi:10.1158/1078-0432.CCR-09-2953
- 中村 清吾(2012). *遺伝性乳がん・卵巣がんの基礎と臨床*. 東京：篠原出版新社.
- 中村 清吾(2013). ハイリスク乳癌に対する乳癌検診をどうするかわが国における HBOC の現状と今後の取組み. *日本乳癌検診学会誌*, 22(2), 182-186.
- Nakamura, S., Takahashi, M., Tozaki, M., Nakayama, T., Nomizu, T., Miki, Y., . . . Nishimura, S. (2013). Prevalence and differentiation of hereditary breast and ovarian cancers in japan. *Breast Cancer*, , 1-7.
- NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) Genetic/Familial High-Risk Assessment: Breast and Ovarian Version2.2015 NCCN.org
http://www.nccn.org/professionals/physician_gls/pdf/genetics_screening.pdf
- Nussbaum, R. L., McInnes, R. R., Willard, H. F., 福嶋 義光(2007). *トンプソン&トンプソン遺伝医学*. 東京:メディカル・サイエンス・インターナショナル.
- Parker, P. A., Peterson, S. K., Bedrosian, I., Crosby, M. A., Shen, Y., Black, D. M., . . . Dong, W. (2015). Prospective study of surgical decision-making processes for contralateral prophylactic mastectomy in women with breast cancer. *Ann Surg*,
- Pezaro, C., James, P., McKinley, J., Shanahan, M., Young, M., & Mitchell, G. (2012). The consequences of risk reducing salpingo-oophorectomy: The case for a coordinated approach to long-term follow up post surgical menopause. *Familial Cancer*, 11(3), 403-410.

Pharoah, P. D., Antoniou, A., Bobrow, M., Zimmern, R. L., Easton, D. F., & Ponder, B. A. (2002). Polygenic susceptibility to breast cancer and implications for prevention. *Nature Genetics*, 31(1), 33-36.

Pierce, L. J., Levin, A. M., Rebbeck, T. R., Ben-David, M. A., Friedman, E., Solin, L. J., . . . Weber, B. L. (2006). Ten-year multi-institutional results of breast-conserving surgery and radiotherapy in BRCA1/2-associated stage I/II breast cancer. *Journal of Clinical Oncology*, 24(16), 2437-2443. doi:10.1200/JCO.2005.02.7888

Ray, J. A., Loescher, L. J., & Brewer, M. (2005). Risk-reduction surgery decisions in high-risk women seen for genetic counseling. *Journal of Genetic Counseling*, 14(6), 473-484.

Razdan, S. N., Patel, V., Jewell, S., & McCarthy, C. M. (2014). Quality of life among patients after bilateral prophylactic mastectomy: A systematic review of patient-reported outcomes. *Quality of Life Research*, , 1-13.

Rebbeck, T. R., Kauff, N. D., & Domchek, S. M. (2009). Meta-analysis of risk reduction estimates associated with risk-reducing salpingo-oophorectomy in BRCA1 or BRCA2 mutation carriers. *Journal of the National Cancer Institute*, 101(2), 80-87. doi:10.1093/jnci/djn442

Robson, M., Hensley, M., Barakat, R., Brown, C., Chi, D., Poynor, E., & Offit, K. (2003). Quality of life in women at risk for ovarian cancer who have undergone risk-reducing oophorectomy. *Gynecologic Oncology*, 89(2), 281-287.

Rocca, W. A., Grossardt, B. R., de Andrade, M., Malkasian, G. D., & Melton III, L. J. (2006). Survival patterns after oophorectomy in premenopausal women: A population-based cohort study. *The Lancet Oncology*, 7(10), 821-828. doi:[http://dx.doi.org/10.1016/S1470-2045\(06\)70869-5](http://dx.doi.org/10.1016/S1470-2045(06)70869-5)

Schwartz, M. D., Lerman, C., Brogan, B., Peshkin, B. N., Halbert, C. H., DeMarco, T., . . . Isaacs, C. (2004). Impact of BRCA1/BRCA2 counseling and testing on newly diagnosed breast cancer patients. *J Clin Oncol*, 22, 1823-1829.

Singh, K., Lester, J., Karlan, B., Bresee, C., Geva, T., & Gordon, O. (2013). Impact of family history on choosing risk-reducing surgery among BRCA mutation carriers. *American Journal of Obstetrics and Gynecology*, 208(4), 329.e1-329.e6. doi:<http://dx.doi.org/10.1016/j.ajog.2013.01.026>

Skirton, H., Patch, C., & Williams, J. *Applied genetics in healthcare : A handbook for specialist practitioners*. New York, NY: Taylor & Francis.

Skytte, A., Crüger, D., Gerster, M., Lænkholm, A., Lang, C., Brøndum - Nielsen, K., . . . Gerdes, A. (2011). Breast cancer after bilateral risk - reducing mastectomy. *Clinical Genetics*, 79(5), 431-437.

Society of gynecologic oncologists clinical practice committee statement on prophylactic salpingo-oophorectomy. (2005). *Gynecologic Oncology*, 98(2), 179-181.
doi:<http://dx.doi.org/10.1016/j.ygyno.2005.05.002>

Spector, D., Mishel, M., Skinner, C. S., Deroo, L. A., Vanriper, M., & Sandler, D. P. (2009). Breast cancer risk perception and lifestyle behaviors among white and black women with a family history of the disease. *Cancer Nursing*, 32(4), 299-308.
doi:10.1097/NCC.0b013e31819deab0 [doi]

Stratton, M. R. (1997). Pathology of familial breast cancer: Differences between breast cancers in carriers of BRCA1 or BRCA2 mutations and sporadic cases. *The Lancet*, 349(9064), 1505-1510.

Sugano, K., Nakamura, S., Ando, J., Takayama, S., Kamata, H., Sekiguchi, I., . . . Kasumi, F. (2008). Cross - sectional analysis of germline BRCA1 and BRCA2 mutations in japanese patients suspected to have hereditary breast/ovarian cancer. *Cancer Science*, 99(10), 1967-1976.

鈴木 正子.(1993). 検診で自らを癌と感じた患者の体験世界 患者-看護婦関係を重視した面接法による調査をもとに. *臨床看護研究の進歩*, 5, 143-154.

Takamatsu, K., Makita, K., & Nozawa, S. (2004). Study of psychosocial factors in Japanese patients suffering from menopausal disorders. *Journal of Obstetrics and Gynaecology Research*, 30(4), 309-315.

Touboul, C., Uzan, C., Ichanté, J. L., Caron, O., Dunant, A., Dauchy, S., . . . Delaloge, S. (2011). Factors associated with altered long-term well-being after prophylactic salpingo-oophorectomy among women at increased hereditary risk for breast and ovarian cancer. *The Oncologist*, 16(9), 1250-1257. doi:10.1634/theoncologist.2010-0336

上田 伊佐子, 雄西 智恵美 (2011). 乳がん体験者の心理的適応とコーピングに影響を与える要因の文献検討. *日本がん看護学会誌*, 25(1), 46-53.

内山 美枝子 (2011). 治療過程で生じる乳がん女性の心身苦痛体験の構造モデル. *日本がん看護学会誌*, 25(2), 24-34.

- Underhill, M., Berry, D., Dalton, E., Schiend, J., & Syngal, S. (2015). Patient experiences living with pancreatic cancer risk. *Hereditary Cancer in Clinical Practice*, 13(1), 13.
- Underhill, M. L., Lally, R. M., Kiviniemi, M. T., Murekeyisoni, C., & Dickerson, S. S. (2012). Living my family's story: Identifying the lived experience in healthy women at risk for hereditary breast cancer. *Cancer Nursing*, 35(6), 493-504. doi:10.1097/NCC.0b013e31824530fa [doi]
- Valachis, A., Nearchou, A. D., & Lind, P. (2014). Surgical management of breast cancer in BRCA-mutation carriers: A systematic review and meta-analysis. *Breast Cancer Research and Treatment*, 144(3), 443-455.
- Van Dijk, S., van Roosmalen, M. S., Otten, W., & Stalmeier, P. F. M. (2008). Decision making regarding prophylactic mastectomy: Stability of preferences and the impact of anticipated feelings of regret. *Journal of Clinical Oncology*, 26(14), 2358-2363. doi:10.1200/JCO.2006.10.5494
- Van Sprundel, T., Schmidt, M. K., Rookus, M. A., Brohet, R., van Asperen, C., Rutgers, E. J., . . . Tollenaar, R. A. (2005). Risk reduction of contralateral breast cancer and survival after contralateral prophylactic mastectomy in BRCA1 or BRCA2 mutation carriers. *Br J Cancer*, 93, 287-292.
- Watson, M., Duvivier, V., Wade Walsh, M., Ashley, S., Davidson, J., Papaikonomou, M., . . . Eeles, R. (1998). Family history of breast cancer: What do women understand and recall about their genetic risk? *J Med Genet*, 35, 731-738.
- Westin, S. N., Sun, C. C., Lu, K. H., Schmeler, K. M., Soliman, P. T., Lacour, R. A., . . . Peterson, S. K. (2011). Satisfaction with ovarian carcinoma risk - reduction strategies among women at high risk for breast and ovarian carcinoma. *Cancer*, 117(12), 2659-2667.
- 谷津 裕子(2010).Start up 質的看護研究.東京：学研メディカル秀潤社.