

HEALTH LITERACY AND PHYSICAL ACTIVITY

References

Adams, R. J. Piantodose, C., Ettridge, K., Miller, C., Wilson, C., Tucker, G. & Hill, C. L. (2013).

Functional health literacy mediates the relationship between socio-economic status, perceptions and lifestyle behaviors related to cancer risk in an Australian population.

Patient Education and Counseling 91(2):206–212.

Allender, S., Hutchinson, L. & Foster, C. (2008). Life-change events and participation in physical

activity: A systematic review. *Health Promotion International* 23(2), 160–172.

Ara, I. Aparicio-Ugarriza, R., Morales-Barco, D., Nascimento de Souza, W., Mata, E., &

Gonzalez-Gross, M. (2015). Physical Activity Assessment in the General Population;

Validated Self-Report Methods. *Nutricion Hospitalaria*, 31(Supl. 3), 211–218.

Bauman, A. E. Reis, R. S., Sallis, J. F., Wells, J. C., Loos, R. J., Martin, B. W. & Lancet Physical

Activity Series Working Group. (2012). Correlates of physical activity: Why are some people physically active and others not? *The Lancet*, 380, 258–271.

Celis-Morales, C. Alduhishy, A., Sanzana, R., Matinez, M. A., Leiva, A., . . . Willis, N. (2016).

Socio-demographic patterns of physical activity and sedentary behaviour in Chile: Results from the National Health Survey 2009-2010. *Journal of Public Health (United Kingdom)*, 38(2), e98–105.

HEALTH LITERACY AND PHYSICAL ACTIVITY

Craig, C. L., Marshall, A. L., Sjöström, M., Bauman, A. E., Booth, M. L., Ainsworth, B. E., . . . Oja,

P. (2003). International Physical Activity Questionnaire: 12-Country reliability and validity.

Medicine and Science in Sports and Exercise, 35(8), 1381–1395.

Dominick, G. M., Dunsiger, S. I., Pekmezi, D. W. & Marcus. B. H. (2013). Health literacy predicts

change in physical activity self- efficacy among sedentary Latinas. *Journal of Immigrant and*

Minority Health, 15(3), 533–539.

Fukui, T. Rahman, M., Ohde, S., Hoshino, E., Kimura, T., Urayama, K. . . . Takahashi, O. (2017).

Reassessing the ecology of medical care in Japan. *Journal of Community Health*, 42(5), 935–

941.

Geboers, B., De Winter, A. F., Lutén, K. A., Jansen, C. & Reijneveld. S. (2014). The association of

health literacy with physical activity and nutritional behavior in older adults, and its social

cognitive mediators. *Journal of Health Communication*, 19, 61–76.

Guthold, R., Stevens, G. A., Riley, L. M. & Bull. F. C. (2018). Worldwide trends in insufficient

physical activity from 2001 to 2016: A pooled analysis of 358 population-based surveys with

1.9 million participants. *The Lancet Global Health*, 6(10), e1077–1086.

Hallal, P. C., Anderson, L. B., Bull, F. C., Guthold, R., Haskell, W., Ekelund, U. & Lancet Physical

Activity Series Working Group. (2012). Global physical activity levels: Surveillance progress,

HEALTH LITERACY AND PHYSICAL ACTIVITY

pitfalls, and prospects. *The Lancet*, 380(9838), 247–257.

IPAQ Group. (2005). *Guidelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ) – Short and Long Forms*. Retrieved from www.ipaq.ki.se.

Ishikawa, H. Yamaguchi, I., Nutbeam, D., Kato, M., Okuhara, T. Okada, M. & Kiuchi, T. (2018). Improving health literacy in a Japanese community population: A pilot study to develop an educational programme. *Health Expectations*, 21(4), 814–821.

Ishikawa, H., Nomura, K., Sato, M. & Yano, E. (2008). Developing a measure of communicative and critical health literacy: A pilot study of Japanese office workers. *Health Promotion International*, 23(3), 269–74.

Kamada, M., Kitayuguchi, J., Abe, T., Taguri, M., Inoue, S., Ishikawa, Y., ... Kawachi, I. (2018). Community-wide intervention and population-level physical activity: A 5-year cluster randomized trial. *International Journal of Epidemiology*, 47(2), 642–653.

Kobayashi, L. C., Wardle, J., Wolf, M. S. & von Wagner, C. (2016). Health literacy and moderate to vigorous physical activity during aging, 2004–2013. *American Journal of Preventive Medicine*, 51(4), 463–472.

Lee, P. H., Macfarlane, D. J., Lam, TH. H. & Stewart, S. M. (2011). Validity of the International

HEALTH LITERACY AND PHYSICAL ACTIVITY

Physical Activity Questionnaire Short Form (IPAQ-SF): A systematic review. *International Journal of Behavioral Nutrition and Physical Activity*, 8(1), 115.

Mårtensson, L. & Hensing, G. (2012). Health literacy - a heterogeneous phenomenon: A literature review. *Scandinavian Journal of Caring Sciences*, 26(1), 151–60.

Matsushita, M., Harada, K. & Arao, T. 2018. Relation between communicative and critical health literacy and physical activity in Japanese adults: A cross-sectional study. *The Journal of Physical Fitness and Sports Medicine*, 7(1), 75–80.

Murase, N., Katsumura, T., Ueda, C., Inoue, S. & Shimomitsu, T. (2002). Validity and reliability of Japanese version of international physical activity questionnaire [In Japanese]. *Journal of Health and Welfare Statistics*, 49(11), 1–9.

Nakayama, K., Nakayama, K., Osaka, W., Togari, T., Ishikawa, H., Yonekura, Y., Sekido, A. & Matsumoto, M. (2015). Comprehensive health literacy in Japan is lower than in Europe: A validated Japanese-language assessment of health literacy. *BMC Public Health*, 15(1), 1–12.

Nutbeam, D. (1998). Health Promotion Glossary. *Health Promotion International*, 13(4), 349–364.

Nutbeam, D. (2000). Health literacy as a public health goal: A challenge for contemporary health education and communication strategies into the 21st century. *Health Promotion International*,

HEALTH LITERACY AND PHYSICAL ACTIVITY

15(3), 259–267.

Osborn, C. Y. & Bailey, S. C. (2011). The mechanisms linking health literacy to behavior and health status. *American Journal of Health Behavior*, 35(1), 118–128.

Sallis, J. F., Bull, F., Guthold, R., Heath, G. W., Inoue, S., Kelly, P. & Lancet Physical Activity Series 2 Executive Committee. (2016). Progress in physical activity over the olympic quadrennium. *The Lancet* 388(10051), 1325–1336.

Shuval, K., Li, Q., Gabriel, K. P. & Tchernis, R. (2017). Income, physical activity, sedentary behavior, and the ‘weekend warrior’ among U.S. adults. *Preventive Medicine*, 103, 91–97.

Suka, M., Odajima, T., Okamoto, M., Sumitani, M., Igarashi, A., Ishikawa, H., . . . Sugimori, H. (2015). Relationship between health literacy, health information access, health behavior, and health status in Japanese People. *Patient Education and Counseling* 98(5), 660–668.

United Nations. (1982). *Provisional Guidelines on Standard International Age Classifications*.

US Department of Health and Human Services. (2018). *2018 Physical Activity Guidelines Advisory Committee Scientific Report. To the Secretary of Health and Human Service*. Washington, DC.

von Wagner, C., Knight, K., Steptoe, A. & Wardle, J. (2007). Functional health literacy and health-promoting behaviour in a national sample of British adults. *Journal of Epidemiology*

HEALTH LITERACY AND PHYSICAL ACTIVITY

and Community Health, 61,1086–1090.

WHO Expert Consultation. (2004). Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet* 363,157–163.

World Health Organization. (2010). *Global Recommendations on Physical Activity for Health*. Geneva: WHO.

World Health Organization. (2013). *Global Action Plan for the Prevention and Control of Noncommunicable Diseases 2013–2020*. Geneva: WHO.