

### References

- Akagi, H. 1988. Results of conservative treatment of Meniere's disease and prediction of the effectiveness. *Equilibrium Research*. 47(3), 219-236. [in Japanese]
- Aoki, M. 2016. Memai no puraimari kea. Kyusei memai ni taisuru taiou. *The Oto-Rhino-Laryngological Society of Japan*, vol 119: 1194-1200
- Cheng, F-J., Wu, C-H., Syue, Y-J., Yen, P-C., Wu, K-H. (2014). Association of physician risk tolerance with ED CT use for isolated dizziness/vertigo patients. *American Journal Emergency Medicine*, 32, 1278-1293.
- Garneau, J. C., Wasserman, I., Konuthla, N., & Malkin, B. D. (2017). Referral patterns from emergency department to otolaryngology clinic [Abstract]. *Laryngoscope*, 20.
- Goto, K., Nozue, M., Suzuki, J., Tokumasu, K., Sakata, E., Komatuzaki, A., & Setoguti J. (1960). The effects of some drugs on vestibular nystagmus of peripheral origin their actions on optokinetic after-nystagmus. *The Oto-Rhino-Laryngological Society of Japan*, 66(11), 1351-1357.
- Hasegawa, T. (1949). Prevention of motion sickness by intravenous injection of sodium bicarbonate. *Archives Otolaryngology*, 50(6), 708-715.

doi:10.1001/archotol.1949.00700010723004

- Kawabata, A., Kishimoto, T., Ujihara, H., Sasa, M., & Takaori, S. (1990). Inhibition by intravenously administered sodium bicarbonate of neuronal activity in medial vestibular nucleus neurons. *Japan, Journal. Pharmacology.* 54, 383-389
- Kerber, K. A. (2009). Vertigo and dizziness in the emergency department. *Emergency Medical Clinics North America,* 27(1), 39-50, viii.
- Lawhn-Heath, C., Buckle, C., Christoforidis, G., & Straus, C. (2013). Utility of head CT in the evaluation of vertigo/dizziness in the emergency department. *Emergency Radiology,* 20(1), 45-49.
- Lee, S.. H & Kim, J. S. (2015). Acute diagnosis and management of stroke presenting dizziness or vertigo. *Neurologic Clinic,* 33(3), 687-698, xi.
- Lerang, K., Gilboe, I. M., & Gran, J. T. (2012). Differences between rheumatologists and other internists regarding diagnosis and treatment of systemic lupus erythematosus. *Rheumatology (Oxford),* 51(4), 663-669.
- doi:10.1093/rheumatology/ker318
- Mammarella, F., Zelli, M., Varakliotis, T., Eibernstein, A., Pianura, C. M., & Bellocchi, G. (2017). Is electrocochleography still helpful in early diagnosis of Meniere disease? *Journal Audiology Otolaryngology,* 21 (2), 72-76.

- Matsunaga, T., Inatome, K., Kubo, T., & Sano, M. (1977). Memaino yakubutu ryouhou no konkyo. Koutaishyakaizen ni taishite kindenzugakutekitachiba yori. *Practica Otologica Kyoto*, 70 (3), 1419-1426
- Polensek, S. H., & Tusal, R. (2009). Unnecessary diagnostic tests often obtained for benign paroxysmal positional vertigo. *Medical Science Monitor*, 15(7), MT89-94.
- Sasaki, H., Miyata, T. (1953). Two to three problems about otolith. *Otolaryngology (Tokyo)*, 1, 65-68. [in Japanese]
- Tokita, K., Miyata, H., Asai, N., Hashimoto, M., Maeda, M., Tanahashi, S. (1980). Evaluation of effects of treatment of Meniere's disease. *Practica Otologica*, 73, 1124-1130.
- Tusa, R. J. (2009). Dizziness. *Med Clin North Am*, 93(2), 263-271, vii.
- Tusa, R. J., & Gore, R. (2012). Dizziness and vertigo: Emergencies and management. *Neurologic Clinics*, 30(1), 61-74, vii-viii.
- Vanni, S., Pecci, R., Edlow, J. A., Nazerian, P., Santimone, R., Pepe, G., . . . Grifoni, S. (2017). Differential diagnosis of vertigo in the emergency department: A prospective validation study of the STANDING algorithm. *Frontiers Neurology*, 8, 590.

Walther, L. E. (2017). Current diagnostic procedures for diagnosing vertigo and

dizziness. *GMS Curr Top Otorhinolaryngol Head Neck Surg*, 16

Wipperman, J. (2014). Dizziness and vertigo. *Primary Care*, 41(1), 115-131.

[doi.org/10.1016/j.pop.2013.10.004](https://doi.org/10.1016/j.pop.2013.10.004)