

References

Goto Y, Maeda T, Goto Y. Decision-tree model for predicting outcomes after out-of-hospital cardiac arrest in the emergency department. *Crit Care*. 2013;17(4):R133.

Bernard, S. A, Gray, T., W., Michael D. Buist, M. D., Jones, B. M., Silvester, W. Smith, K. (2002). Treatment of comatose survivors of out-of-hospital cardiac arrest with induced hypothermia. *New England Journal Medicine*, 346,557 – 563.

Hypothermia after Cardiac Arrest Study Group. (2002). Mild therapeutic hypothermia to improve the neurologic outcome after cardiac arrest. *New England Journal Medicine*, 346, 549 – 556.

Callaway, C. W., Donnino, M. W., Fink, E. L., Geocardin, R. G., Golan, E., Kern, K. B., . . . Zimmerman, J. L. (2015). Part 8: Post-cardiac arrest care: 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation*. 132(18), S465 - S482.

Esteban, A., Anzueto, A., Frutos, F., Alía, I., Brochard, L., Stewart, T.E., . . .Tobin, M. J., for the Mechanical Ventilation International Study Group. (2002). Characteristics and outcomes in adult patients receiving mechanical ventilation: A 28-day international study. *JAMA*. 287(3), 345–355.

Martinell L, Nielsen N, Herlitz J, et al. Early predictors of poor outcome after

out-of-hospital cardiac arrest. *Crit Care*. 2017;21(1):96.

Thille, A. W., Harrois, A., Schortgen, F., Brun-Buisson, C., & Brochard, L. (2011).

Outcomes of extubation failure in medical intensive care unit patients. *Critical Care Medicine*, 39(12), 2612-2618.

Sandroni, C., & Geocadin, R. G. (2015). Neurological prognostication after cardiac

arrest. *Current Opinion Critical Care*, 21(3), 209-214.

May, T. L., Seder, D. B., Fraser, G. L., Stone, P., McCrum, B., & Riker, R. R. (2015).

Moderate-dose sedation and analgesia during targeted temperature management after cardiac arrest. *Neurocritical Care*, 22(1), 105-111.

Kanda Y. (2013). Investigation of the freely available easy-to-use software “EZR” for

medical statistics. *Bone Marrow Transplant*, 48(3), 452-458.

Okada, K., Ohde, S., Otani, N., Sera, T., Mochizuki, T., Aoki, M., & Ishimatsu, S. (2012).

Prediction protocol for neurological outcome for survivors of out-of-hospital cardiac arrest treated with targeted temperature management. *Resuscitation*. 83(6), 734-739.

Austin PC, Fine JP. Practical recommendations for reporting Fine-Gray model analyses

for competing risk data. *Stat Med*. 2017;36(27):4391-4400.

Sakamoto, T., Morimura, N., Nagao K, Asai, Y. Yokota, H., Nara, S. . . . Save-J Study Group, (2014). Extracorporeal cardiopulmonary resuscitation versus conventional cardiopulmonary resuscitation in adults with out-of-hospital cardiac arrest: A prospective observational study. *Resuscitation*, 85(6), 762-768.