

文献

- Ahmadi, Z., Wysham, N. G., Lundstrom, S., Janson, C., Currow, D. C., & Ekstrom, M. (2016). End-of-life care in oxygen-dependent ILD compared with lung cancer: A national population-based study. *Thorax*, *71*(6), 510-516. doi:10.1136/thoraxjnl-2015-207439 [doi]
- American thoracic society. idiopathic pulmonary fibrosis: Diagnosis and treatment. international consensus statement. american thoracic society (ATS), and the european respiratory society (ERS). (2000). *American Journal of Respiratory and Critical Care Medicine*, *161*(2 Pt 1), 646-664. doi:10.1164/ajrccm.161.2.ats3-00 [doi]
- Ando, M., Morita, T., Akechi, T., Okamoto, T., & Japanese Task Force for Spiritual Care. (2010). Efficacy of short-term life-review interviews on the spiritual well-being of terminally ill cancer patients. *Journal of Pain and Symptom Management*, *39*(6), 993-1002. doi:10.1016/j.jpainsymman.2009.11.320 [doi]
- 青野透. (1985). ストア派人間観について: オイケイオーシス論を中心に. *法哲学年報*, *1984*, 154-164.
- 有田 健一, 三戸 晶子, 梶原 俊毅, 新田 朋子, 池上 靖彦, 栗屋 浩一, & 山崎 正弘. (2010). 過去 20 年間における肺線維症・間質性肺炎終末期の緩和医療に関する検討. *日本胸部臨床*, *69*(4), 353-361.
- Bajwah, S., Higginson, I. J., Ross, J. R., Wells, A. U., Biring, S. S., Riley, J., & Koffman, J. (2013). The palliative care needs for fibrotic interstitial lung disease: A qualitative study of patients, informal caregivers and health professionals. *Palliative Medicine*, *27*(9), 869-876. doi:10.1177/0269216313497226 [doi]
- Bajwah, S., Ross, J. R., Wells, A. U., Mohammed, K., Oyebode, C., Biring, S. S., . . . Riley, J. (2015). Palliative care for patients with advanced fibrotic lung disease: A randomised controlled phase II and feasibility trial of a community case conference intervention. *Thorax*, *70*(9), 830-839. doi:10.1136/thoraxjnl-2014-206583 [doi]
- Bates A. T. (2016). Addressing existential suffering. *BC MEDICAL JOURNAL*, *58*, 5, 268-273.
- Bharmal, M., Guillemin, I., Marrel, A., Arnould, B., Lambert, J., Hennessy, M., & Fofana, F. (2018). How to address the challenges of evaluating treatment benefits-risks in rare diseases? A convergent mixed methods approach applied within a merkel cell carcinoma

- phase 2 clinical trial. *Orphanet Journal of Rare Diseases*, 13(1), 95-018-0835-1. eCollection 2018. doi: 10.1186/s13023-018-0835-1
- Bonsaksen, T., Fagermoen, M. S., & Lerdal, A. (2015). Factors associated with self-esteem in persons with morbid obesity and in persons with chronic obstructive pulmonary disease: A cross-sectional study. *Psychology, Health & Medicine*, 20(4), 431-442. doi:10.1080/13548506.2014.959529 [doi]
- Borg, G. A. (1982). Psychophysical bases of perceived exertion. *Medicine and Science in Sports and Exercise*, 14(5), 377-381.
- Brandtstädter, J., & Greve, W. (1994). The aging self: Stabilizing and protective processes. *Developmental Review*, 14(1), 52-80. doi:https://doi.org/10.1006/drev.1994.1003
- Breitbart, W., Rosenfeld, B., Gibson, C., Pessin, H., Poppito, S., Nelson, C., . . . Olden, M. (2010). Meaning-centered group psychotherapy for patients with advanced cancer: A pilot randomized controlled trial. *Psycho-Oncology*, 19(1), 21-28. doi:10.1002/pon.1556 [doi]
- Breitbart, W., Rosenfeld, B., Pessin, H., Applebaum, A., Kulikowski, J., & Lichtenthal, W. G. (2015). Meaning-centered group psychotherapy: An effective intervention for improving psychological well-being in patients with advanced cancer. *Journal of Clinical Oncology : Official Journal of the American Society of Clinical Oncology*, 33(7), 749-754. doi:10.1200/JCO.2014.57.2198 [doi]
- Buber, M. (1923/ 植田重雄訳, 1979). *我と汝・対話 (初版)*, 岩波書店, 東京.
- Burnier, D. (2017). A battle of words: "dignity" and "peace" in the writings of elisabeth kubler-ross. *Journal of Palliative Care*, 32(2), 49-54. https://doi.org/10.1177/0825859717717154
- Butler, R. N. (1963). The life review: An interpretation of reminiscence in the aged. *Psychiatry*, 26, 65-76. doi:10.1080/00332747.1963.11023339
- Burnside, I., & Haight, B. K. (1992). Reminiscence and life review: Analysing each concept. *Journal of Advanced Nursing*, 17(7), 855-862.
- Bustamante, C. (2019). TPACK and teachers of spanish: Development of a theory-based joint display in a mixed methods research case study. *Journal of Mixed Methods*

- Research*, 13(2), 163-178. doi:10.1177/1558689817712119
- Caminati, A., Cassandro, R., Torre, O., & Harari, S. (2017). Severe idiopathic pulmonary fibrosis: What can be done? *European Respiratory Review, An Official Journal of the European Respiratory Society*, 26(145), 10.1183/16000617.0047-2017. Print 2017 Sep 30. doi:170047 [pii]
- Campbell, J. D. (1990). Self-esteem and clarity of the self-concept. *Journal of Personality and Social Psychology*, 59(3), 538-549. doi:10.1037/0022-3514.59.3.538
- Canestaro, W. J., Forrester, S. H., Raghu, G., Ho, L., & Devine, B. E. (2016). Drug treatment of idiopathic pulmonary fibrosis: Systematic review and network meta-analysis. *Chest*, 149(3), 756-766. doi:10.1016/j.chest.2015.11.013 [doi]
- Cannon, D. L., Sriram, K. B., Wee-Chung Liew, A., & Sun, J. (2018). Resilience factors important in health-related quality of life of subjects with COPD. *Respiratory Care*, 63(10), 1281-1292. doi:10.4187/respcare.05935
- Celli, BRW., MacNee, W., and committee members (2004). Standards for the diagnosis and treatment of patients with COPD : a summary of the ATS_ERS position paper. *Eur Respir J*, 23, 932—946.
- Chochinov, H. M., Tataryn, D., Clinch, J. J., & Dudgeon, D. (1999). Will to live in the terminally ill. *Lancet (London, England)*, 354(9181), 816-819. doi:S0140-6736(99)80011-7 [pii]
- Chochinov, H. M., Hack, T., Hassard, T., Kristjanson, L. J., McClement, S., & Harlos, M. (2002). Dignity in the terminally ill: A cross-sectional, cohort study. *Lancet (London, England)*, 360(9350), 2026-2030. S0140-6736(02)12022-8 [pii]
- Chochinov, H. M. (2006). Dying, dignity, and new horizons in palliative end-of-life care. *CA: A Cancer Journal for Clinicians*, 56(2), 84-103. doi:56/2/84
- Chochinov, H. M., Cann, B., Cullihall, K., Kristjanson, L., Harlos, M., McClement, S. E., . . . Hassard, T. (2012). Dignity therapy: A feasibility study of elders in long-term care. *Palliative & Supportive Care*, 10(1), 3-15. doi:10.1017/S1478951511000538
- Chochinov, H. M. (2012/小森康永訳, 2013). *ディグニティセラピー—最後の言葉, 最後の日々—*. 3-5, 北大路書房, 京都.
- Collinson, D. (1987/ 山口泰二, 阿部文彦, 北村晋訳, 2002). *哲学思想の 50 人*. 青土社, 東京.

- Costabel, U., Inoue, Y., Richeldi, L., Collard, H. R., Tschoepe, I., Stowasser, S., & Azuma, A. (2016). Efficacy of nintedanib in idiopathic pulmonary fibrosis across prespecified subgroups in INPULSIS. *American Journal of Respiratory and Critical Care Medicine*, 193(2), 178-185. doi:10.1164/rccm.201503-0562OC [doi]
- Crestani, B., Huggins, J. T., Kaye, M., Costabel, U., Glaspole, I., Ogura, T., . . . Kreuter, M. (2019). Long-term safety and tolerability of nintedanib in patients with idiopathic pulmonary fibrosis: Results from the open-label extension study, INPULSIS-ON. *The Lancet Respiratory Medicine*, 7(1), 60-68. doi:S2213-2600(18)30339-4 [pii]
- Creswell, J. W. (2015). *A Concise Introduction to Mixed Methods Research*, Sage Publications, New York.
- Creswell, J. W., Klassen, A. C., Plano Clark, V. L., Smith, K. C. for the Office of Behavioral and Social Sciences Research. (2011). *Best practices for mixed methods research in the health sciences*, National Institutes of Health, 1-37.
- Creswell, J. W. & Plano Clark, V. L. (2006/ 大谷順子訳, 2015). *人間科学のための混合研究方法 質的・量的アプローチをつなぐ研究デザイン*. 北大路書房, 京都.
- Creswell, J. W. (2015/ 抱井尚子訳, 2017). *早わかり混合研究法*. ナカニシヤ書店, 京都.
- De Vries, J., Kessels, B. L., & Drent, M. (2001). Quality of life of idiopathic pulmonary fibrosis patients. *The European Respiratory Journal*, 17(5), 954-961.
- Diamantopoulos, A., Wright, E., Vlahopoulou, K., Cornic, L., Schoof, N., & Maher, T. M. (2018). The burden of illness of idiopathic pulmonary fibrosis: A comprehensive evidence review. *Pharmacoeconomics*, 36(7), 779-807. doi:10.1007/s40273-018-0631-8 [doi]
- Dionne-Odom, J. N., Kono, A., Frost, J., Jackson, L., Ellis, D., Ahmed, A., . . . Bakitas, M. (2014). Translating and testing the ENABLE: CHF-PC concurrent palliative care model for older adults with heart failure and their family caregivers. *Journal of Palliative Medicine*, 17(9), 995-1004. doi:10.1089/jpm.2013.0680 [pii]
- Dowman, L., Hill, C. J., & Holland, A. E. (2014). Pulmonary rehabilitation for interstitial lung disease. *The Cochrane Database of Systematic Reviews*, (10):CD006322. doi(10), CD006322. doi:10.1002/14651858.CD006322.pub3 [doi]
- Duck, A., Spencer, L. G., Bailey, S., Leonard, C., Ormes, J., & Caress, A. L. (2015). Perceptions, experiences and needs of patients with idiopathic pulmonary fibrosis.

- Journal of Advanced Nursing*, 71(5), 1055-1065. doi:10.1111/jan.12587 [doi]
- 榎本博明 (1998). 「自己」の心理学自分探しへの誘い. サイエンス社, 東京
- Fisher, J. H., O'Connor, D., Flexman, A. M., Shapera, S., & Ryerson, C. J. (2016). Accuracy and reliability of internet resources for information on idiopathic pulmonary fibrosis. *American Journal of Respiratory and Critical Care Medicine*, 194(2), 218-225. doi:10.1164/rccm.201512-2393OC [doi]
- Frankl, V. E. (1977/ 池田香代子訳, 2002). *夜と霧 (新訳)*. みすず書房, 東京.
- Gallagher, A., Li, S., Wainwright, P., et al. (2008). Dignity in the care of older people – a review of the theoretical and empirical literature. *BMC Nursing*, 7, 11-6955-7-11, doi:1472-6955-7-11
- Garibaldi, B. T., & Danoff, S. K. (2016). Symptom-based management of the idiopathic interstitial pneumonia. *Respirology (Carlton, Vic.)*, 21(8), 1357-1365. doi:10.1111/resp.12649 [doi]
- Guetterman, T. C., Fetters, M. D., & Creswell, J. W. (2015). Integrating quantitative and qualitative results in health science mixed methods research through joint displays. *Annals of Family Medicine*, 13(6), 554-561. doi:10.1370/afm.1865 [doi]
- Gilbert, C. R., & Smith, C. M. (2009). Advanced lung disease: Quality of life and role of palliative care. *The Mount Sinai Journal of Medicine, New York*, 76(1), 63-70. doi:10.1002/msj.20091 [doi]
- Griffin-Heslin, V. L. (2005). An analysis of the concept dignity. *Accident and Emergency Nursing*, 13(4), 251-257, doi:https://doi.org/10.1016/j.aen.2005.09.003
- Guetterman, T. C., Fetters, M. D., & Creswell, J. W. (2015). Integrating quantitative and qualitative results in health science mixed methods research through joint displays. *Annals of Family Medicine*, 13(6), 554-561. doi:10.1370/afm.1865 [doi]
- Gysels, M., Reilly, C. C., Jolley, C. J., Pannell, C., Spoorendonk, F., Moxham, J., . . . Higginson, I. J. (2016). *Dignity through integrated symptom management: Lessons from the breathlessness support service* doi:http://dx.doi.org/10.1016/j.jpainsymman.2016.04.010
- Haddock, J. (1996). Towards further clarification of the concept 'dignity'. *Journal of Advanced Nursing*, 24(5), 924-931.

- Haight, B. K., & Burnside, I. (1993). Reminiscence and life review: Explaining the differences. *Archives of Psychiatric Nursing*, 7(2), 91-98.
- Hajiro, T., Nishimura, K., Tsukino, M., Ikeda, A., Koyama, H., & Izumi, T. (1998). Comparison of discriminative properties among disease-specific questionnaires for measuring health-related quality of life in patients with chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 157(3 Pt 1), 785-790. doi:10.1164/ajrccm.157.3.9703055 [doi]
- Hesse-Biber, S. (2010). Qualitative Approaches to Mixed Methods Practice. *Qualitative Inquiry*, 16(6), 455-468. <https://doi.org/10.1177/1077800410364611>
- 堀理江 (2013). ライフレビューに見いだされるがん患者の希望. *日本がん看護学会誌*, 27(2), 56-64.
- 猪飼 やす子, 田辺 直也, 岸森 健文, 渡邊 壽規, 野原 淳, 島田 一恵, . . . 川上 賢三. (2015). 進行期 copd 及び慢性間質性肺炎患者の終末期医療に関する横断的研究. *日本呼吸ケア・リハビリテーション学会誌*, 25(2), 225-230.
- 猪飼やす子. (2016). 特発性肺線維症患者が呼吸困難感と共に生きる体験. *日本看護科学会誌*, 36, 238-246. doi:10.5630/jans.36.238
- 猪飼やす子. (2017). 特発性間質性肺炎患者が認知する病気の不確かさと関連要因の探索. *日本看護科学会誌*, 37, 399-407. 10.5630/jans.37.399
- 猪飼やす子. (2019). 特発性肺線維症をもつ人々の病いと共に生きる体験. *聖路加看護学会誌*, 23(1), 11-17.
- Igai, Y. (2018a). A narrative literature review of palliative care regarding patients with idiopathic pulmonary fibrosis. *Nursing Open*, 5(4), 536-545. doi:10.1002/nop2.163
- Igai, Y. (2018b). Effectiveness of non-pharmacological nursing interventions to improve the quality of life of patients with idiopathic pulmonary fibrosis: A systematic review. *Japan Journal of Nursing Science*, 0(0) doi:10.1111/jjns.12242
- Igai, Y. (2019). End-of-life trajectory of coping and self-care of patients with idiopathic pulmonary fibrosis: A meta-synthesis using meta-ethnography. *Japan Journal of Nursing Science*, 16(1), 47-61. doi:10.1111/jjns.12213
- Igai, Y. (In Press). Concept analysis of dignity-centered care for people with chronic progressive disease. *Japan Journal of Nursing Science*.

- Jacobson, N. (2007) . Dignity and health: A review. *Social Science & Medicine*, 64(2), 292-302, doi:http://dx.doi.org/10.1016/j.socscimed.2006.08.039
- Johnston, B., Larkin, P., Connolly, M., Barry, C., Narayanasamy, M., Östlund, U., & McIlfatrick, S. (2015). Dignity-conserving care in palliative care settings: An integrative review. *Journal of Clinical Nursing*, 24(13-14), 1743-1772. doi:10.1111/jocn.12791
- Johnston, B., Lawton, S., McCaw, C., Law, E., Murray, J., Gibb, J., . . . Rodriguez, C. (2016). Living well with dementia: Enhancing dignity and quality of life, using a novel intervention, dignity therapy. *International Journal of Older People Nursing*, 11(2), 107-120. doi:10.1111/opn.12103
- 壁屋康洋 (1999). 防衛のアセスメント. *京都大学大学院教育学研究科紀要*, 45, 331-341.
- 抱井尚子 (2015). *混合研究法入門 質と量による統合のアート*. 医学書院, 東京.
- 抱井尚子, 成田慶一 (編)(2016). *混合研究法への誘い—質的・量的研究を統合する新しい実践研究アプローチ—*. 日本混合研究法学会監修. 遠見書房, 東京 .
- Kalluri, M., Claveria F., Haggag M., Richman-Eisenstat J. (2016). Early Integrated Palliative Care in a Multidisciplinary Interstitial Lung Disease (ILD) Collaborative Reduces Hospitalizations for Idiopathic Pulmonary Fibrosis (IPF). *Chest*, 150(4_S):472A. doi:10.1016/j.chest.2016.08.486.
- Kalluri, M., & Richman-Eisenstat, J. (2017). Early and integrated palliative care to achieve a home death in idiopathic pulmonary fibrosis. *Journal of Pain and Symptom Management*, doi:S0885-3924(16)31246-5 [pii]
- Kamal, A. H., Maguire, J. M., Wheeler, J. L., Currow, D. C., & Abernethy, A. P. (2011). Dyspnea review for the palliative care professional: Assessment, burdens, and etiologies. *Journal of Palliative Medicine*, 14(10), 1167-1172. doi:10.1089/jpm.2011.0109 [doi]
- 亀井智子(2018). *混合研究法を用いた看護研究の考え方と進め方ハンドブック*. 聖路加国際大学看護学研究科亀井科研編.
- Kanatani, Y., Tomita, N., Sato, Y., Eto, A., Omoe, H., & Mizushima, H. (2017). National registry of designated intractable diseases in japan: Present status and future prospects. *Neurologia Medico-Chirurgica*, 57(1), 1-7. doi:10.2176/nmc.st.2016-0135 [doi]
- Kant, I (1795/ 宇都宮芳明訳, 1985). *永遠平和のために (改版)*. 岩波書店, 東京.

- Keall, R. M., Clayton, J. M., & Butow, P. N. (2015). Therapeutic life review in palliative care: A systematic review of quantitative evaluations. *Journal of Pain and Symptom Management*, 49(4), 747-761. doi:10.1016/j.jpainsymman.2014.08.015 [doi]
- Kennedy, G. (2016). The Importance of Patient Dignity in Care at the End of Life. *The Ulster Medical Journal*, 85(1), 45-48.
- Khor, Y. H., Goh, N. S. L., McDonald, C. F., & Holland, A. E. (2017). Oxygen therapy for interstitial lung disease. A mismatch between patient expectations and experiences. *Annals of the American Thoracic Society*, 14(6), 888-895. doi:10.1513/AnnalsATS.201611-934OC [doi]
- Kinzel, T. (1991). Managing lung disease in late life: A new approach. *Geriatrics*, 46(1), 54-6, 58-9.
- Kitwood, T. (1997/ 高橋誠一訳, 2017). *認知症のパーソンセンタードケア 新しいケアの文化へ*. クリエイツかもがわ, 京都.
- Kreuter, M., & Herth, F. J. (2011). Supportive and palliative care of advanced nonmalignant lung disease. *Respiration; International Review of Thoracic Diseases*, 82(4), 307-316. doi:10.1159/000330730 [doi]
- Kugaya, A., Akechi, T., Okuyama, T., Okamura, H., & Uchitomi, Y. (1998). Screening for psychological distress in Japanese cancer patients. *Japanese Journal of Clinical Oncology*, 28(5), 333-338.
- Landmann, M. (1972/ 谷口茂訳, 1995). *哲学的人間学 第3版*. 新思索社, 東京.
- Lanken, P. N., Terry, P. B., Delisser, H. M., Fahy, B. F., Hansen-Flaschen, J., Heffner, J. E., . . . ATS End-of-Life Care Task Force. (2008). An official American Thoracic Society clinical policy statement: Palliative care for patients with respiratory diseases and critical illnesses. *American Journal of Respiratory and Critical Care Medicine*, 177(8), 912-927. doi:10.1164/rccm.200605-587ST [doi]
- Lewis, M. I., & Butler, R. N. (1974). Life-review therapy. Putting memories to work in individual and group psychotherapy. *Geriatrics*, 29(11), 165-173.
- Liang, Z., Hoffman, L. A., Nouraei, M., Kass, D. J., Donahoe, M. P., Gibson, K. F., . . . Lindell, K. O. (2017). Referral to palliative care infrequent in patients with idiopathic pulmonary fibrosis admitted to an intensive care unit. *Journal of Palliative Medicine*, 20(2), 134-140.

doi:10.1089/jpm.2016.0258 [doi]

- Lindell, K. O., Olshansky, E., Song, M., Zullo, T. G., Gibson, K. F., Kaminski, N., & Hoffman, L. A. (2010). Impact of a disease-management program on symptom burden and health-related quality of life in patients with idiopathic pulmonary fibrosis and their care partners. *Heart & Lung, 39*(4), 304-313. doi:10.1016/hrtlng.2009.08.005
- Lindell, K. O., Liang, Z., Hoffman, L. A., Rosenzweig, M. Q., Saul, M. I., Pilewski, J. M., . . . Kaminski, N. (2015). Palliative care and location of death in decedents with idiopathic pulmonary fibrosis. *Chest, 147*(2), 423-429. doi:10.1378/chest.14-1127 [doi]
- Lindell, K. O., Kavalieratos, D., Gibson, K. F., Tycon, L., & Rosenzweig, M. (2017). The palliative care needs of patients with idiopathic pulmonary fibrosis: A qualitative study of patients and family caregivers. *Heart & Lung : The Journal of Critical Care, 46*(1), 24-29. doi:S0147-9563(16)30284-9 [pii]
- ホセ・ヨンパルト, 秋葉悦子 (2006). *人間の尊厳と生命倫理・生命法*. 成文堂, 東京.
- Lorig, K (2006/近藤房恵訳, 2008). *病気とともに生きる 慢性疾患のセルフマネジメント*. 日本看護協会出版会, 東京.
- Lunney, J. R., Lynn, J., Foley, D. J., Lipson, S., & Guralnik, J. M. (2003). Patterns of functional decline at the end of life. *Jama, 289*(18), 2387-2392. doi:10.1001/jama.289.18.2387 [doi]
- Manthorpe, J., Iliffe, S., Samsi, K., Cole, L., Goodman, C., Drennan, V., & Warner, J. (2010). Dementia, dignity and quality of life: Nursing practice and its dilemmas. *International Journal of Older People Nursing, 5*(3), 235-244. 10.1111/j.1748-3743.2010.00231.x [doi]
- Martinez, T. Y., Pereira, C. A. C., dos Santos, M. L., Ciconelli, R. M., GuimarÃes, S. M., & Martinez, J. A. B. (2000). Evaluation of the short-form 36-item questionnaire to measure health-related quality of life in patients with idiopathic pulmonary fibrosis. *Chest, 117*(6), 1627-1632. doi:http://dx.doi.org/10.1378/chest.117.6.1627
- Matsuda, T., Taniguchi, H., Ando, M., Kondoh, Y., Kimura, T., Kataoka, K., . . . Hasegawa, Y. (2017a). COPD assessment test for measurement of health status in patients with idiopathic pulmonary fibrosis: A cross-sectional study. *Respirology (Carlton, Vic.), 22*(4), 721-727. doi:10.1111/resp.12936 [doi]
- Matsuda, T., Taniguchi, H., Ando, M., Kondoh, Y., Kimura, T., Kataoka, K., . . . Hasegawa, Y. (2017b). Depression is significantly associated with the health status in patients with

- idiopathic pulmonary fibrosis. *Internal Medicine (Tokyo, Japan)*, 56(13), 1637-1644.
doi:10.2169/internalmedicine.56.7019 [doi]
- Mishel, M. H. (1988). Uncertainty in illness. *Image-the Journal of Nursing Scholarship*, 20(4), 225-232.
- Mok, E., Lau, K. P., Lai, T., & Ching, S. (2012). The meaning of life intervention for patients with advanced-stage cancer: Development and pilot study. *Oncology Nursing Forum*, 39(6), E480-8. doi:10.1188/12.ONF.E480-E488 [doi]
- Molina-Azorin, J. F., & Fetters, M. D. (2018). In This Issue. *Journal of Mixed Methods Research*, 12(3), 251–253. <https://doi.org/10.1177/1558689818781885>
- Moseholm, E., & Fetters, M. D. (2017). Conceptual models to guide integration during analysis in convergent mixed methods studies. *Methodological Innovations*. <https://doi.org/10.1177/2059799117703118>
- 奈良雅俊. (2005). 第 2 章 倫理理論, 赤林朗 (編) *入門・医療倫理 I*. 29-51, 勁草書房, 東京.
- National Clinical Guideline Centre (UK). (2013). Diagnosis and management of suspected idiopathic pulmonary fibrosis. (No. 163) *Idiopathic Pulmonary Fibrosis NICE Clinical Guidelines*, doi:NBK247530 Retrieved September 4, 2017 from <https://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0068972/>
- Natsuzaka, M., Chiba, H., Kuronuma, K., Otsuka, M., Kudo, K., Mori, M., . . . Takahashi, H. (2014). Epidemiologic survey of japanese patients with idiopathic pulmonary fibrosis and investigation of ethnic differences. *American Journal of Respiratory and Critical Care Medicine*, 190(7), 773-779. doi:10.1164/rccm.201403-0566OC [doi]
- 日本看護協会 (2003). *看護者の倫理要綱*. 日本看護協会, 1-6.
<https://www.nurse.or.jp/nursing/practice/rinri/pdf/rinri.pdf> (2017. 9. 4)
- 日本看護協会国際看護師協会 (2012). 国際看護師協会看護師の倫理綱領 (2012 年版) 日本語訳 Retrieved September 4, 2017 from <https://www.nurse.or.jp/nursing/international/icn/document/ethics/pdf/icncodejapanese.pdf>
- 日本呼吸器学会 (2016). *特発性間質性肺炎診断と治療の手引き改訂第 3 版*. 日本呼吸器学会びまん性肺疾患診断・治療ガイドライン作成委員会, 南江堂, 東京.

- Nishiyama, O., Taniguchi, H., Kondoh, Y., Kimura, T., Ogawa, T., Watanabe, F., & Nishimura, K. (2005). Health-related quality of life in patients with idiopathic pulmonary fibrosis. what is the main contributing factor? *Respiratory Medicine*, 99(4), 408-414. doi:http://dx.doi.org/10.1016/j.rmed.2004.09.005
- 西山理, 山崎亮, 山縣俊之, 東本有司, 東田有智 (2017). 特発性肺線維症患者における咳嗽の評価, *日本呼吸ケア・リハビリテーション学会誌*, 27, suppl, 172s.
- Noblit, G. W. & Hare, R. D. (1988). *Meta-ethnography: Synthesizing qualitative studies*. Sage Publications, New York.
- Oechsle, K., Wais, M. C., Vehling, S., Bokemeyer, C., & Mehnert, A. (2014). Relationship between symptom burden, distress, and sense of dignity in terminally ill cancer patients. *Journal of Pain and Symptom Management*, 48(3), 313-321. doi:10.1016/j.jpainsymman.2013.10.022 [doi]
- Overgaard, D., Kaldan, G., Marsaa, K., Nielsen, T. L., Shaker, S. B., & Egerod, I. (2016). The lived experience with idiopathic pulmonary fibrosis: A qualitative study. *The European Respiratory Journal*, 47(5), 1472-1480. doi:10.1183/13993003.01566-2015 [doi]
- Panos, R. J., Mortenson, R. L., Niccoli, S. A., & King, T. E. (1990). Clinical deterioration in patients with idiopathic pulmonary fibrosis: Causes and assessment. *The American Journal of Medicine*, 88(4), 396 – 404. doi:http://dx.doi.org/10.1016/0002-9343(90)90495-Y
- Periyakoil, V. S., Skultety, K., & Sheikh, J. (2005). Panic, anxiety, and chronic dyspnea. *Journal of Palliative Medicine*, 8(2), 453-459. doi:10.1089/jpm.2005.8.453 [doi]
- Plano Clark, V. L., Anderson, N., Wertz, J. A., Zhou, Y., Schumacher, K., & Miaskowski, C. (2015). Conceptualizing longitudinal mixed methods designs: A methodological review of health sciences research. *Journal of Mixed Methods Research*, 9(4), 297-319. doi:10.1177/1558689814543563
- Purokivi, M., Hodgson, U., Myllarniemi, M., Salomaa, E. R., & Kaarteenaho, R. (2017). Are physicians in primary health care able to recognize pulmonary fibrosis? *European Clinical Respiratory Journal*, 4(1), 1290339. doi:10.1080/20018525.2017.1290339 [doi]
- Raghu, G., Collard, H. R., Egan, J. J., Martinez, F. J., Behr, J., Brown, K. K., . . . ATS/ERS/JRS/ALAT Committee on Idiopathic Pulmonary Fibrosis. (2011). An official

- ATS/ERS/JRS/ALAT statement: Idiopathic pulmonary fibrosis: Evidence-based guidelines for diagnosis and management. *American Journal of Respiratory and Critical Care Medicine*, 183(6), 788-824. doi:10.1164/rccm.2009-040GL [doi]
- Raghu, G., Lynch, D., Godwin, J. D., Webb, R., Colby, T. V., Leslie, K. O., . . . O'Riordan, T. G. (2014). Diagnosis of idiopathic pulmonary fibrosis with high-resolution CT in patients with little or no radiological evidence of honeycombing: Secondary analysis of a randomised, controlled trial. *The Lancet.Respiratory Medicine*, 2(4), 277-284. doi:10.1016/S2213-2600(14)70011-6 [doi]
- Rajala, K., Lehto, J. T., Saarinen, M., Sutinen, E., Saarto, T., & Myllarniemi, M. (2016). End-of-life care of patients with idiopathic pulmonary fibrosis. *BMC Palliative Care*, 15(1), 85. doi:10.1186/s12904-016-0158-8 [doi]
- Richeldi, L., Cottin, V., du Bois, R. M., Selman, M., Kimura, T., Bailes, Z., . . . Brown, K. K. (2016). Nintedanib in patients with idiopathic pulmonary fibrosis: Combined evidence from the TOMORROW and INPULSIS((R)) trials. *Respiratory Medicine*, 113, 74-79. doi:10.1016/j.rmed.2016.02.001 [doi]
- Rodgers, B.L., Knafl, K.A. (2000). *Concept development in nursing: Foundations, techniques, and applications (2nd ed)*. Saunders, Philadelphia.
- 桜井茂男 (2000). ローゼンバーグ自尊感情尺度日本語版の検討. *筑波大学発達臨床心理学研究*, 12, 65-71.
- Sampson, C., Gill, B. H., Harrison, N. K., Nelson, A., & Byrne, A. (2015). The care needs of patients with idiopathic pulmonary fibrosis and their carers (CaNoPy): Results of a qualitative study. *BMC Pulmonary Medicine*, 15, 155-015-0145-5. doi:10.1186/s12890-015-0145-5 [doi]
- 関根正雄訳 (1967). *創世記*. 岩波文庫, 東京, 11.
- Seo, J. M., Ahn, S., Byun, E. K., & Kim, C. K. (2007). Social skills training as nursing intervention to improve the social skills and self-esteem of inpatients with chronic schizophrenia. *Archives of Psychiatric Nursing*, 21(6), 317-326. doi:S0883-9417(07)00185-9 [pii]
- Smith, M., Wethington, E., & Zhan, G. (1996). Self-concept clarity and preferred coping styles. *Journal of Personality*, 64(2), 407-434. doi:10.1111/j.1467-6494.1996.tb00516.x

- Swetz, K. M., Carey, E. C., & Bundrick, J. B. (2012). Clinical pearls in palliative medicine 2012. *Mayo Clinic Proceedings*, 87(11), 1118-1123. doi:10.1016/j.mayocp.2012.07.017 [doi]
- Swigris, J. J., Kuschner, W. G., Jacobs, S. S., Wilson, S. R., & Gould, M. K. (2005). Health-related quality of life in patients with idiopathic pulmonary fibrosis: A systematic review. *Thorax*, 60(7), 588-594. doi:60/7/588 [pii]
- Swigris, J. J., Esser, D., Wilson, H., Conoscenti, C. S., Schmidt, H., Stansen, W., . . . Brown, K. K. (2017). Psychometric properties of the st george's respiratory questionnaire in patients with idiopathic pulmonary fibrosis. *The European Respiratory Journal*, 49(1), 10.1183/13993003.01788-2016. Print 2017 Jan. doi:1601788 [pii]
- Swigris, J. J., & Fairclough, D. (2012). Patient-reported outcomes in idiopathic pulmonary fibrosis research. *Chest*, 142(2), 291-297. doi:10.1378/chest.11-2602
- Taniguchi, H., Ebina, M., Kondoh, Y., Ogura, T., Azuma, A., Suga, M., . . . Pirfenidone Clinical Study Group in Japan. (2010). Pirfenidone in idiopathic pulmonary fibrosis. *The European Respiratory Journal*, 35(4), 821-829. 10.1183/09031936.00005209 [doi]
- Teddlie, C. & Tashakkori, A. (2008/ 土屋敦, 八田太一, 藤田みさお監訳, 2017). *混合研究方法の基礎 社会・行動科学の量的・質的アプローチの統合*. 西村書店, 東京.
- Tomioka, H., Imanaka, K., Hashimoto, K., & Iwasaki, H. (2007). Health-related quality of life in patients with idiopathic pulmonary fibrosis -cross-sectional and longitudinal study-. *Internal Medicine*, 46(18), 1533-1542. doi:10.2169/internalmedicine.46.6218
- Tranvåg, O., Petersen, K. A., Nåden, D. (2013). Dignity-preserving dementia care. *Nurs Ethics*, 20(8), 861-880, doi:10.1177/0969733013485110
- Tranvag, O., Petersen, K. A., & Naden, D. (2016). Crucial dimensions constituting dignity experience in persons living with dementia. *Dementia (London, England)*, 15(4), 578-595. doi:10.1177/1471301214529783 [doi]
- 杖下隆英, 増永洋三, 渡辺二郎 (1984). *テキストブック西洋哲学史*. 有意閣ブックス, 東京.
- United Nations (2014). *The Road to Dignity by 2030: Ending Poverty, Transforming All Lives and Protecting the Planet*. Retrieved September 4, 2017 from http://www.un.org/disabilities/documents/reports/SG_Synthesis_Report_Road_to_Dignity_by_2030.pdf

- van Gennip, I. E., Roeline, W. P., H., Oosterveld-Vlug, M., Willems, D. L., & Onwuteaka-Philipsen, B.(2016). How dementia affects personal dignity: A qualitative study on the perspective of individuals with mild to moderate dementia. *J Gerontol B Psychol Sci Soc Sci*, 71 (3), 491-501.
- Van Ness, P. H., Fried, T. R., & Gill, T. M. (2011). Mixed methods for the interpretation of longitudinal gerontologic data: Insights from philosophical hermeneutics. *Journal of Mixed Methods Research*, 5(4), 293-308. doi:10.1177/1558689811412973 [doi]
- Vancheri, C., Failla, M., Crimi, N., & Raghu, G. (2010). Idiopathic pulmonary fibrosis: A disease with similarities and links to cancer biology. *The European Respiratory Journal*, 35(3), 496-504. doi:10.1183/09031936.00077309 [doi]
- Vehling, S., Mehnert, A. (2014). Symptom burden, loss of dignity, and demoralization in patients with cancer: A mediation model. *Psycho-Oncology*, 23(3), 283-290. doi:10.1002/pon.3417
- Venkatesh, V., Brown, S. A., & Bala, H. (2013). Bridging the qualitative-quantitative divide: Guidelines for conducting mixed methods research in information systems. *MIS Quarterly*, 37(1), 21-54.
- Walsh, K., & Kowanko, I. (2002). Nurses' and patients' perceptions of dignity. *International Journal of Nursing Practice*, 8(3), 143-151. doi:10.1046/j.1440-172X.2002.00355.x
- World Health Organization (2002).緩和ケアの定義. Retrieved September 27, 2017 from <http://www.who.int/cancer/palliative/definition/en/>
- World Health Organization (2016). Global Strategy on Human Resources for Health: Workforce 2030, 11. Retrieved September 4, 2017 from http://who.int/hrh/resources/global_strategy_workforce2030_14_print.pdf
- 八木雄二 (2016). *哲学の始原 ソクラテスはほんとうは何を伝えたかったのか*. 春秋社, 東京.
- 山崎久美子, 林千晶 (2010). 高齢者のクオリティ・オブ・ライフに及ぼすライフレビュー法の効果研究, *日本保健医療行動科学会年報*, 25, 185-195.
- Yorke, J., Jones, P. W., & Swigris, J. J. (2010). Development and validity testing of an IPF-specific version of the st george's respiratory questionnaire. *Thorax*, 65(10), 921-926. doi:10.1136/thx.2010.139121 [doi]

Zigmond A.S., Snaith R.P. (1983). The hospital anxiety and depression scale. *Acta Psychiatr Scand*, 67, 361-370.

Zigmond, A.S., Snaith R.P., 北村俊則 (1993). Hospital anxiety and depression scale (HADS 尺度), *精神科診断*, 4, 371-372.

概念分析に使用した引用文献

*Albers, G., Pasman, H. R., Deliens, L., de Vet, H. C., & Onwuteaka-Philipsen, B. (2013). Does health status affect perceptions of factors influencing dignity at the end of life? *Journal of Pain and Symptom Management*, 45(6), 1030-1038. doi: 10.1016/j.jpainsymman.2012.06.012

*Aoun, S., Deas, K., & Skett, K. (2016). Older people living alone at home with terminal cancer. *European Journal of Cancer Care*, 25(3), 356-364. doi: 10.1111/ecc.12314

*Berg, L., & Danielson, E. (2007). Patients' and nurses' experiences of the caring relationship in hospital: An aware striving for trust. *Scandinavian Journal of Caring Sciences*, 21(4), 500-506. doi: 10.1111?j.147-6712.2007.00497.x

*Bergsten, U. (2015). A happy ending after all-patient initiated research in rheumatic diseases in Sweden. *Annals of the Rheumatic Diseases*, 74, 8. doi:10.1136/annrheumdis-2015-eular.6775

*Chochinov, H. M., Johnston, W., McClement, S. E., Hack, T. F., Dufault, B., Enns, M., . . . Kredentser, M. S. (2016). Dignity and distress towards the end of life across four non-cancer populations. *PloS One*, 11(1), e0147607. doi:10.1371/journal.pone.0147607

*Coventry, M. L. (2006). Care with dignity: A concept analysis. *Journal of Gerontological Nursing*, 32(5), 42-48.

*Crofts, N., Louie, R., & Loff, B. (1997). The next plague: Stigmatization and discrimination related to hepatitis C virus infection in Australia. *Health and Human Rights*, 2(2), 86-97.
Retrieved
from <http://search.ebscohost.com/login.aspx?direct=true&db=mdc&AN=10381830&site=ehost-live>

*Dager, T. N., Kjekken, I., Fjerstad, E., & Hauge, M. (2012). "It is about taking grips and not let myself be ravaged by my body": A qualitative study of outcomes from in-patient

- multidisciplinary rehabilitation for patients with chronic rheumatic diseases. *Disability and Rehabilitation*, 34(11), 910-916. doi: 10.3109/09638288.2011.626485
- *Delmar, C., Bøje, T., Dylmer, D., Forup, L., Jakobsen, C., Møller, M., . . . Pedersen, B. D. (2006). Independence/dependence--a contradictory relationship? Life with a chronic illness. *Scandinavian Journal of Caring Sciences*, 20(3), 261-268. doi: 10.1111/j.1471-6712.2006.00403.x
- *Delmar, C., Alenius-Karlsson, N., & Mikkelsen, A. H. (2011). The implications of autonomy: Viewed in the light of efforts to uphold patients dignity and integrity. *International Journal of Qualitative Studies on Health and Well-being*, 6(2), 1-9. doi: 10.3402/qhw.v6i2.6045
- *Friberg, F., Andersson, E. P., & Bengtsson, J. (2007). Pedagogical encounters between nurses and patients in a medical ward--A field study. *International Journal of Nursing Studies*, 44(4), 534-544. doi: 10.1016/j.ijnurstu.2005.12.002
- *Helfand, A. E. (2003). Podiatric assessment of the geriatric patient. *Clinics in Podiatric Medicine and Surgery*, 20(3), 407-429. doi: 10.1016/S0891-8422(03)00033-8
- *Ho, H., Tseng, Y., Hsin, Y., Chou, F., & Lin, W. (2016). Living with illness and self-transcendence: The lived experience of patients with spinal muscular atrophy. *Journal of Advanced Nursing*, 72(11), 2695-2705. doi:10.1111/jan.13042.
- *Hughes, A. M. (2007). 'Can you give me respect?': Experiences of the urban poor with advanced disease. (109849558). Retrieved September 4, 2017 from <http://search.ebscohost.com/login.aspx?direct=true&db=rzh&AN=109849558&site=eho-st-live>
- *Karami-Tanha, F., Moradi-Lakeh, M., Fallah-Abadi, H., & Nojomi, M. (2014). Health system responsiveness for care of patients with heart failure: Evidence form [sic] a university hospital. *Archives of Iranian Medicine (AIM)*, 17(11), 736-740. doi: 0141711/AIM.003
- *Knaul, F. M., Farmer, P. E., Bhadelia, A., Berman, P., & Horton, R. (2015). Closing the divide: The Harvard global equity initiative-lancet commission on global access to pain control and palliative care. *The Lancet*, 386(9995), 722-724. doi: 10.1016/S0140-6736(15)60289-6
- *Kogan, A. C., Wilber, K., & Mosqueda, L. (2016). Person-centered care for older adults with chronic conditions and functional impairment: A systematic literature review. *Journal of*

the American Geriatrics Society, 64(1), e1-e7. doi:10.1111/jgs.13873

- *Monaro, S., Stewart, G., & Gullick, J. (2014). A 'lost life': Coming to terms with haemodialysis. *Journal of Clinical Nursing*, 23(21-22), 3262-3273. doi:10.1111/jocn.12577
- *縄陽子, 吉田佳寿江, 古淵靖恵, 渡辺一枝, 吉田ユミ子, 川原久美子, 谷口昌子 & 斎藤清子. (2004). 療養病棟における終末期の役割を考える—8 例の患者を看取って—. *新潟厚生連医誌*, 13(1), 63-66.
- *Oechsle, K., Wais, M. C., Vehling, S., Bokemeyer, C., & Mehnert, A. (2014). Relationship between symptom burden, distress, and sense of dignity in terminally ill cancer patients. *Journal of Pain and Symptom Management*, 48(3), 313-321. doi:10.1016/j.jpainsymman.2013.10.022
- *Olsson, M., Lexell, J., & Söderberg, S. (2008). The meaning of women's experiences of living with multiple sclerosis. *Health Care for Women International*, 29(4), 416-430. doi:10.1080/07399330701876646
- *Oosterveld-Vlug, M., Pasman, H. R., van Gennip, I. E., de Vet, H. C. W., & Onwuteaka-Philipsen, B. (2014). Assessing the validity and intra-observer agreement of the MIDAM-LTC; An instrument measuring factors that influence personal dignity in long-term care facilities. *Health and Quality of Life Outcomes*, 12, 17-17. doi:10.1186/1477-7525-12-17
- *Reuben, D. B., Evertson, L. C., Wenger, N. S., Serrano, K., Chodosh, J., Ercoli, L., & Tan, Z. S. (2013). The University of California at Los Angeles Alzheimer's and Dementia Care program for comprehensive, coordinated, patient - centered care: Preliminary data. *Journal of the American Geriatrics Society*, 61(12), 2214-2218. doi:10.1111/jgs.12562
- *Reynolds, D. K., & Kalish, R. A. (1974). The social ecology of dying: Observations of wards for the terminally ill. *Hospital & Community Psychiatry*, 25(3), 147-152..
- *Richardson, R. C. (1997). Discipline and children with chronic illnesses: Strategies to promote positive patient outcomes. *American Nephrology Nurses Association Journal*, 24(1), 35-40.
- *Russell, S., Zalwango, F., Namukwaya, S., Katongole, J., Muhumuza, R., Nalugya, R., & Seeley, J. (2016). Antiretroviral therapy and changing patterns of HIV stigmatisation in

- Entebbe, Uganda. *Sociology of Health & Illness*, 38(1), 58-72. 10.1111/1467-9566.12341
- *Sellars, M., Clayton, J. M., Morton, R. L., Lockett, T., Silvester, W., Spencer, L., . . . Tong, A. (2017). An interview study of patient and caregiver perspectives on advance care planning in ESRD. *American Journal of Kidney Diseases*. 10.1053/j.ajkd.2017.07.021
- *Skuladottir, H., & Halldorsdottir, S. (2011). The quest for well - being: Self - identified needs of women in chronic pain. *Scandinavian Journal of Caring Sciences*, 25(1), 81-91. 10.1111/j.1471-6712.2010.00793.x
- *Söderberg, S., Lundman, B., & Norberg, A. (1999). Struggling for dignity: The meaning of women's experiences of living with fibromyalgia. *Qualitative Health Research*, 9(5), 575-587.
- *Solomon, B. K., Wilson, K. G., Henderson, P. R., Poulin, P. A., Kowal, J., & McKim, D. A. (2016). Loss of dignity in severe chronic obstructive pulmonary disease. *Journal of Pain and Symptom Management*, 51(3), 529-537. 10.1016/j.jpainsymman.2015.11.007 [doi]
- *Tong, A., Cheung, K. L., Nair, S. S., Kurella Tamura, M., Craig, J. C., & Winkelmayr, W. C. (2014). Thematic synthesis of qualitative studies on patient and caregiver perspectives on end-of-life care in CKD. *American Journal of Kidney Diseases*, 63(6), 913-927. 10.1053/j.ajkd.2013.11.017
- *van Gennip, I. E., Pasman, H. R., Oosterveld-Vlug, M., Willems, D. L., & Onwuteaka-Philipsen, B. (2013). The development of a model of dignity in illness based on qualitative interviews with seriously ill patients. *International Journal of Nursing Studies*, 50(8), 1080-1089. doi: 10.1016/j.ijnurstu.2012.12.014
- *van Gennip, I. E., Pasman, H. R. W., Oosterveld-Vlug, M. G., Willems, D. L., & Onwuteaka-Philipsen, B. D. (2015). Dynamics in the sense of dignity over the course of illness: A longitudinal study into the perspectives of seriously ill patients. *International Journal Nursing Studies*, 52(11), 1694-1704. doi:/10.1016/j.ijnurstu.2015.06.010
- *Vehling, S., & Mehnert, A. (2014). Symptom burden, loss of dignity, and demoralization in patients with cancer: A mediation model. *Psycho-Oncology*, 23(3), 283-290. doi:10.1002/pon.3417
- *Wadensten, B., & Ahlström, G. (2009). Ethical values in personal assistance: Narratives of

people with disabilities. *Nursing Ethics*, 16(6), 759-774.
doi:10.1177/0969733009341913

*Werner, A., & Malterud, K. (2003). It is hard work behaving as a credible patient: Encounters between women with chronic pain and their doctors. *Social Science & Medicine*, 57(8), 1409-1419. doi:10.1016/S0277-9536(02)00520-8