

引用·参考文献

- American Academy of Pediatrics, American Academy of Family Physicians, & American College of Physicians–American Society of Internal Medicine (2002). A consensus statement on health care transitions for young adults with special health care needs. *Pediatrics*, 110(6 Pt 2), 1304–1306.
- Berkman, D. N., Sheridan, L. S., Donahue, E. K., Halpern, J. D., & Crotty, K. (2011). Low health literacy and health outcomes: an updated systematic review. *Annals of internal medicine*, 155(2), 97–107. <https://doi.org/10.7326/0003-4819-155-2-201107190-00005>.
- Bradley-Llung Kathy, et al (2017). Initial development of the Health Literacy and Resiliency Scale: Youth version. *Journal of Communication in Healthcare*. 10 (2), 100–107.
- Brown,L.S., Teufel,A.J., Birch, A.D.(2007). Early adolescents perceptions of health and health literacy. *J Sch Health*.77,7-15.
- Cambric, N.M. (2019).Validating the construct of resiliency in the health literacy and resiliency scale (HLRS-Y) with the child and youth resiliency measure. Tampa, Florida: University of South Florida Scholar Commons .
- Canobbio, M. M. (2001).Health care issues facing adolescents with congenital heart disease. *Journal of pediatric nursing*,16(5),363–370.
- Cavanaugh, L. K. (2011). Health literacy in diabetes care: explanation evidence and equipment. *Diabetes management*, 1(2), 191–199. <https://doi.org/10.2217/dmt.11.5>.
- Cocomello L, Dimagli A, Biglino G, Cornish R, Caputo M, Lawlor DA, et al. (2021). Educational attainment in patients with congenital heart disease: a comprehensive systematic review and meta-analysis. *BMC Cardiovasc Disord*, 21(1), 549. doi: 10.1186/s12872-021-02349-z.
- Davis, N.R. (1999). Web-based administration of personality questionnaire: Comparison with traditional methods. *Behavior Research Methods, Instruments, and Computers*, 31, 572–577.
- DeWalt, D.A & Hink A (2009). Health literacy and child health outcomes: a systematic review of the literature. *Pediatrics*. 124(3):S265-74.
- Eicher, M. (2016). Relationship between Resilience, Psychological Distress and Physical Activity in Cancer Patients: A Cross-Sectional Observation Study. *PloS One*, 11(4), e0154496. <https://doi.org/10.1371/journal.pone.0154496>.
- Eriksson,M.,Mittelmark,B.M,Sagy.,Eriksson,M.,Bauer,F.G. et al. (2017).The sense of coherence in the salutogenic model of health. *The Handbook of Salutogenesis*.Springer.91–96.

- 藤岡寛、上別府圭子(2009).小児慢性疾患患者における服薬の意志形成プロセスに関する質的研究.
小児保健研究,68(6),651-661.
- Gibson-Scipio, W., Gourdin, D., &Krouse, J.H (2015). Asthma self-management goals, beliefs and behaviors of urban African American adolescents prior to transitioning to adult health care. Journal of Pediatric Nursing, 30, 53-61.
- Gordon,C.S., Barry,D.C., Dunn, J.D., &King, B (2011). Clarifying a vision for health literacy: a holistic school-based community approach. Holist Nurs Pract, 25,120-126.
- Grotberg, E. (1995) A Guide to Promoting Resilience in Children, in Early Childhood Development: Practice and Reflections, 8, Bernard van Leer Foundation.
- Haase, E. J. (2004). The adolescent resilience model as a guide to interventions. Journal of pediatric oncology nursing : official journal of the Association of Pediatric Oncology Nurses, 21(5), 289-304. <https://doi.org/10.1177/1043454204267922>.
- Hagan, T. L., & Donovan, H. S. (2013). Self-advocacy and cancer: a concept analysis. Journal of advanced nursing, 69(10), 2348-2359. <https://doi.org/10.1111%2Fjan.12084>.
- 林佳奈子, 廣瀬幸美, 倉科美穂子, 林部麻美. (2015). 思春期心疾患児の qol の検討 - 病気認識, 病気・身体や社会生活に関する悩みとの関連性において. 小児保健研究, 74(6), 904-913.
- 林洋子(2004).小児病院に外来通院を続けるキャリーオーバー患者の思いと看護の役割(4) 病気や症状についての体験および将来について.神奈川県立こども医療センター看護研究集録 28.49-52.
- Heijmans, M., Waverijn, G., Rademakers, J., Vaart, R., & Rijken, M. (2015). Functional, communicative and critical health literacy of chronic disease patients and their importance for self-management. Patient education and counseling, 98(1), 41-48.
- Higgins, S. S. , Tong,E. (2003). Transition adolescents with congenital heart disease into adulthood care. Progressive cardiovascular nursing,18 (2).93-98.
<https://doi.org/10.1080/00981389.2017.1353569>
- 石河真紀(2008).思春期にある先天性心疾患児の自己開示と自尊感情およびソーシャルサポートの関連.日本小児看護学会誌.17(2).1-8 .https://doi.org/10.20625/jschn.17.2_1
- 石崎優子(2018).小児期発症慢性疾患患者のための移行期ガイド.じほう.
- Joinson, A. (1999). Social desirability, anonymity, and internet-based questionnaires. Behavior Research Methods, Instruments and Computers, 31, 433-438.
- 賀藤均、位田忍、犬塚亮、落合亮太、掛江直子ら他(2022).小児期発症疾患を有する患者の移行期医

療に関する提言.https://www.jpeds.or.jp/uploads/files/20220921_teigen.pdf

(2022.12.25 閲覧)

Kickbusch I (2008). Health literacy: An essential skill for the twenty-first century. *Health Education* 108(2), 101–104.

Kickbusch I & Maag D(2008). Health Literacy. In: Kris Heggenhougen and Stella Quah, editors *International Encyclopedia of Public Health*. Academic Press.3. 204–211.

Kobayashi, K., & Kamibeppu, K. (2010). Measuring quality of life in Japanese children: development of the Japanese version of PedsQL. *Pediatrics international: official journal of the Japan Pediatric Society*, 52(1), 80-88.

Kokkonen,J.& Paavilainen,T.(1992). Social adaptation of young adults with congenital heart disease, *International Journal of Cardiology*, 36, 23–29.

Kunz,J.H, Hommel,A.K., &Greenley,N.R.(2010). Health-related quality of life of youth with inflammatory bowel disease: a comparison with published data using the PedsQL 4.0 generic core scales. *Inflammatory Bowel Disease*, 16 (6),939–946.

国立成育医療センター小児がんセンター,小児がん経験者のためのトランジション・ステップ 2016,

<https://www.ncchd.go.jp/hospital/about/section/cancer/leaflet06.pdf> (2022.11.25 閲覧)

窪田満(2019).小児期発症慢性疾患をもつ移行期患者に対する医療. *小児保健研究*,78(3),180–185.

久保瑠子、中澤潤(2015).身体の臓器に関する知識の発達. *千葉大学教育学部教育紀要*.63.153–158.

Lightfoot, M. A., Cheng, J. W., Hu, X., Tschokert, M., McCracken, C., Kirsch, A. J., Smith, E. A., Cerwinka, W. H., Arlen, A. M., Chamberlin, D. A., & Garcia-Roig, M. L. (2020). Assessment of health literacy in adolescents with spina bifida and their caregivers: a multi-institutional study. *Journal of pediatric urology*, 16(2), 167.e1-167.e6.

<https://doi.org/10.1016/j.jpurol.2019.11.016>

Lidwine BM, Prinsen CA, Patrick DL, Alonso J, Bouter LM, de Vet HCW,et al. COSMIN Study Design checklist for patient reported outcome measurement instruments Version July 2019.

https://www.cosmin.nl/wp-content/uploads/COSMIN-study-designing-checklist_final.pdf

(2022.5.26 閲覧)

Lima,A.M, Duque,P.A, Rodrigues,F.L Jr, Lima,S.C.V, Trotte,C.A.L, &Guimaraes,F.C.T (2020). Health literacy and quality of life in hospitalized heart failure patients: a cross-sectional study. *Am J Cardiovasc Dis*.10 (4), 490– 498.

- Luthar, S., Cicchetti, D., & Becker, B. 2000 The Construct of Resilience: A Critical Evaluation and Guidelines for Future Work Child Development, 71, 543–562.
- Manganello, A. J. (2008). Health literacy and adolescents: A framework and agenda for future research. Health Education Research, 23(5), 840–847.
- Manganello, A. J., DeVellis, F. R., Davis, C. T., & Schottler-Thal, C. (2015). Development of the Health Literacy Assessment Scale for Adolescents (HAS-A). Journal of communication in healthcare, 8(3), 172-184. <https://doi.org/10.1179/1753807615Y.0000000016>.
- Massey, M.P, Prelip, M., Calimlim, M.B., Quiter, S.E., & Glik, C.D (2012). Contextualizing an expanded definition of health literacy among adolescents in the health care setting. Health Educ Res, 27, 961-74. doi:10.1093/her/cys054.
- Masten, S.N. (2001). Ordinary magic. Resilience processes in development. The American psychologist, 56(3), 227-238. <https://doi.org/10.1037/0003-066x.56.3.227>
- Matzka, M., Mayer, H., Köck-Hódi, S., Moses-Passini, C., Dubey, C., Jahn, P., Schneeweiss, S., & Eicher, M. (2016). Relationship between Resilience, Psychological Distress and Physical Activity in Cancer Patients: A Cross-Sectional Observation Study. PloS one, 11(4), e0154496. <https://doi.org/10.1371/journal.pone.0154496>.
- Mengyun Zheng(2018). the relationship between health literacy and quality of life: a systematic review and meta-analysis, Health and Quality life outcome, 16, 201.
- Morrison, A. K., Glick, A., & Yin, H. S. (2019). Health Literacy: Implications for Child Health. Pediatrics in review, 40(6), 263-277. <https://doi.org/10.1542/pir.2018-0027>.
- マイケル・C・ロバーツ編(2007). 小児医療心理学.. 奥山眞紀子、丸光恵訳. エルゼビアジャパン.
- 中村伸江、兼松百合子 (1996). 10代の子どものストレスと対処行動. 小児保健研究, 55(3), 442-449.
- 中山和弘. 健康を決める力”ヘルスリテラシーを身につける” (healthliteracy.jp)2021.10.15 閲覧.
- 仁尾かおり、駒松仁子、小村三千代、西海真理 (2004). 先天性心疾患をもつ思春期・青年期の患者に関する文献の概観. 国立看護大学校研究紀要, 3(1), 11-19.
- 仁尾かおり、石河真紀、藤澤盛樹 (2014). 学童期から青年期にある先天性心疾患患者の“病気体験に関連したレジリエンス”アセスメントツールの開発. 日本小児循環器学会誌, 30(5), 543-552.
- 仁尾かおり(2008). 先天性心疾患をもって成長する中学生・高校生のレジリエンス(第1報) 背景要因によるレジリエンスの差異. 小児保健研究, 67: 826-833.
- 丹羽公一郎, 立野滋, 建部俊介, 他(2002). 成人期先天性心疾患患者の社会的自立と問題点. J Cardiol,

39,259–266.

Nutbeam D (2000). Health literacy as a public health goal: A challenge for contemporary health education and communication strategies into the 21st century. *Health Promot Int*, 15(3), 259–267.

大迫由紀, 武井修治(2015). 若年性特発性関節炎 (JIA) の患児の抱える痛みと Quality of life の関係. 小児保健研究, 74(2), 232–239.

Osborne, H. R., Elsworth, R. G., Kissane, W. D., Burke, A. S., & Hopper, L. J. (1999). The Mental Adjustment to Cancer (MAC) scale: replication and refinement in 632 breast cancer patients. *Psychologicalmedicine*, 29(6), 1335–1345. <https://doi.org/10.1017/s0033291799001142>.

Oster,E.M., Watkins, S, Hill, D.K., Knight, H.J, Meyer, E.R (2017). Academic outcomes in children with congenital heart defects: a population-based cohort study. *Circ Cardiovasc Qual Outcomes*, 10(2), e003074. doi: 10.1161/CIRCOUTCOMES.116.003074

Paasche-Orlow, M. K., & Wolf, M. S. (2007). The causal pathways linking health literacy to health outcomes. *American journal of health behavior*, 31(1), S19–S26. <https://doi.org/10.5555/ajhb>.

Piko, F. B., & Bak, J. (2006). Children's perceptions of health and illness: images and lay concepts in preadolescence. *Health education research*, 21(5), 643–653. <https://doi.org/10.1093/her/cyl034>

Pless,I.B.&Pinkerton,P. (1975). Chronic childhood disorder: Promoting patterns of adjustment. Chicago: Year Book Medical Publishers.

Rolland,S.J. (1994). Families, illness, and disability: An integrative treatment model. New York: Basic Books.

Ryan, M. R. & Deci, L. E. (2001). On happiness and human potentials: A review of research on hedonic and eudaimonic well-being. *Annual Review of Psychology*, 52, 141–166.

Schor,L.E. (1998). Children's Health and the Assessment of Health-Related Quality of Life. Lawrence Erlbaum Associates, Inc.25–37.

Sekine, S., Kobayashi, K., Ochiai, R., & Higaki, T. (2022). Content validity of the Japanese version of the health literacy and resiliency scale for youth with chronic illness. *Frontiers in pediatrics*, 10, 978079. <https://doi.org/10.3389/fped.2022.978079>

Steineke Angela (2019). A Psychosocial Intervention's Impact on Quality of Life in AYAs with Cancer: A Post Hoc Analysis from the promoting Resilience in Stress Management (PRISM) Randomized Controlled Trial, *Children*, 6, 124.

小児慢性特定疾病情報センターHP(小児慢性特定疾病情報センター (shouman.jp)) 2021.10.15 閲覧
清水美恵(2019).アレルギー疾患をもつ思春期にある子どものレジリエンスと信頼感の関連,日本小児
看護学会誌, 28 (0), 139–147

総務省:情報通信白書平成 25 年総務省 | 平成 25 年版 情報通信白書 | PDF 版 (soumu.go.jp).
2021.10.15 閲覧

Stein,R.E.K.&Jessop,D.J. (1982).A noncategorical approach to chronic childhood illness. Public Health Reports, 97, 354–362.

武井修治 (2007).小児慢性疾患におけるキャリーオーバー患者の現状と対策.小児保健研究 66(5), 623–631.

Test, D. W., Fowler, C. H., Wood, W. M., Brewer, D. M., & Eddy, S. (2005). A Conceptual Framework of Self-Advocacy for Students with Disabilities. Remedial and Special Education, 26(1), 43-54.

東京都福祉保健局少子社会対策部過程支援課(2017).慢性疾病を抱える児童等の実態調査.
登録番号(28).347.

Tourangeau, R., & Smith, T.W.(1996).Asking sensitive questions: The impact of data collection mode, question format, and question context. Public Opinion Quarterly, 60, 275–304.

Tuten, T. L., Urban, J. D., & Bosnjak, M (2002). Internet surveys and date quality. On-line social science. Seattle, WA Hogrefe&Hunber.

Varni, W. J., Seid,M., & Kurtin,S.P. (2001). PedsQL 4. 0:Reliability and Validity of the Pediatric Quality of Life Inventory Version 4.0 Generic Core Scales in Healthy and Patient Populations. MEDICAL CARE,39 (8) , 800–812.

Wray,J.& Sensky,T. (1998). How does the intervention of cardiac surgery affect the self-perception of children with congenital health disease. Children: Care, Health and Developmet, 24(1), 57–72.

Wolin. J.S. & Wolin. S (2002).サバイバーと心の回復力:逆行を乗り越えるための7つのレジリアンス(奥野光訳).金剛出版.

Yi Jung Hee, & Nam In Seok(2017).The effect of advocacy for overcoming stigma on posttraumatic growth: Focusing on childhood cancer survivors. Social Work in Health Care, 56(9). 840–854.<https://doi.org/10.1080/00981389.2017.1353569>

横谷進、落合亮太、小林信秋、駒松仁子、増子孝徳ら他(2014).小児期発症疾患有する患者の移行期医療に関する提言.日本小児科学会誌,118,98–106.

Zarcadoolas C, Pleasant A, Greer DS (2003). Elaborating a definition of health literacy: A commentary. *J Health Commun*, 8, 119-20.