

文献

本レビューに用いた文献には*を付した。

- Abraham, J., Hirt, J., Richter, C., Köpke, S., Meyer, G., & Möhler, R. (2022). Interventions for preventing and reducing the use of physical restraints of older people in general hospital settings. *The Cochrane Database of Systematic Reviews*, 8(8), CD012476. <https://doi.org/10.1002/14651858.CD012476.pub2>
- Bellenger, E. N., Ibrahim, J. E., Kennedy, B., & Bugeja, L. (2019). Prevention of physical restraint use among nursing home residents in Australia: The top three recommendations from experts and stakeholders. *International Journal of Older People Nursing*, 14(1), e12218. <https://doi.org/10.1111/opn.12218>
- Brooker, D. (2005). Dementia Care Mapping : A Review of the Research Literature. *The Gerontologist Vol. 45, Special Issue I*, 11-18. https://doi.org/10.1093/geront/45.suppl_1.11
- Brooker, D. (2006 村田康子・鈴木みずえ・中村裕子・内田達二訳 2010/2013). *VIPSですすめるパーソン・センタード・ケア*. クリエイツかもがわ.
- Castle, N. G., & Engberg, J. (2009). The health consequences of using physical restraints in nursing homes. *Medical Care*, 47(11), 1164-1173. <https://doi.org/10.1097/MLR.0b013e3181b58a69>

- *Chenoweth, L., King, M. T., Jeon, Y. H., Brodaty, H., Stein-Parbury, J., Norman, R., Haas, M., & Luscombe, G. (2009). Caring for Aged Dementia Care Resident Study (CADRES) of person-centred care, dementia-care mapping, and usual care in dementia: a cluster-randomised trial. *The Lancet. Neurology*, 8(4), 317-325. [https://doi.org/10.1016/S1474-4422\(09\)70045-6](https://doi.org/10.1016/S1474-4422(09)70045-6)
- Cochrane Collaboration Glossary. (2010). *Data collection form for intervention reviews: RCTs only*. <https://dplp.cochrane.org/data-extraction-forms> (最終検索日2023.01.27)
- Cohen-Mansfield J. (1999). Measurement of inappropriate behavior associated with dementia. *Journal of Gerontological Nursing*, 25(2), 42-51. <https://doi.org/10.3928/0098-9134-19990201-08>
- Deeks, J. J., Higgins, J. PT., & Altman, D. G. (2022). Chapter 10: Analysing data and undertaking meta-analyses. *Cochrane Handbook for Systematic Reviews of Interventions version 6.3* (updated February 2022). <https://training.cochrane.org/handbook/current/chapter-10> (最終検索日2023.01.26)
- Deutsche Gesellschaft für Psychiatrie, Psychotherapie und Nervenheilkunde (DGPPN), Deutsche Gesellschaft für Neurologie (DGN). (2016). *S3- Leitlinie ‘Demenzen’*, AWMF-Register-Nr, 038-013. <http://www.awmf.org/leitlinien/detail/11/038-013.html> (最終検索日2023.01.26)

- Edberg, A. K., Norberg, A., & Hallberg, I. R. (1999). Mood and general behavior of patients with severe dementia during one year of supervised, individualized planned care and systematic clinical supervision. Comparison with a similar control group. *Aging (Milan, Italy)*, 11(6), 395-403. <https://doi.org/10.1007/BF03339819>
- Evans, L. K., Strumpf, N. E., Allen-Taylor, S. L., Capezuti, E., Maislin, G., & Jacobson, B. (1997). A clinical trial to reduce restraints in nursing homes. *Journal of the American Geriatrics Society*, 45(6), 675-681. <https://doi.org/10.1111/j.1532-5415.1997.tb01469.x>
- Evans, D., Wood, J., & Lambert, L. (2002). A review of physical restraint minimization in the acute and residential care settings. *Journal of Advanced Nursing*, 40(6), 616-625. <https://doi.org/10.1046/j.1365-2648.2002.02422.x>
- Fazio, S., Pace, D., Flinner, J., & Kallmyer, B. (2018). The Fundamentals of Person-Centered Care for Individuals With Dementia. *The Gerontologist*, 58(suppl_1), S10-S19. <https://doi.org/10.1093/geront/gnx122>
- Feng, Z., Hirdes, J. P., Smith, T. F., Finne-Soveri, H., Chi, I., Du Pasquier, J. N., Gilgen, R., Ikegami, N., & Mor, V. (2009). Use of physical restraints and antipsychotic medications in nursing homes: a cross-national study. *International Journal of Geriatric Psychiatry*, 24(10), 1110-1118. <https://doi.org/10.1002/gps.2232>

- *Fossey, J., Ballard, C., Juszczak, E., James, I., Alder, N., Jacoby, R., & Howard, R. (2006). Effect of enhanced psychosocial care on antipsychotic use in nursing home residents with severe dementia: cluster randomised trial. *BMJ: British Medical Journal (International Edition)*, 332(7544), 756-758. <https://doi.org/10.1136/bmj.38782.575868.7C>
- Groot Kormelinck, C. M., Janus, S. I. M., Smalbrugge, M., Gerritsen, D. L., & Zuidema, S. U. (2021). Systematic review on barriers and facilitators of complex interventions for residents with dementia in long-term care. *International Psychogeriatrics*, 33(9), 873-889. <https://doi.org/10.1017/S1041610220000034>
- Gulpers, M. J., Bleijlevens, M. H., Capezuti, E., van Rossum, E., Ambergen, T., & Hamers, J. P. (2012). Preventing belt restraint use in newly admitted residents in nursing homes: a quasi-experimental study. *International Journal of Nursing Studies*, 49(12), 1473-1479. <https://doi.org/10.1016/j.ijnurstu.2012.07.013>
- Gulpers, M. J., Bleijlevens, M. H., Ambergen, T., Capezuti, E., van Rossum, E., & Hamers, J. P. (2013). Reduction of belt restraint use: long-term effects of the EXBELT intervention. *Journal of the American Geriatrics Society*, 61(1), 107-112. <https://doi.org/10.1111/jgs.12057>
- 服部英幸. (2018). *BPSD初期対応ガイドライン(改定版)*. ライフ・サイエンス.

Higgins, J., Thomas, J., Chandler, J., Cumpston, M., Li, T., Page, M., & Welch, V.

(2022a). *Cochrane Handbook for Systematic Reviews of Interventions version 6.3*.

<https://training.cochrane.org/handbook/current> (最終検索日2023.01.26)

Higgins, J. PT., Savović, J., Page, M. J., Elbers, R. G., & Sterne, J. AC. (2022

b). Chapter 8: Assessing risk of bias in a randomized trial. *Cochrane Handbook f*

or Systematic Reviews of Interventions version 6.3 (updated February 2022). <http>

[s://training.cochrane.org/handbook/current/chapter-08](https://training.cochrane.org/handbook/current/chapter-08) (最終検索日2023.01.26)

Higgins, J. PT., Eldridge, S., & Li, T. (2022c). Chapter 23: Including variants on

randomized trials. *Cochrane Handbook for Systematic Reviews of Interventions ve*

rsion 6.3 (updated February 2022) <https://training.cochrane.org/handbook/current>

[/chapter-23](https://training.cochrane.org/handbook/current/chapter-23) (最終検索日2023.01.26)

平原佐斗司. (2013). *認知症ステージアプローチ入門*. 中央法規出版.

Hofmann, H., & Hahn, S. (2014). Characteristics of nursing home residents and phys

ical restraint: a systematic literature review. *Journal of Clinical Nursing, 23*

(21-22), 3012-3024. <https://doi.org/10.1111/jocn.12384>

Holt, S., Schmiedl, S., & Thürmann, P. A. (2010). Potentially inappropriate medica

tions in the elderly: the PRISCUS list. *Deutsches Arzteblatt International, 107*

(31-32), 543-551. <https://doi.org/10.3238/arztebl.2010.0543>

- Howard, R., Ballard, C., O' Brien, J., & Burns, A. (2001). Guidelines for the management of agitation in dementia. *International Journal of Geriatric Psychiatry*, 16(7), 714-717. <https://doi.org/10.1002/gps.418>
- Huizing, A. R., Hamers, J. P., Gulpers, M. J., & Berger, M. P. (2006). Short-term effects of an educational intervention on physical restraint use: a cluster randomized trial. *BMC Geriatrics*, 6, 17. <https://doi.org/10.1186/1471-2318-6-17>
- Ijmker, T., & Lamoth, C. J. (2012). Gait and cognition: the relationship between gait stability and variability with executive function in persons with and without dementia. *Gait & Posture*, 35(1), 126-130. <https://doi.org/10.1016/j.gaitpost.2011.08.022>
- Jutkowitz, E., Brasure, M., Fuchs, E., Shippee, T., Kane, R. A., Fink, H. A., Butler, M., Sylvanus, T., & Kane, R. L. (2016). Care-Delivery Interventions to Manage Agitation and Aggression in Dementia Nursing Home and Assisted Living Residents: A Systematic Review and Meta-analysis. *Journal of the American Geriatrics Society*, 64(3), 477-488. <https://doi.org/10.1111/jgs.13936>
- 亀井 智子, 千吉良 綾子, 正木 治恵, 泉 キヨ子, 松本 佐知子, 島橋 誠, & 堀内 ふき. (2016). 認知症および認知機能低下者を含む高齢入院患者群への老年専門職チームによる介入の在院日数短縮等への有効性 システマティックレビューとメタアナリシス. *老年看護学*, 20(2), 23-35. <http://search.jamas.or.jp/link/ui/2016168503>

- Kim, S. K., & Park, M. (2017). Effectiveness of person-centered care on people with dementia: a systematic review and meta-analysis. *Clinical Interventions in Aging*, 12, 381-397. <https://doi.org/10.2147/CIA.S117637>
- Kirkevold, Ø, Laake, K., & Engedal, K. (2003). Use of constraints and surveillance in Norwegian wards for the elderly. *International Journal of Geriatric Psychiatry*, 18(6), 491-497. <https://doi.org/10.1002/gps.883>
- Kitwood, T., & Bredin, S. (1992 高橋誠一・寺田真理子訳 2018). 認知症の介護のために知っておきたい大切なこと: パーソンセンタードケア入門. ブリコラージュ.
- Kitwood, T. (1997 高橋誠一訳 2017). 認知症のパーソンセンタードケア: 新しいケアの文化へ. クリエイツかもがわ.
- Köhler, L., Weyerer, S., & Schäufele, M. (2007). Proxy screening tools improve the recognition of dementia in old-age homes: results of a validation study. *Age and Ageing*, 36(5), 549-554. <https://doi.org/10.1093/ageing/afm108>
- Köpke, S., Mühlhauser, I., Gerlach, A., Haut, A., Haastert, B., Möhler, R., & Meyer, G. (2012). Effect of a guideline-based multicomponent intervention on use of physical restraints in nursing homes: a randomized controlled trial. *JAMA*, 307(20), 2177-2184. <https://doi.org/10.1001/jama.2012.4517>

- 公益社団法人全日本病院協会. (2016). 身体拘束ゼロの実践に伴う課題に関する調査研究事業報告書. https://www.ajha.or.jp/voice/pdf/other/160408_2.pdf (最終検索日2023.01.25)
- 厚生労働省. (2001). 身体拘束ゼロへの手引き：高齢者ケアに関わるすべての人に. https://www.fukushihoken.metro.tokyo.lg.jp/zaishien/gyakutai/torikumi/doc/zero_tebiki.pdf. (最終検索日2023.01.26)
- 厚生労働省. (2004). 「痴呆」に替わる用語に関する検討会報告書. <https://www.mhlw.go.jp/shingi/2004/12/s1224-17.html>. (最終検索日2023.01.26)
- 厚生労働省. (2007). 世界の厚生労働 第3章. <https://www.mhlw.go.jp/wp/hakusyo/kaigai/08/d1/31.pdf>. (最終検索日2023.01.26)
- 厚生労働省. (2008). 「認知症の医療と生活の質を高める緊急プロジェクト」～報告書～. <https://www.mhlw.go.jp/file/06-Seisakujouhou-12300000-Roukenkyoku/0000079272.pdf>. (最終検索日2023.01.26)
- 厚生労働省. (2012a). 今後の認知症施策の方向性について. <https://www.mhlw.go.jp/stf/shingi/2r9852000002fv2e-att/2r9852000002fv5j.pdf>. (最終検索日2023.01.26)
- 厚生労働省. (2012b). 認知症施策推進5か年計画（オレンジプラン）. <https://www.mhlw.go.jp/stf/houdou/2r9852000002j8dh-att/2r9852000002j8ey.pdf>. (最終検索日2023.01.26)

- 厚生労働省. (2015). *かかりつけ医のためのBPSDに対応する向精神薬使用ガイドライン (第2版)*. <https://www.mhlw.go.jp/file/06-Seisakujouhou-12300000-Roukenkyoku/0000140619.pdf> (最終検索日2023. 01. 26)
- 厚生労働省. (2016). *日本の介護保険制度について*. https://www.mhlw.go.jp/english/policy/care-welfare/care-welfare-elderly/dl/ltcisj_j.pdf. (最終検索日2023. 01. 25)
- 厚生労働省. (2017). *認知症施策推進総合戦略(新オレンジプラン)～認知症高齢者等にやさしい地域づくりに向けて～*. https://www.mhlw.go.jp/file/06-Seisakujouhou-12300000-Roukenkyoku/kaitei_orangeplan.pdf (最終検索日2023. 01. 25)
- 厚生労働省. (2019). *認知症施策推進大綱*. <https://www.mhlw.go.jp/content/000522832.pdf> (最終検索日2023. 01. 26)
- 厚生労働省. (2020a). *2020年海外情勢報告 第1章 欧米地域にみる厚生労働施策の概要と最近の動向(ドイツ)*. <https://www.mhlw.go.jp/wp/hakusyo/kaigai/21/dl/t1-06.pdf> (検索日2023. 01. 26)
- 厚生労働省. (2020b). *我が国の人口について*. https://www.mhlw.go.jp/stf/newpage_21481.html#:~:text=%E6%97%A5%E6%9C%AC%E3%81%AE%E4%BA%BA%E5%8F%A3%E3%81%AF%E8%BF%91%E5%B9%B4,%E3%81%AA%E3%82%8B%E3%81%A8%E6%8E%A8%E8%A8%88%E3%81%95%E3%82%8C%E3%81%A6%E3%81%84%E3%81%BE%E3%81%99%E3%80%82 (最終検索日2023. 01. 25)
- 厚生労働省. (2021). *2020年海外情勢報告 第2章第4節英国*. <https://www.mhlw.go.jp/wp/hakusyo/kaigai/22/dl/t2-07.pdf> (最終検索日2023. 01. 25)

Kröpelin, T. F., Neyens, J. C., Halfens, R. J., Kempen, G. I., & Hamers, J. P. (2013). Fall determinants in older long-term care residents with dementia: a systematic review. *International psychogeriatrics*, 25(4), 549-563. <https://doi.org/10.1017/S1041610212001937>

宮本 恭子. (2018). オランダの地域包括ケアシステムと日本への示唆 -現地調査から見る「市民参加型の福祉」への転換. *社会文化論集第14号*, 59-74. [file:///personalstorage.s-mile.net/personalData\\$/hikumi/Downloads/%E7%A4%BE%E4%BC%9A%E6%96%87%E5%8C%96%E8%AB%96%E9%9B%86_14_59_74%20\(2\).pdf](file:///personalstorage.s-mile.net/personalData$/hikumi/Downloads/%E7%A4%BE%E4%BC%9A%E6%96%87%E5%8C%96%E8%AB%96%E9%9B%86_14_59_74%20(2).pdf)

Lan, S., Lu, L., Lan, S., Chen, J., Wu, W., Chang, S., & Lin, L. (2017). Educational intervention on physical restraint use in long-term care facilities - Systematic review and meta-analysis. *Kaohsiung Journal of Medical Sciences*, 33(8), 411-421. <https://doi.org/10.1016/j.kjms.2017.05.012>

Li, J., & Porock, D. (2014). Resident outcomes of person-centered care in long-term care: A narrative review of interventional research. *International Journal of Nursing Studies*, 51(10), 1395-1415. <https://doi.org/10.1016/j.ijnurstu.2014.04.003>

Lyketsos, C. G., Lopez, O., Jones, B., Fitzpatrick, A. L., Breitner, J., & DeKosky, S. (2002). Prevalence of neuropsychiatric symptoms in dementia and mild cognitive impairment. *Journal of the American Academy of Psychiatry and the Behavioral Sciences*, 47(1), 59-65. <https://doi.org/10.1097/00004583-200201000-00009>

- tive impairment: results from the cardiovascular health study. *JAMA*, 288(12), 1475-1483. <https://doi.org/10.1001/jama.288.12.1475>
- 水野 裕. (2008). *実践パーソン・センタード・ケア：認知症をもつ人たちの支援のために*. ワールドプランニング.
- 水谷 信子, 水野 敏子, 高山 成子, 三重野 英子, & 會田 信子. (2021). *最新老年看護学 第3版2021年版*. 日本看護協会出版会.
- Möhler, R., Richter, T., Köpke, S., Meyer, G., & Möhler, R. (2011). Interventions for preventing and reducing the use of physical restraints in long-term geriatric care. *Cochrane Database of Systematic Reviews*, 2011(4), CD007546. <https://doi.org/10.1002/14651858.CD007546.pub2>
- Mohr, W., Rädke, A., Afi, A., Edvardsson, D., Mühlichen, F., Platen, M., Roes, M., Michalowsky, B., & Hoffmann, W. (2021). Key Intervention Categories to Provide Person-Centered Dementia Care: A Systematic Review of Person-Centered Interventions. *Journal of Alzheimer's Disease*, 84(1), 343-366. <https://doi.org/10.3233/JAD-210647>
- 村田康子, 鈴木みずえ, & 内田達二. (2010). *認知症ケアマッピングを用いたパーソン・センタード・ケア実践報告集第2集*. クオリティケア.
- 内閣府. (2017). *平成29年版高齢者白書*. https://www8.cao.go.jp/kourei/whitepaper/w-2017/html/gaiyou/s1_2_3.html. (最終検索日2023.01.25)

認知症介護研究・研修東京センター．認知症介護研究・研修大府センター．認知症介護研

究・研修仙台センター．(2011/2014)．*三訂認知症の人のためのケアマネジメント：センター方式の使い方・活かし方*．中央法規出版株式会社．

Norsk helsenett. (2022). *The right to a doctor*. <https://www.helsenorge.no/en/gp/om/the-right-to-a-doctor/> (最終検索日2023. 01. 25)

O' Donnell, E., Holland, C., & Swarbrick, C. (2022). Strategies used by care home staff to manage behaviour that challenges in dementia: A systematic review of qualitative studies. *International Journal of Nursing Studies*, 133, 104260. <https://doi.org/10.1016/j.ijnurstu.2022.104260>

Page, M. J., Moher, D., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hróbjartsson, A., Lalu, M. M., Li, T., Loder, E. W., Mayo-Wilson, E., McDonald, S., McGuinness, L. A., ... McKenzie, J. E. (2021). PRISM A 2020 explanation and elaboration: updated guidance and exemplars for reporting systematic reviews. *BMJ (Clinical research ed.)*, 372, n160. <https://doi.org/10.1136/bmj.n160>

Page, M. J., Higgins, J. PT., & Sterne, J. AC. (2022). Chapter 13: Assessing risk of bias due to missing results in a synthesis. *Cochrane Handbook for Systematic*

- Reviews of Interventions version 6.3* (updated February 2022). <https://training.cochrane.org/handbook/current/chapter-13> (最終検索日2023.01.26)
- Patients' Rights Act 1999. Act. (1999). *Act relating to patients' rights (Lov om pasient- og brukerrettigheter (pasient- og brukerrettighetsloven)*. <http://lovdata.no/dokument/NL/lov/1999-07-02-63> (最終検索日2023.01.26)
- Pellfolk, T. J., Gustafson, Y., Bucht, G., & Karlsson, S. (2010). Effects of a restraint minimization program on staff knowledge, attitudes, and practice: a cluster randomized trial. *Journal of the American Geriatrics Society*, 58(1), 62-69. <https://doi.org/10.1111/j.1532-5415.2009.02629.x>
- Pu, L., & Moyle, W. (2022). Restraint use in residents with dementia living in residential aged care facilities: A scoping review. *Journal of Clinical Nursing*, 31(13-14), 2008-2023. <https://doi.org/10.1111/jocn.15487>
- Reisberg, B., Ferris, S. H., de Leon, M. J., & Crook, T. (1982). The Global Deterioration Scale for assessment of primary degenerative dementia. *The American Journal of Psychiatry*, 139(9), 1136-1139. <https://doi.org/10.1176/ajp.139.9.1136>
- Richter, T., Meyer, G., Möhler, R., & Köpke, S. (2012). Psychosocial interventions for reducing antipsychotic medication in care home residents. *The Cochrane data base of Systematic Reviews*, 12(12), CD008634. <https://doi.org/10.1002/14651858.CD008634.pub2>

*Richter, C., Berg, A., Langner, H., Meyer, G., Köpke, S., Balzer, K., Wolschon, E. M., Silies, K., Sönnichsen, A., & Löscher, S. (2019). Effect of person-centred care on antipsychotic drug use in nursing homes (EPCentCare): a cluster-randomised controlled trial. *Age and Ageing*, 48(3), 419 - 425. <https://doi.org/10.1093/ageing/afz016>

坂井 志麻, 河田 萌生, 亀井 智子, 富岡 齊実, 金盛 琢也, 川上 千春, 菅原 峰子, 阿部 慈美, 黒河内 仙奈, 鈴木 みずえ, & 綿貫 成明. (2021). 認知症および認知機能低下を有する入院・入所高齢者への身体拘束減少のための介入の有効性；システムティックレビューとメタアナリシス. *老年看護学*. 26(1), 44-58. https://doi.org/10.20696/jagn.26.1_44

Schünemann, H. J., Higgins, J. PT., Vist, G.E., Glasziou, P., Akl, E. A., Skoetz, N., & Guyatt, G. H. (2022). Chapter 14: Completing ‘Summary of findings’ tables and grading the certainty of the evidence. *Cochrane Handbook for Systematic Reviews of Interventions version 6.3* (updated February 2022). <https://training.cochrane.org/handbook/current/chapter-14>. (最終検索日2023.01.26)

総務省統計局. (2021). 統計トピックスNo. 129統計からみた我が国の高齢者-「敬老の日」にちなんで-. <https://www.stat.go.jp/data/topics/topi1290.html>. (最終検索日2023.01.26)

Sterke, C. S., Verhagen, A. P., van Beeck, E. F., & van der Cammen, T. J. (2008).

The influence of drug use on fall incidents among nursing home residents: a systematic review. *International Psychogeriatrics*, 20(5), 890-910. <https://doi.org/10.1017/S104161020800714X>

Stevens, A. B., Burgio, L. D., Bailey, E., Burgio, K. L., Paul, P., Capilouto, E.,

Nicovich, P., & Hale, G. (1998). Teaching and maintaining behavior management skills with nursing assistants in a nursing home. *The Gerontologist*, 38(3), 379-384. <https://doi.org/10.1093/geront/38.3.379>

鈴木みずえ. (2018). *認知症の看護・介護に役立つよくわかるパーソン・センタード・ケア*. 池田書店.

鈴木 みずえ, 鈴木 美恵子, 須永 訓子, 吉村 浩美, 宗像 倫子, 森本 俊子, & 伊藤 靖代.

(2019). 急性期病院の看護師が実践する身体拘束の関連要因 看護師の自己評価調査を用いた分析. *日本老年医学会雑誌*, 56(2), 146-155. <http://search.jamas.or.jp/link/ui/2019323509>

鈴木みずえ & 黒川美知代. (2020). *認知症plus身体拘束:ケアを見つめ直し、抑制に頼らない看護の実現へ*. 日本看護協会出版会.

*Testad, I., Mekki, T. E., Førland, O., Øye, C., Tveit, E. M., Jacobsen, F., & Kirkvold, Ø. (2016). Modeling and evaluating evidence-based continuing education program in nursing home dementia care (MEDCED) – Training of care home staff to r

reduce use of restraint in care home residents with dementia. A cluster randomized controlled trial. *International Journal of Geriatric Psychiatry*, 31(1), 24-32.
<https://doi.org/10.1002/gps.4285>

World Health Organization. (2017). *Global Action Plan on the Public Health Response to Dementia 2017 - 2025*. <https://apps.who.int/iris/bitstream/handle/10665/259615/9789241513487-eng.pdf?sequence=1&isAllowed=y> (最終検索日2023.01.26)

World Health Organization. (2022). *Dementia*. <https://www.who.int/news-room/fact-sheets/detail/dementia> (最終検索日2023.01.26)

在ノルウェー日本国大使館. (2022). *ノルウェーの医療制度・医療機関*. https://www.no.emb-japan.go.jp/itpr_ja/iryo_norway.html (最終検索日2023.01.25)