

## 文献

レビューに用いた文献には\*を付けた

- Al-Obaidi, M., Kosmicki, S., Harmon, C., Lobbous, M., Outlaw, D., Khushman, M. D., McGwin, G., Bhatia, S., Giri, S., & Williams, G. R. (2022). Pain among older adults with gastrointestinal malignancies-results from the cancer and aging resilience evaluation (CARE) Registry. *Supportive Care in Cancer*, 1-9.
- American Geriatrics Society Panel on the Pharmacological Management of Persistent Pain in Older Persons, Reprinted with permission from The American Geriatrics Society. Original article appears in J Am Geriatr Soc 2009; 57: 1331-1346. (2009). Pharmacological management of persistent pain in older persons. *Pain Medicine*, 10(6), 1062-1083. <https://doi.org/10.1111/j.1526-4637.2009.00699.x>
- Atee, M., Morris, T., Macfarlane, S., & Cunningham, C. (2021). Pain in dementia: prevalence and association with neuropsychiatric behaviors. *Journal of Pain and Symptom Management*, 61(6), 1215-1226. <https://doi.org/10.1016/j.jpainsymman.2020.10.011>
- Boltz, M., Resnick, B., Kuzmik, A., Mogle, J., Jones, J. R., Arendacs, R., BeLue, R., Cacchione, P., & Galvin, J. E. (2021). Pain incidence, treatment,

- and associated symptoms in hospitalized persons with dementia. *Pain Management Nursing*, 22(2), 158-163. <https://doi.org/10.1016/j.pmn.2020.08.002>
- Burns, M., & McIlfatrick, S. (2015). Palliative care in dementia: literature review of nurses' knowledge and attitudes towards pain assessment. *International Journal of Palliative Nursing*, 21(8), 400-407. <https://doi.org/10.12968/ijpn.2015.21.8.400>
- Bunn, F., Burn, A. M., Robinson, L., Poole, M., Rait, G., Brayne, C., Schoeman, J., Norton, S., & Goodman, C. (2017). Healthcare organisation and delivery for people with dementia and comorbidity: a qualitative study exploring the views of patients, carers and professionals. *BMJ open*, 7(1), e013067. <https://doi.org/10.1136/bmjopen-2016-013067>
- Caba, Y., Dharmarajan, K., Gillezeau, C., Ornstein, K. A., Mazumdar, M., Alpert, N., Schwartz, R. M., Taioli, E., & Liu, B. (2021). The impact of dementia on cancer treatment decision-making, cancer treatment, and mortality: a mixed studies review. *JNCI Cancer Spectrum*, 5(3), pkab002. <https://doi.org/10.1093/jncics/pkab002>
- Centers for Medicare & Medicaid Services. (2022). *Minimum Data Set (MDS) 3.0 for Nursing Homes and Swing Bed Providers*. <https://www.cms.gov/medicare/quality-initiatives-patient-assessment-instruments/nursinghomequalityinits/nhqimds30>(最終検索日 2023. 1. 10)

De Paolis, G., Naccarato, A., Cibelli, F., D'Alete, A., Mastroianni, C., Surdo, L., Casale, G., & Magnani, C. (2019). The effectiveness of progressive muscle relaxation and interactive guided imagery as a pain-reducing intervention in advanced cancer patients: A multicentre randomised controlled non-pharmacological trial. *Complementary Therapies in Clinical Practice*, 34, 280-287. <https://doi.org/10.1016/j.ctcp.2018.12.014>

\*Dubé, C. E., Mack, D. S., Hunnicutt, J. N., & Lapane, K. L. (2018). Cognitive impairment and pain among nursing home residents with cancer. *Journal of Pain and Symptom Management*, 55(6), 1509-1518. <https://doi.org/10.1016/j.jpainsymman.2018.02.012>

European Association for Palliative Care. (2016). *White Paper on standards and norms for hospice and palliative care in Europe: part 1*. <https://www.eapcnet.eu/>(最終検索日 2022. 11. 10)

Furlow, B. (2022, February). *Cancer and Dementia: Managing Care of Patients With a Complex Dual Diagnosis*. Oncology Nurse Advisor. <https://www.oncologynurseadvisor.com/home/departments/radiation-and-your-patient/dementia-cancer-management-patients-complex-dual-diagnosis/2/>(最終検索日 2022. 11. 10)

Hammer, G. P., du Prel, J. B., & Blettner, M. (2009). Avoiding bias in observational studies: part 8 in a series of articles on evaluation of

scientific publications. *Deutsches Ärzteblatt International*, 106(41), 664.

<https://doi.org/10.3238/arztebl.2009.0664>

波多野 達朗, 大関 悟, 長田 哲次, 笹栗 正明, 谷 龍治, 大部 一成, & 田代 英雄.

(1991). 末期口腔癌患者における癌性疼痛の対策. 日本口腔腫瘍学会誌, 3(1), 33-39.

Heck, J. E., Albert, S. M., Franco, R., & Gorin, S. S. (2008). Patterns of dementia diagnosis in surveillance, epidemiology, and end results breast cancer survivors who use chemotherapy. *Journal of the American Geriatrics Society*, 56(9), 1687-1692. <https://doi.org/10.1111/j.1532-5415.2008.01848.x>

Hendriks, S. A., Smalbrugge, M., Hertogh, C. M., & van der Steen, J. T. (2014).

Dying with dementia: symptoms, treatment, and quality of life in the last week of life. *Journal of Pain and Symptom Management*, 47(4), 710-720.

<https://doi.org/10.1016/j.jpainsymman.2013.05.015>

Higgins, J. P. T., Thomas, J., Chandler, J., Cumpston, M., Li, T., Page, M. J., & Welch, V.A (editors). (2022 February) *Cochrane Handbook for Systematic Reviews of Interventions Version 6.3*. Cochrane.

[www.training.cochrane.org/handbook](http://www.training.cochrane.org/handbook). (最終検索日 2022.11.20)

平原 佐斗司. (2019). 認知症の人のエンドオブライフケア. 健康長寿ネット.

<https://www.tyojyu.or.jp/net/topics/tokushu/koreisha-end-of-life-care/ninchishou-endoflifecare.html> (最終検索日 2022.11.2)

平原 佐斗司 & 桑田 美代子. (2019). 認知症の緩和ケア. 南山堂.

- \*Hirakawa, Y., Masuda, Y., Kuzuya, M., Iguchi, A., & Uemura, K. (2006). Symptoms and care of elderly patients dying at home of lung, gastric, colon, and liver cancer. *Japan Medical Association Journal*, 49(4), 140.
- Hirooka, K., Nakanishi, M., Fukahori, H., & Nishida, A. (2020). Impact of dementia on quality of death among cancer patients: An observational study of home palliative care users. *Geriatrics & Gerontology International*, 20(4), 354–359. <https://doi.org/10.1111/ggi.13860>
- Hökkä, M., Kaakinen, P., & Pölkki, T. (2014). A systematic review: non-pharmacological interventions in treating pain in patients with advanced cancer. *Journal of advanced nursing*, 70(9), 1954–1969. [10.1111/jan.12424](https://doi.org/10.1111/jan.12424)
- \*Hsu, W. H., Hsieh, J. G., Wang, Y. W., Hsieh, C. J., Lin, H. R., & Wu, S. Y. (2021). Insufficient pain control for patients with cancer and dementia during terminal cancer stages. *American Journal of Translational Research*, 13(11), 13034.
- Husebo, B. S., Ballard, C., Sandvik, R., Nilsen, O. B., & Aarsland, D. (2011). Efficacy of treating pain to reduce behavioural disturbances in residents of nursing homes with dementia: cluster randomised clinical trial. *Bmj*, 343.
- \*Iritani, S., Tohgi, M., Miyata, H., & Ohi, G. (2011). Impact of dementia on cancer discovery and pain. *Psychogeriatrics*, 11(1), 6–13.

Khawaja, S. N., Jamshed, A., & Hussain, R. T. (2021). Prevalence of pain in oral cancer: A retrospective study. *Oral Diseases*, 27(7), 1806–1812.

<https://doi.org/10.1111/odi.13701>

Kim, S. Y., Park, J. E., Lee, Y. J., Seo, H. J., Sheen, S. S., Hahn, S., Jang, B. H., & Son, H. J. (2013). Testing a tool for assessing the risk of bias for nonrandomized studies showed moderate reliability and promising validity.

*Journal of Clinical Epidemiology*, 66(4), 408–414.

<https://doi.org/10.1016/j.jclinepi.2012.09.016>

\*Kodama, Y., Takita, M., Kawagoe, S., Hirahara, S., Kimura, Y., Onozawa, S.,

Wada, T., Nakano, K., Kami, M., Matsumoto, T., & Yuji, K. (2009).

Retrospective study on home care for patients with hematologic malignancies.

*Japanese Journal of Clinical Oncology*, 39(9), 606–611.

<https://doi.org/10.1093/jjco/hyp064>

厚生労働統計協会. 国民衛生の動向 2018/2019. (2018). 厚生労働統計協会.

厚生労働省. (2015). 認知症施策推進総合戦略 (新オレンジプラン) ～認知症高齢者等に

やさしい地域づくりに向けて～. [https://www.mhlw.go.jp/file/04-Houdouhappyou-](https://www.mhlw.go.jp/file/04-Houdouhappyou-12304500-Roukenkyoku-Ninchishougyakutaiboushitaishakusuishinshitsu/02_1.pdf)

12304500-Roukenkyoku-Ninchishougyakutaiboushitaishakusuishinshitsu/02\_1.pdf(最

終検索日 2022. 10. 22)

Lang, L., Clifford, A., Wei, L., Zhang, D., Leung, D., Augustine, G., Danat, I.

M., Zhou, W., Anstey, K. J., & Chen, R. (2017). Prevalence and determinants of

- undetected dementia in the community: a systematic literature review and a meta-analysis. *Bmj Open*, 7(2), e011146. <https://doi.org/10.1136/bmjopen-2016-011146>
- Liao, Y. J., Parajuli, J., Jao, Y. L., Kitko, L., & Berish, D. (2021). Non-pharmacological interventions for pain in people with dementia: A systematic review. *International Journal of Nursing Studies*, 124, 104082. <https://doi.org/10.1016/j.ijnurstu.2021.104082>
- Lichtner, V., Dowding, D., Esterhuizen, P., Closs, S. J., Long, A. F., Corbett, A., & Briggs, M. (2014). Pain assessment for people with dementia : a systematic review of systematic reviews of pain assessment tools. *BMC Geriatrics*, 14(1), 1-19. <https://doi.org/10.1186/1471-2318-14-138>
- McWilliams, L., Farrell, C., Grande, G., Keady, J., Swarbrick, C., & Yorke, J. (2018). A systematic review of the prevalence of comorbid cancer and dementia and its implications for cancer-related care. *Aging & Mental Health*, 22(10), 1254-1271.
- Miu, D. K. Y., Lam, K. Y., & Chan, C. O. (2022). Do Cognitively Impaired Elderly Patients with Cancer Respond Differently on Self-reported Symptom Scores? A 5-Year Retrospective Analysis. *Indian Journal of Palliative Care*, 28(2), 167.
- \*Monroe, T., Carter, M., Feldt, K., Tolley, B., & Cowan, R. L. (2012). Assessing advanced cancer pain in older adults with dementia at the end - of - life.

*Journal of Advanced Nursing*, 68(9), 2070-2078. <https://doi.org/10.1111/j.1365-2648.2011.05929.x>

\*Monroe, T. B., Carter, M. A., Feldt, K. S., Dietrich, M. S., & Cowan, R. L.

(2013). Pain and hospice care in nursing home residents with dementia and terminal cancer. *Geriatrics & Gerontology International*, 13(4), 1018-1025.

<https://doi.org/10.1111/ggi.12049>

Muth, C., van den Akker, M., Blom, J. W., Mallen, C. D., Rochon, J., Schellevis,

F. G., Becker, A., Beyer, M., Gensichen, J., Kirchner, H., Perera, R., Prados-Torres, A., Scherer, M., Thiem, U., van den Bussche, H., & Glasziou, P. P.

(2014). The Ariadne principles: how to handle multimorbidity in primary care consultations. *Bmg Medicine*, 12(1), 1-11.

日本癌治療学会. (2020). *がん診療ガイドライン：疼痛管理*. <http://www.jscocpg.jp/guideline/23.html> (最終検索日 2022. 11. 2)

日本がんサポーターブケア学会. (2020). *高齢者がん医療 Q&A 総*

*論*. <http://www.chotsg.com/jogo/souron.pdf> (最終検索日 2022. 11. 10)

日本緩和医療学会. (2020). *がん疼痛の薬物療法に関するガイドライン (2020th ed.)*.

金原出版.

西脇 可織 & 片岡 純. (2016). ホスピス・緩和ケア病棟のがんと認知症を併せもつ 患者の看護における困難と対処過程. *日本がん看護学会誌*, 30(2), 53-62.



小川 朝生 & 田中 登美. (2019). *認知症plus がん看護:治療の流れに沿ったせん妄・認知機能障害 (1st ed.)*. 日本看護協会出版.

Onder, G., Carpenter, I., Finne-Soveri, H., Gindin, J., Frijters, D., Henrard, J. C., Nikolaus, T., Topinkova, E., Liperoti, R., Landi, F., Bernabei, R., & SHELTER project. (2012). Assessment of nursing home residents in Europe: the Services and Health for Elderly in Long TERM care (SHELTER) study. *BMC Health Services Research*, 12, 1-10.

Page, M. J., McKenzie, J. E., Bossuyt, P.M., Boutron, I., Hoffmann, T. C., & Mulrow, C. D. (2020). The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71.  
<https://doi.org/10.1136/bmj.n71>

Pieper, M. J., van der Steen, J. T., Francke, A. L., Scherder, E. J., Twisk, J. W., & Achterberg, W. P. (2018). Effects on pain of a stepwise multidisciplinary intervention (STA OP!) that targets pain and behavior in advanced dementia: a cluster randomized controlled trial. *Palliative Medicine*, 32(3), 682-692. <https://doi.org/10.1177/0269216316689237>

\*Pimentel, C. B., Briesacher, B. A., Gurwitz, J. H., Rosen, A. B., Pimentel, M. T., & Lapane, K. L. (2015). Pain management in nursing home residents with cancer. *Journal of the American Geriatrics Society*, 63(4), 633-641.  
<https://doi.org/10.1111/jgs.13345>

- Potter, J., & Higginson, I. J. (2004). Pain experienced by lung cancer patients: a review of prevalence, causes and pathophysiology. *Lung Cancer*, 43(3), 247–257. <https://doi.org/10.1016/j.lungcan.2003.08.030>
- Sekhon, S., & Marwaha, R. (2020). Depressive cognitive disorders.
- Stevenson, K. M., Brown, R. L., Dahl, J. L., Ward, S. E., & Brown, M. S. The discomfort behavior scale: a measure of discomfort in the cognitively impaired based on the minimum data set 2.0. *Research in Nursing & Health*, 2006; 29(6):576-587. <https://doi.org/10.1002/nur.20168>
- Sun, M., Wang, Y., Sundquist, J., Sundquist, K., & Ji, J. (2020). The association between cancer and dementia: a national cohort study in Sweden. *Frontiers in Oncology*, 10, 73. <https://doi.org/10.3389/fonc.2020.00073>
- 武田 雅俊, 小川 朝生, & 篠崎 和弘. (2016) . 認知症の緩和ケア: 診断時から始まる患者と家族の支援(第2版) . 新興医学出版社.
- Taylor, J. S., DeMers, S. M., Vig, E. K., & Borson, S. (2012). The disappearing subject: exclusion of people with cognitive impairment and dementia from geriatrics research. *Journal of the American Geriatrics Society*, 60(3), 413–419.
- Temel, J. S., Greer, J. A., Muzikansky, A., Gallagher, E. R., Admane, S., Jackson, V. A., Dahlin, C. M., Blinderman, C.D., Jacobsen, J., Pirl, W. F., Billings, J. A., & Lynch, T. J. (2010). Early palliative care for patients

- with metastatic non-small-cell lung cancer. *New England Journal of Medicine*, 363(8), 733-742. <https://doi.org/10.1056/NEJMoa1000678>
- van den Beuken-Van, M. H., Hochstenbach, L. M., Joosten, E. A., Tjan-Heijnen, V. C., & Janssen, D. J. (2016). Update on prevalence of pain in patients with cancer: systematic review and meta-analysis. *Journal of Pain and Symptom Management*, 51(6), 1070-1090. <https://doi.org/10.1016/j.jpainsymman.2015.12.340>
- van der Steen, J. T. (2010). Dying with dementia: what we know after more than a decade of research. *Journal of Alzheimer's Disease*, 22(1), 37-55. <https://doi.org/10.3233/JAD-2010-100744>
- Van der Steen, J. T., Radbruch, L., Hertogh, C. M., de Boer, M. E., Hughes, J. C., Larkin, P., Francke, A. L., Jünger, S., Gove, C., Firth, P., Koopmans, R. T. C. M., Volicer, L., & European Association for Palliative Care (EAPC). (2014). White paper defining optimal palliative care in older people with dementia: a Delphi study and recommendations from the European Association for Palliative Care. *Palliative Medicine*, 28(3), 197-209.
- van der Willik, K. D., Schagen, S. B., & Ikram, M. A. (2018). Cancer and dementia: Two sides of the same coin?. *European Journal of Clinical Investigation*, 48(11), e13019. <https://doi.org/10.1111/eci.13019>

- \*Villani, E. R., Fusco, D., Franza, L., Onder, G., Bernabei, R., & Colloca, G. F. (2022). Characteristics of patients with cancer in European long-term care facilities. *Aging Clinical and Experimental Research*, 34(3), 671-678.
- Walsh, S., Murphy, E., Devane, D., Sampson, E. L., Connolly, S., Carney, P., & O'Shea, E. (2021). Palliative care interventions in advanced dementia. *Cochrane Database of Systematic Reviews*, (9).<https://doi.org/10.1002/14651858.CD011513.pub3>
- Walter, L. C., Lindquist, K., Nugent, S., Schult, T., Lee, S. J., Casadei, M. A., & Partin, M. R. (2009). Impact of age and comorbidity on colorectal cancer screening among older veterans. *Annals of Internal Medicine*, 150(7), 465-473.<https://doi.org/10.7326/0003-4819-150-7-200904070-00006>
- World Health Organization. (2002). *WHO Definition of Palliative Care*.<http://www.who.int/cancer/palliative/definition/en/>(最終検索日 2022. 11. 10)
- World Health Organization. (2019, January 1). *WHO Guidelines for the Pharmacological and Radiotherapeutic Management of Cancer Pain in Adults and Adolescents*. <https://www.who.int/publications/i/item/9789241550390>(最終検索日 2023. 1. 22)

World Health Organization. (2022, October). *Aging and Health*.

<https://www.who.int/news-room/fact-sheets/detail/ageing-and-health>(最終検索日  
2022.10.20)

World Health Organization. (2022, September 22). *Dementia*.

<https://www.who.int/news-room/fact-sheets/detail/dementia>(最終検索日  
2022.10.20)

Zhang, D. D., Ou, Y. N., Yang, L., Ma, Y. H., Tan, L., Feng, J. F., Cheng, W. &  
Yu, J. T. (2022). Investigating the association between cancer and dementia  
risk: a longitudinal cohort study. *Alzheimer's Research & Therapy*, 14(1), 1-  
12.

Zwakhalen, S. M., Hamers, J. P., Abu-Saad, H. H., & Berger, M. P. (2006). Pain  
in elderly people with severe dementia: a systematic review of behavioural  
pain assessment tools. *BMC Geriatrics*, 6(1), 1-15.

<https://doi.org/0.1186/1471-2318-6-31>

Zwakhalen, S. M., van't Hof, C. E., & Hamers, J. P. (2012). Systematic pain  
assessment using an observational scale in nursing home residents with  
dementia: exploring feasibility and applied interventions. *Journal of Clinical  
Nursing*, 21(21-22), 3009-3017. [https://doi.org/10.1111/j.1365-  
2702.2012.04313.x](https://doi.org/10.1111/j.1365-2702.2012.04313.x)