

【引用文献】

- Achor, J. U. & Ibekwe, P. C. (2012). Challenges of recognition of the Psychiatric Aspects of Intimate Partner Violence. *Annals of medical and Health Sciences Research*, Vol2. Issue1: 78-86
- Alharbi, F. F., Alkheraiji, M. A., Aljumah, A. A., Al-Eissa, M., Qasim, S. S., & Alaqeel, M. K. (2021). Domestic Violence Against Married Women During the COVID-19 Quarantine in Saudi Arabia. *Cureus*, 13(5), e15231. <https://doi.org/10.7759/cureus.15231>
- Anderson, K. M., Renner, L. M., & Danis, F. S. (2012). Recovery: Resilience and growth in the aftermath of domestic violence. *Violence Against Women*, 18(11), 1279. <https://doi.org/10.1177/1077801212470543>
- Ando, H., Shen, J., Morishige, K., Suto, S., Nakashima, T., Furui, T., Kawasaki, Y., Watanabe, H., & Saijo, T. (2021). Association between postpartum depression and social support satisfaction levels at four months after childbirth. *Archives of Psychiatric Nursing*, 35(4), 341-346. <https://doi.org/10.1016/j.apnu.2021.03.010>
- 馬場香里. (2016). 構造式モデリングを用いた乳児虐待と家庭内の要因の因果構造の探索., 聖路加国際大学大学院博士論文
- Barbara, G., Facchin, F., Micci, L., Rendiniello, M., Giulini, P., Cattaneo, C., Vercellini, P., & Kustermann, A. (2020). COVID-19, lockdown, and intimate partner violence: Some data from an italian service and suggestions for future approaches. *Journal of Women's Health (Larchmont, N.Y. 2002)*, 29(10), 1239. <https://doi.org/10.1089/jwh.2020.8590>
- Barbara R. (2011). Chapter 13: The Relationship Between Resilience and Motivation Lisa P. Gwyther & Karen A. Roberto. (editors), *Resilience in Aging. Concepts, Research, and Outcome* (pp.199-215).Springer New York Dordrecht Heidelberg London
- Bhushan, N., Vu, M., Teal, R., Carda-Auten, J., Ward, D., & Erinosh, T. (2018). Assessing Challenges in Low-Income Families to Inform a Life Skills-Based Obesity Intervention. *Health promotion practice*, 19(6), 915-924. <https://doi.org/10.1177/1524839917746118>
- Brunetti, M., Marzetti, L., Sepede, G., Zappasodi, F., Pizzella, V., Sarchione, F., Vellante, F.,

- Martinotti, G., & Di Giannantonio, M. (2017). Resilience and cross-network connectivity: A neural model for post-trauma survival. *Progress in neuro-psychopharmacology & biological psychiatry*, 77, 110–119. <https://doi.org/10.1016/j.pnpbp.2017.04.010>
- Chiaromonte, D., Simmons, C., Hamdan, N., Ayeni, O. O., López-Zerón, G., Farero, A., Sprecher, M., & Sullivan, C. M. (2022). The impact of COVID-19 on the safety, housing stability, and mental health of unstably housed domestic violence survivors. *Journal of community psychology*, 50(6), 2659–2681. <https://doi.org/10.1002/jcop.22765>
- Chelsea, M. Spencer, Caroline, Gimarc, & Jared Durtschi. (2022). COVID-19 Specific Risk Markers for Intimate Partner Violence, *Journal of Family Violence*, 37:881-891
- Chisholm, C. A., MD, Bullock, Linda, PhD, RN, & Ferguson, James E. (JEF), MD, MBA. (2017). Intimate partner violence and pregnancy: Epidemiology and impact. *American Journal of Obstetrics and Gynecology*, 217(2), 141-144. <https://doi.org/10.1016/j.ajog.2017.05.042>
- Cho, H., Lee, K., Choi, E., Cho, H. N., Park, B., Suh, M., Rhee, Y., & Choi, K. S. (2022). Association between social support and postpartum depression. *Scientific reports*, 12(1), 3128. <https://doi.org/10.1038/s41598-022-07248-7>
- Choi, A. W., Lo, B. C., Lo, R. T., To, P. Y., & Wong, J. Y. (2021). Intimate Partner Violence Victimization, Social Support, and Resilience: Effects on the Anxiety Levels of Young Mothers. *Journal of interpersonal violence*, 36(21-22), NP12299–NP12323. <https://doi.org/10.1177/0886260519888532>
- Coker, A. L., Smith, P. H., Thompson, M. P., McKeown, R. E., Bethea, L., & Davis, K. E. (2002). Social support protects against the negative effects of partner violence on mental health. *Journal of women's health & gender-based medicine*, 11(5), 465–476. <https://doi.org/10.1089/15246090260137644>
- Connor, K. M., & Davidson, J. R. T. (2003). Development of a new resilience scale: The connor-davidson resilience scale (CD-RISC). *Depression and Anxiety*, 18(2), 76-82. <https://doi.org/10.1002/da.10113>
- Coohey, C. (2007). The relationship between mothers' social networks and severe domestic violence: A test of the social isolation hypothesis. *Violence and Victims*, 22(4), 503–512.

<https://doi.org/10.1891/088667007781554008>

- Derrick, S., Mohammed, M., Klein, L., Natalino, D. J. Tam., Dadds, M. et al. (2020). Longitudinal path analysis of depressive symptoms and functioning among women of child-rearing age in post conflict Timor-Leste. *BMJ Global Health*; e002039. doi:10.1136/bmjgh-2019-002039
- Dolatian, M., Hesami, K., Shams, J., & Majd, H.A. (2010). Relationship between Violence during Pregnancy and Postpartum Depression. *Iranian Red Crescent Medical Journal*, 12, 377-383.
- Drieskens, S., Demarest, S., D'Hoker, N., Ortiz, B., & Tafforeau, J. (2017). Is a Health Interview Survey an appropriate tool to assess domestic violence?. *European journal of public health*, 27(5), 903–909. <https://doi.org/10.1093/eurpub/ckx078>
- Elkhateeb, R., Abdelmeged, A., Ahmad, S., Mahran, A., Abdelzaher, W. Y., Welson, N. N., Al-Zahrani, Y., Alhuwaydi, A. M., & Bahaa, H. A. (2021). Impact of domestic violence against pregnant women in minia governorate, egypt: A cross sectional study. *BMC Pregnancy and Childbirth*, 21(1), 1-535. <https://doi.org/10.1186/s12884-021-03953-9>
- Ellsberg, M., Jansen, H. A., Heise, L., Watts, C. H., Garcia-Moreno, C., on behalf of the WHO Multi-country Study on Women's Health and Domestic Violence against Women Study Team, & WHO Multi-country Study on Women's Health and Domestic Violence against Women Study Team. (2008). Intimate partner violence and women's physical and mental health in the WHO multi-country study on women's health and domestic violence: An observational study. *The Lancet (British Edition)*, 371(9619), 1165-1172. [https://doi.org/10.1016/S0140-6736\(08\)60522-X](https://doi.org/10.1016/S0140-6736(08)60522-X)
- Ezeudu, C. C., Akpa, O., Waziri, N. E., Oladimeji, A., Adedire, E., Saude, I., Nguku, P., Nsubuga, P., & Fawole, O. I. (2019). Prevalence and correlates of intimate partner violence, before and during pregnancy among attendees of maternal and child health services, Enugu, Nigeria: mixed method approach, January 2015. *The Pan African medical journal*, 32(Suppl 1), 14. <https://doi.org/10.11604/pamj.suppl.2019.32.1.13287>
- Faul, F., Erdfelder, E., Lang, A.-G. & Buchner, A. (2007). G*Power 3: A flexible statistical power analysis program for the social, behavioral, and biomedical sciences. *Behavior Research Methods*, 39, 175–191. Retrieved from

<http://www.psychu.uniduesseldorf.de/abteilungen/aap/gpower3/>

- Finnbogadóttir, H., & Dykes, A. K. (2016). Increasing prevalence and incidence of domestic violence during the pregnancy and one and a half year postpartum, as well as risk factors: -a longitudinal cohort study in Southern Sweden. *BMC pregnancy and childbirth*, 16(1), 327. <https://doi.org/10.1186/s12884-016-1122-6>
- Fox, E., Russo, R., & Dutton, K. (2002). Attentional Bias for Threat: Evidence for Delayed Disengagement from Emotional Faces. *Cognition & emotion*, 16(3), 355–379. <https://doi.org/10.1080/02699930143000527>
- 藤田景子. (2014). ドメスティック・バイオレンス被害女性の周産期および育児期を通じた DV 被害に対する認識の回復過程. *日本看護科学会誌*, 34, 198-207, doi: <https://doi.org/10.5630%2Fjans.34.198>
- Fukuhara, S., Ware, J. E., Kosinski, M. et al. (1998). Translation, adaptation, and validation of the SF-36 Health Survey. *Journal of Clinical Epidemiology*, 51, 1045-1053.
- 福原俊一, 鈴鴨よしみ. (2015). SF-8 日本語版マニュアル, NPO 健康医療評価研究機構
- Furukawa T., Kawakami N., Saitoh M., et al.(2008): The performance of the Japanese version of the K6 and K10 in the World Mental Health Survey Japan. *Int J Methods Psychiatr Res*, 17(3), 152-158
- Gazmararian JA, Petersen R, Spitz AM, Goodwin MM, Saltzman LE, Marks JS. Violence and reproductive health: Current knowledge and future research directions. *Matern Child Health J* 2000;4:79–84.
- Gilchrist, G., Hegarty, K., Chondros, P., Herrman, H., & Gunn, J. (2010). The association between intimate partner violence, alcohol and depression in family practice. *BMC family practice*, 11, 72. <https://doi.org/10.1186/1471-2296-11-72>
- Gleason, W. J. (1993). Mental disorders in battered women: An empirical study. *Violence and Victims*, 8(1), 53. <https://doi.org/10.1891/0886-6708.8.1.53>
- Guessoum, S. B., Lachal, J., Radjack, R., Carretier, E., Minassian, S., Benoit, L., & Moro, M. R. (2020). Adolescent psychiatric disorders during the COVID-19 pandemic and lockdown. *Psychiatry Research*, 291, 113264-113264. <https://doi.org/10.1016/j.psychres.2020.113264>
- Gulati, G., & Kelly, B. D. (2020). Domestic violence against women and the COVID-19

- pandemic: What is the role of psychiatry?. *International journal of law and psychiatry*, 71, 101594. <https://doi.org/10.1016/j.ijlp.2020.101594>
- Harville, E. W., Taylor, C. A., Tesfai, H., Xu Xiong, & Buekens, P. (2011). Experience of Hurricane Katrina and reported intimate partner violence. *Journal of interpersonal violence*, 26(4), 833–845. <https://doi.org/10.1177/0886260510365861>
- Henke, A., & Hsu, L. (2022). COVID-19 and Domestic Violence: Economics or Isolation?. *Journal of family and economic issues*, 43(2), 296–309. <https://doi.org/10.1007/s10834-022-09829-0>
- Herbell, K., Li, Y., Bloom, T., Sharps, P., & Bullock, L. F. C. (2020). Keeping it together for the kids: New mothers' descriptions of the impact of intimate partner violence on parenting. *Child abuse & neglect*, 99, 104268. <https://doi.org/10.1016/j.chiabu.2019.104268>
- Hooker, L., Versteegh, L., Lindgen, H., & Taft, A. (2020). Differences in help-seeking behaviours and perceived helpfulness of services between abused and non-abused women: A cross-sectional survey of Australian postpartum women. *Health & social care in the community*, 28(3), 958-968. <https://doi.org/10.1111/hsc.12927>
- Hsu, L. C., & Henke, A. (2021). COVID-19, staying at home, and domestic violence. *Review of economics of the household*, 19(1), 145–155. <https://doi.org/10.1007/s11150-020-09526-7>
- 池田恵子, (2014). 「災害時におけるジェンダーに基づく暴力」研究—海外の動向と今後の展望, *国際ジェンダー学会誌*. Vol.12:5-20
- Imai, R., Hori, H., Itoh, M., Lin, M., Niwa, M., Ino, K., Ogawa, S., Sekiguchi, A., Kunugi, H., Akechi, T., Kamo, T., & Kim, Y. (2019). Relationships of blood proinflammatory markers with psychological resilience and quality of life in civilian women with posttraumatic stress disorder. *Scientific reports*, 9(1), 17905. <https://doi.org/10.1038/s41598-019-54508-0>
- 伊藤正哉, 中島聡美, 白井明美他. (2010).日本語版コナー・デビッドソン回復力尺度の信頼性と妥当性: 一般成人と大学生を対象とした検討. *精神保健研究年報*. 第 22 号 294
- Jahanfar, S., Howard, L. M., & Medley, N. (2014). Interventions for preventing or reducing domestic violence against pregnant women. *The Cochrane database of systematic*

- reviews, 2014(11), CD009414. <https://doi.org/10.1002/14651858.CD009414.pub3>
- Jetelina, K. K., Knell, G., & Molsberry, R. J. (2021). Changes in intimate partner violence during the early stages of the COVID-19 pandemic in the USA. *Injury Prevention*, 27(1), 93. <https://doi.org/10.1136/injuryprev-2020-043831>
- Kalmuss, D. S., & Straus, M. A. (1982). Wife's marital dependency and wife abuse. *Journal of Marriage and the Family*, 44(2), 277–286. <https://doi.org/10.2307/351538>
- 片岡弥恵子.(2005), 女性に対する暴力スクリーニング尺度の開発, 日本看護科学誌, Vol. 25, No.3, pp51-60
- Kataoka, Yaeko. & Imazeki, Mikiko., (2018) Experiences of being screened for intimate partner violence during pregnancy: a qualitative study of women in Japan. *BMC Womens Health.*, doi: 10.1186/s12905-018-0566-4
- 片岡弥恵子, 八重ゆかり, 江藤宏美, 堀内成子. (2005),妊娠期におけるドメスティック・バイオレンス,日本公衆衛生誌,第 32 巻,第 9 号,p785-795
- Kaukinen, C. E., Meyer, S., & Akers, C. (2013). Status compatibility and help-seeking behaviors among female intimate partner violence victims. *Journal of interpersonal violence*, 28(3), 577–601. <https://doi.org/10.1177/0886260512455516>
- Kessler C. Ronald, Barker R. Peggy, Colpe J. Lisa, Joan F. Epsten et al. (2003). Screening for Serious Mental Illness in the General Population. *ARCH GEN PSYCHIATRY*, Vol.60, 184-189
- Killgore, W. D. S., Taylor, E. C., Cloonan, S. A., & Dailey, N. S. (2020). Psychological resilience during the COVID-19 lockdown. *Psychiatry Research*, 291, 113216-113216. <https://doi.org/10.1016/j.psychres.2020.113216>
- 厚生労働省. (2021). 2021(令和 3)年 国民生活基礎調査の概要.
<https://www.mhlw.go.jp/toukei/saikin/hw/k-tyosa/k-tyosa21/dl/12.pdf>
(2023 年 1 月 23 日検索)
- 厚生労働省. (2022). 令和 3 年(2021)人口動態統計(確定数)の概況
<https://www.mhlw.go.jp/toukei/saikin/hw/jinkou/kakutei21/index.html>
(2023 年 1 月 23 日検索)
- Krishnamurti, T., Davis, A. L., Quinn, B., Castillo, A. F., Martin, K. L., & Simhan, H. N. (2021). Mobile Remote Monitoring of Intimate Partner Violence Among Pregnant

- Patients During the COVID-19 Shelter-In-Place Order: Quality Improvement Pilot Study. *Journal of medical Internet research*, 23(2), e22790. <https://doi.org/10.2196/22790>
- Kukihara, H., Yamawaki, N., Uchiyama, K., Arai, S., & Horikawa, E. (2014). Trauma, depression, and resilience of earthquake/tsunami/nuclear disaster survivors of hirono, fukushima, japan. *Psychiatry and Clinical Neurosciences*, 68(7), 524-533. <https://doi.org/10.1111/pcn.12159>
- Kumar, S., Lee, N. K., Pinkerton, E., Wroblewski, K. E., Lengyel, E., & Tobin, M. (2021). Resilience: A mediator of the negative effects of pandemic-related stress on women's mental health in the USA. *Archives of Women's Mental Health*, 25(1), 137-146. <https://doi.org/10.1007/s00737-021-01184-7>
- Labra-Valerdi, P., Chacón-Moscoso, S., & Sanduvete-Chaves, S. (2022). Predictive Factors of Mental Health in Survivors of Intimate Partner Violence in Chile. *Journal of interpersonal violence*, 37(21-22), NP19447–NP19467. <https://doi.org/10.1177/08862605211042810>
- Letourneau, N., McDonald, S., MacKay, L. J., Bell, R. C., Hetherington, E., Deane, A. J., Dewey, D., Edwards, S., Field, C. J., Giesbrecht, G. F., Graham, S., Lebel, C., Leung, B., Madigan, S., McArthur, B. A., McMorris, C., Racine, N., Ross, K. M., Wu, M., & Tough, S. C. (2021). Cross-sectional study protocol for the COVID-19 impact survey of mothers and their 7–11 year old children in alberta, canada. *Frontiers in Psychiatry*, 12, 597759-597759. <https://doi.org/10.3389/fpsyt.2021.597759>
- Ludermir, A. B., Valongueiro, S., & Araújo, T. V. (2014). Common mental disorders and intimate partner violence in pregnancy. *Revista de saude publica*, 48(1), 29–35. <https://doi.org/10.1590/s0034-8910.2014048004538>
- Machisa, M. T., Christofides, N., & Jewkes, R. (2018). Social support factors associated with psychological resilience among women survivors of intimate partner violence in gauteng, south africa. *Global Health Action*, 11(sup3), 1491114-1491114. <https://doi.org/10.1080/16549716.2018.1491114>
- Magnusson, F. L., Rogathi, J. J., Sigalla, G. N., Manongi, R., Rasch, V., Gammeltoft, T., & Meyrowitsch, D. W. (2021). Does resilience moderate the effect of intimate partner

- violence on signs of depression among tanzanian pregnant women: A cross - sectional study. *Acta Obstetrica Et Gynecologica Scandinavica*, 100(4), 768-774.
<https://doi.org/10.1111/aogs.14062>
- Mahase E. (2020). Covid-19: EU states report 60% rise in emergency calls about domestic violence. *BMJ (Clinical research ed.)*, 369, m1872. <https://doi.org/10.1136/bmj.m1872>
- 丸山菜穂子. (2017). 妊婦の孤独感：関連要因と母性役割の同一化およびマイナートラブルへの影響. *日本助産学会誌*, Vol. 31, No.1, 23-33
- Meuleners, L. B., Lee, A. H., Janssen, P. A., & Fraser, M. L. (2011). Maternal and foetal outcomes among pregnant women hospitalised due to interpersonal violence: A population based study in western australia, 2002-2008. *BMC Pregnancy and Childbirth*, 11(1), 70. <https://doi.org/10.1186/1471-2393-11-70>
- 宮城県警本部. (2017). 当面の警察署整備企画；ストーカー・DV 受理件数. <file:///C:/Users/Owner/Downloads/seibikeikaku.pdf>. (2023 年 1 月 18 日検索)
- Moeller-Saxone, K., Davis, E., Stewart, D. E., Diaz-Granados, N., & Herrman, H. (2015). Promoting resilience in adults with experience of intimate partner violence or child maltreatment: a narrative synthesis of evidence across settings. *Journal of public health (Oxford, England)*, 37(1), 125–137. <https://doi.org/10.1093/pubmed/dfu030>
- Moreira, D. N., & Pinto da Costa, M. (2020). The impact of the covid-19 pandemic in the precipitation of intimate partner violence. *International Journal of Law and Psychiatry*, 71, 101606-101606. <https://doi.org/10.1016/j.ijlp.2020.101606>
- 内閣府男女共同参画局. (2021). コロナ下の女性への影響について <https://www.gender.go.jp/kaigi/kento/covid-19/siryu/pdf/eikyo.pdf>. (2022 年 4 月 3 日検索)
- 長坂桂子, 井上梢, 堀井泉, 宮川絵美子, 梅田優美, 瀧真弓, 片岡弥恵子. (2012). 産褥期の女性に対する DV スクリーニングと支援の実際と評価. *母性衛生*, 52(4): 529-537
- 内閣府官房新型コロナウイルス感染症対策本部. (2021). 新型コロナウイルス感染症対策の基本的対処方針. https://corona.go.jp/expert-meeting/pdf/kihon_h_taishou_20210928.pdf. (2022 年 6 月 13 日検索)
- Nirmala Gopal & Reema Nunlall (2017) Interrogating the resilience of women affected by

- violence, *Agenda*, 31:2, 63-73, DOI: 10.1080/10130950.2017.1379759
- Nishihara, M., Nakamura, Y., Fuchimukai, T., & Ohnishi, M. (2018). Factors associated with social support in child-rearing among mothers in post-disaster communities. *Environmental health and preventive medicine*, 23(1), 58. <https://doi.org/10.1186/s12199-018-0747-7>
- Nguyen, L. H., Nguyen, L. D., Ninh, L. T., Nguyen, H. T. T., Nguyen, A. D., Dam, V. A. T., Nguyen, T. T., Do, H. P., Vu, T. M. T., Tran, B. X., Latkin, C. A., Ho, C. S. H., & Ho, R. C. M. (2022). COVID-19 and delayed antenatal care impaired pregnant women's quality of life and psychological well-being: What supports should be provided? Evidence from Vietnam. *Journal of affective disorders*, 298(Pt A), 119–125. <https://doi.org/10.1016/j.jad.2021.10.102>
- O'Doherty, L. J., Taft, A., Hegarty, K., Ramsay, J., Davidson, L. L., & Feder, G. (2014). Screening women for intimate partner violence in healthcare settings: abridged Cochrane systematic review and meta-analysis. *BMJ (Clinical research ed.)*, 348, g2913. <https://doi.org/10.1136/bmj.g2913>
- Parkinson, D., & Zara, C. (2013). The hidden disaster: Domestic violence in the aftermath of natural disaster. *The Australian Journal of Emergency Management*, 28(2), 28–35. <https://search.informit.org/doi/10.3316/informit.364519372739042>
- Piquero, A. R., Jennings, W. G., Jemison, E., Kaukinen, C., & Knaul, F. M. (2021). Domestic violence during the COVID-19 pandemic - Evidence from a systematic review and meta-analysis. *Journal of criminal justice*, 74, 101806. <https://doi.org/10.1016/j.jcrimjus.2021.101806>
- Piquero, A.R., Riddell, J.R., Bishopp, S.A. et al. Staying Home, Staying Safe? A Short-Term Analysis of COVID-19 on Dallas Domestic Violence. *Am J Crim Just* 45, 601–635 (2020). <https://doi.org/10.1007/s12103-020-09531-7>
- Plášilová, L., Hůla, M., Krejčová, L., & Klapilová, K. (2021). The COVID-19 Pandemic and Intimate Partner Violence against Women in the Czech Republic: Incidence and Associated Factors. *International journal of environmental research and public health*, 18(19), 10502. <https://doi.org/10.3390/ijerph181910502>
- Portwood, S. G., & Heany, J. F. (2007). Responding to violence against women: Social science contributions to legal solutions. *International Journal of Law and Psychiatry*, 30(3), 237-247. <https://doi.org/10.1016/j.ijlp.2007.03.007>
- Rao S. (2020). A natural disaster and intimate partner violence: Evidence over time. *Social*

- science & medicine (1982), 247, 112804. Advance online publication.
<https://doi.org/10.1016/j.socscimed.2020.112804>
- Riggs, D.S., Caulfield, M.B. and Street, A.E. (2000), Risk for domestic violence: Factors associated with perpetration and victimization. *J. Clin. Psychol.*, 56: 1289-1316.
[https://doi.org/10.1002/1097-4679\(200010\)56:10<1289::AID-JCLP4>3.0.CO;2-Z](https://doi.org/10.1002/1097-4679(200010)56:10<1289::AID-JCLP4>3.0.CO;2-Z)
- Riger, S., Ahrens, C., & Blickenstaff, A. (2000). Measuring interference with employment and education reported by women with abusive partners: Preliminary data. *Violence and Victims*, 15(2), 161–172. <https://doi.org/10.1891/0886-6708.15.2.161>
- Sakurai, K., Nishi, A., Kondo, K., Yanagida, K. & Kawakami, K. (2011). Screening performance of K6/K10 and other screening instruments for mood and anxiety disorders in Japan. *Psychiatry and Clinical Neurosciences*. 65:434-441
- Sánchez, O. R., Vale, D. B., Rodrigues, L., & Surita, F. G. (2020). Violence against women during the COVID - 19 pandemic: An integrative review. *International Journal of Gynecology and Obstetrics*, 151(2), 180-187. <https://doi.org/10.1002/ijgo.13365>
- 佐藤博樹. (2009). インターネット調査の限界と有効性., SSJ Dta Archive Paper Series., 42: 133-141
- 佐藤千晶, 天野寛子. (2007). 事例分析に見る妊・産婦の育児不安と育児支援についての考察. 学苑・人間社会学部紀要, No.796, p44-56
- Scrafford, K. E., Grein, K., & Miller - Graff, L. E. (2019). Effects of intimate partner violence, mental health, and relational resilience on perinatal health. *Journal of Traumatic Stress*, 32(4), 506-515. <https://doi.org/10.1002/jts.22414>
- Sharifi, F., Larki, M., & Latifnejad Roudsari, R. (2020). COVID-19 Outbreak as Threat of Violence against Women. *Journal of Midwifery and Reproductive Health*, 8(3), 2376-2379. doi: 10.22038/jmrh.2020.16036
- Silva, R. P., & Leite, F. M. C. (2020). Intimate partner violence during pregnancy: prevalence and associated factors. *Revista de saude publica*, 54, 97.
<https://doi.org/10.11606/s1518-8787.2020054002103>
- Smith, B. W., Dalen, J., Wiggins, K., Tooley, E., Christopher, P., & Bernard, J. (2008). The brief resilience scale: Assessing the ability to bounce back. *International Journal of Behavioral Medicine*, 15(3), 194-200. <https://doi.org/10.1080/10705500802222972>

総務省統計局. (2022). 労働力調査(基本集計)2021年(令和3年)平均結果の要約.

<https://www.stat.go.jp/data/roudou/sokuhou/nen/ft/pdf/index1.pdf> (2023年1月29日検索)

Stewart, D. E., Vigod, S., & Riazantseva, E. (2016). New Developments in Intimate Partner Violence and Management of Its Mental Health Sequelae. *Current psychiatry reports*, 18(1), 4. <https://doi.org/10.1007/s11920-015-0644-3>

鈴嶋よしみ, 福原俊一. (2002). SF-36®日本語版の特徴と活用. *日本腰痛学会誌*, 8(1): 38-43.

Swanberg, J. E., & Logan, T. K. (2005). Domestic violence and employment: a qualitative study. *Journal of occupational health psychology*, 10(1), 3-17. <https://doi.org/10.1037/1076-8998.10.1.3>

Tenna, S., Cagli, B., Brunetti, B., Barone, M., & Persichetti, P. (2017). Management of Tuberous Breast Deformities: Review of Long-term Outcomes and Patient Satisfaction with BREAST-Q. *Aesthetic plastic surgery*, 41(6), 1249-1258. <https://doi.org/10.1007/s00266-017-0902-3>

Thiel, F., Büechl, V. C. S., Rehberg, F., Mojahed, A., Daniels, J. K., Schellong, J., & Garthus-Niegel, S. (2022). Changes in Prevalence and Severity of Domestic Violence During the COVID-19 Pandemic: A Systematic Review. *Frontiers in psychiatry*, 13, 874183. <https://doi.org/10.3389/fpsy.2022.874183>

Tsirigotis, K., & Łuczak, J. (2018). Resilience in Women who Experience Domestic Violence. *The Psychiatric quarterly*, 89(1), 201-211. <https://doi.org/10.1007/s11126-017-9529-4>

Wali, R., Khalil, A., Alattas, R., Foudah, R., Meftah, I., & Sarhan, S. (2020). Prevalence and risk factors of domestic violence in women attending the national guard primary health care centers in the western region, saudi arabia, 2018. *BMC Public Health*, 20(1), 239-239. <https://doi.org/10.1186/s12889-020-8156-4>

Weitzman, A., & Behrman, J. A. (2016). Disaster, disruption to family life, and intimate partner violence: The case of the 2010 earthquake in haiti. *Sociological Science*, 3, 167-189. doi:<https://doi.org/10.15195/v3.a9>

Widom, C. S., Czaja, S., & Dutton, M. A. (2014). Child abuse and neglect and intimate partner violence victimization and perpetration: a prospective investigation. *Child abuse & neglect*, 38(4), 650-663. <https://doi.org/10.1016/j.chiabu.2013.11.004>

- Women's Aid UK (2020). The impact of COVID-19 on women and children experiencing domestic abuse, and the life-saving services that support them. <https://www.womensaid.org.uk/the-impact-of-covid-19-on-women-and-children-experiencing-domestic-abuse-and-the-life-saving-services-that-support-them/>.
- World Health Organization. (2012). Understanding and addressing violence against women, Retrieved from, https://apps.who.int/iris/bitstream/handle/10665/77432/WHO_RHR_12.36_eng.pdf. (6月12日検索)
- World Health Organization. (2020). COVID-19 and violence against women, Retrieved from, <https://www.who.int/publications/i/item/WHO-SRH-20.04> (1月20日検索)
- Wright, C. V., & Johnson, D. M. (2012). Encouraging legal help seeking for victims of intimate partner violence: the therapeutic effects of the civil protection order. *Journal of traumatic stress*, 25(6), 675–681. <https://doi.org/10.1002/jts.21754>
- Yakubovich, A. R., Stöckl, H., Murray, J., Melendez-Torres, G. J., Steinert, J. I., Glavin, C. E. Y., & Humphreys, D. K. (2018). Risk and Protective Factors for Intimate Partner Violence Against Women: Systematic Review and Meta-analyses of Prospective-Longitudinal Studies. *American journal of public health*, 108(7), e1–e11. <https://doi.org/10.2105/AJPH.2018.304428>
- Yeung, H., Chowdhury, N., Malpass, A., & Feder, G. S. (2012). Responding to domestic violence in general practice: A qualitative study on perceptions and experiences. *International Journal of Family Medicine*, 2012, 960523-7. <https://doi.org/10.1155/2012/960523>
- Yu, C. (2008). Resilience of the parents of children with autism and related disorders. [Unpublished] Nanjing Normal University Graduate Degree Thesis Enquiry system.
- Zhang, S., Wang, L., Yang, T., Chen, L., Qiu, X., Wang, T., Chen, L., Zhao, L., Ye, Z., Zheng, Z., & Qin, J. (2019). Maternal violence experiences and risk of postpartum depression: A meta-analysis of cohort studies. *European Psychiatry*, 55, 90-101. <https://doi.org/10.1016/j.eurpsy.2018.10.005>