

VIII. References

- Ambounda, N. L., Woromogo, S. H., Yagata-Moussa, F., Ossouka, L. A. O., Tekem, V. N. S., Ango, E. O., & Kouanang, A. J. (2021). Primary postpartum haemorrhage at the Libreville university hospital centre: Epidemiological profile of women. *PloS One*, 16(9), e0257544. <https://doi.org/10.1371/journal.pone.0257544>
- Asabu, M. D, Altaseb, D. K,(2021). The trends of women's autonomy in health care decision making and associated factors in Rthiopia: evidence from 2005, 2011 and 2016 DHS data. *BMC Women's Health*, 21, :371. <https://doi.org/10.1186/s12905-021-01517-9>
- Alatinga, K. A., Affah, J., & Abihiro, G. A. (2021). Why do women attend antenatal care but give birth at home? a qualitative study in a rural Ghanaian district. *Public Library of Science PLoS ONE* 16(12): e0261316. <https://doi.org/10.1371/journal.pone.0261316>
- Bekuma, T. T., Firrisa, B., Negero, M. G., Kejela, G., & Bikila, H. (2020). Factors affecting choice of childbirth place among childbearing age women in western Ethiopia: A community-based cross-sectional study. *Hindawwi International Journal of Reproductive Medicine* 2020. 4371513, <https://doi.org/10.1155/2020/4371513>
- Belay, A., & Sendo, E. (2016). Factors determining choice of delivery place among women of child bearing age in dega damot district, north west of ethiopia: A community based cross- sectional study. *BMC Pregnancy and Childbirth*, 16(1), 229. [doi:10.1186/s12884-016-1020-y](https://doi.org/10.1186/s12884-016-1020-y)
- Bohren, M. A., Hunter, E. C., Munthe-Kaas, H. M., Souza, J. P., Vogel, J. P., & Gülmezoglu, A. M. (2014). Facilitators and barriers to facility-based delivery in low- and middle-income countries:

- A qualitative evidence synthesis. *Reproductive Health*, 11(1), 71. <http://www.reproductive-health-journal.com/content/11/1/71>
- Braat, F., Vermeiden, T., Getnet, G., Schiffer, R., Akker, T., Stekelenburg, J., (2018). Comparison of pregnancy outcomes between maternity waiting home users and non-users at hospitals with and without a maternity waiting home: retrospective cohort study. *International Health*, 10(1), 47-53. <https://doi.org/10.1093/inthealth/ihx056>
- Bradley, S., Mccourt, C., Rayment, J., & Parmar, D. (2016). Disrespectful intrapartum care during facility-based delivery in sub-saharan africa: A qualitative systematic review and thematic synthesis of women's perceptions and experiences. *Social Science & Medicine*, 169, 157-170. <http://dx.doi.org/10.1016/j.socscimed.2016.09.039>
- Camara, B. S., Delamou, A., Grovogui, F. M., De Kok, B. C., Benova, L., El Ayadi, A. M., . . . Delvaux, T. (2021). Interventions to increase facility births and provision of postpartum care in sub-Saharan Africa: A scoping review. *Reproductive Health*, 18 (16). <https://doi.org/10.1186/s12978-021-01072-4>
- Caisse Nationale d'Assurance Maladie et de Garantie Social (CNAMGS) [National Health Insurance and Social Guarantee Fund] (2015). Retrieved January 28, 2024, from <http://www.cnamgs.net/>
- Creswell J. W., & Plano Clark V. L.. (2011). *Designing and conducting mixed methods research* 2nd Ed. (pp. 211-213). SAGE publication.

- Dheresa, M., Yadeta, T. A., Dingeta, T., Shore, H., Dessie, Y., Daraje, G., & Tura, A. (2022). Why mothers die: Analysis of verbal autopsy data from Kersa health and demographic surveillance system, eastern Ethiopia. *Journal of Global Health*. 12. doi:10.7189/jogh.12.04051
- Direction Générale de la Statistique (DGS) au Gabon [Gabon General Directorate of statistics] (2015) Résultats globaux du Recensement Général de la Population et des Logements de 2013 du Gabon (RGPL-2013) [Overall result of the 2013 General Census of Population and Housing in Gabon] <https://ghdx.healthdata.org/record/gabon-population-and-housing-census-2013>
- Direction Générale de la Statistique (DGS) au Gabon [Gabon General Directorate of Statistics] (2023). Troisième Enquête Démographique et de Santé au Gabon (EDSG-III) 2019-21 [Third Gabon Demographic and Health Survey (EDSG-III) 2019-21] <https://microdata.worldbank.org/index.php/catalog/5929/get-microdata>
- Essendi, H., Mills, S., & Fotso, J. (2010). Barriers to formal emergency obstetric care services' utilization. *Journal of Urban Health: Bulletin of the New York Academy of Medicine*, 88 Suppl 2(Suppl 2), S356–S369. . doi:10.1007/s11524-010-9481-1
- Gabrysch, S., & Campbell, O. M. R. (2009). Still too far to walk: Literature review of the determinants of delivery service use. *BMC Pregnancy and Childbirth*, 9(1), 34. doi:10.1186/1471-2393-9-34
- Gebremichael, S. G., & Fenta, S. M. (2021). Determinants of institutional delivery in sub-Saharan Africa: Findings from demographic and health survey (2013–2017) from nine countries.: Springer Nature. *Tropical Medicine and Health* 49:55. <https://doi.org/10.1186/s41182-021-00335-x>

- Graneheim, U. H., & Lundman, B. (2004). Qualitative content analysis in nursing research: Concepts, procedures and measures to achieve trustworthiness. *Nurse Education Today*, 24(2), 105-112. doi:10.1016/j.nedt.2003.10.001
- Hailemeskel, S., Alemu, K., Christensson, K., Tesfahun, E., & Lindgren, H. (2022). Midwife-led continuity of care increases women's satisfaction with antenatal, intrapartum, and postpartum care: North shoa, Amhara regional state, Ethiopia: A quasi-experimental study. *Women and Birth*, 35, 553-562. <https://doi.org/10.1016/j.wombi.2022.01.005>
- Hastings-Tolsma, M., Nolte, A. G. W., & Temane, A. (2018). Birth stories from South Africa: Voices. unheard. *Women and Birth*, 31(1), e42-e50. <http://dx.doi.org/10.1016/j.wombi.2017.06.015>
- Ishola, F., Owolabi, O., & Filippi, V. (2017). Disrespect and abuse of women during childbirth in Nigeria: A systematic review. *PLoS ONE*, 12(3), e0174084. <https://doi.org/10.1371/journal.pone.0174084>
- Kabakyenga, J. K., Östergren, P., Turyakira, E., & Pettersson, K. O. (2012). Influence of birth preparedness, decision-making on location of birth and assistance by skilled birth attendants among women in south-western Uganda. *PLoS ONE* 7(4): e35747. doi:10.1371/journal.pone.0035747
- Kennedy, A, A., Jennifer, A., Gilbert, A, A. (2021) Why do women attend antenatal care but give birth at home? A qualitative study in a rural Ghanaian District. *PLoS ONE* 16(12).e0261316. <https://doi.org/10.1371/journal.pone.0261316>
- Kujawski, S., Mbaruku, G., Freedman, L. P., Ramsey, K., Moyo, W., & Kruk, M. E. (2015). Association between disrespect and abuse during childbirth and women's confidence in health

facilities in Tanzania. *Maternal and Child Health Journal*, 19, 2243-2250. DOI 10.1007/s10995-015-1743-9

Kyei-Nimakoh, M., Carolan-Olah, M., & Mccann, T. V. (2017). Access barriers to obstetric care at health facilities in sub-Saharan Africa—a systematic review. *Systematic Reviews*, 6, 110. doi:10.1186/s13643-017-0503-x

Lee, H., Maffioli, E. M., Veliz, P. T., Sakala, I., Chiboola, N. M., & Lori, J. R. (2022). Direct and opportunity costs related to utilizing maternity waiting homes in rural Zambia. *Midwifery*, 105, 103211. <https://doi.org/10.1016/j.midw.2021.103211>

Lori, J. R., Munro, M. L., Rominski, S., Williams, G., Dahn, B. T., Boyd, C. J., Gwenegale, W. (2013). Maternity waiting homes and traditional midwives in rural Liberia. *International Journal of Gynecology and Obstetrics*, 123(2), 114-118. <http://dx.doi.org/10.1016/j.ijgo.2013.05.024>

Lythgoe, C., Lowe, K., McCauley, M., & McCauley, H. (2021). How women's experiences and perceptions of care influence uptake of postnatal care across sub-Saharan Africa: A qualitative systematic review. *BMC Pregnancy and Childbirth*, 21(1), 506. <https://doi.org/10.1186/s12884-021-03910-6>

Ministère de la Santé Secrétariat Général Direction Générale de la Santé au Gabon & Organisation Mondiale de la Santé (OMS) [Ministry of Health Secretariat General Directorate General of Health in Gabon & World Health Organization(WHO)]. (2019). Santé reproductrice, maternelle, neonatale, infantile, des adolescents et la nutrition (SRMNIA-N) plan strategique 2019-2023 [Reproductive maternal, neonatal, child, adolescent health and nutrition strategic plan 2019-

2023]

Ministère de la Santé Secrétariat Général Direction Générale de la Santé au Gabon, Direction Nationale de la Santé Maternelle et Infantile (DNSMI), Fonds des Nations Unies pour la Population (UNFPA) [Gabon Ministry of Health, National Department of Mother and Child Health, United Nations Population Fund (UNFPA)] (2017). Rapport national des décès maternels au Gabon(2012-2015) [National report on maternal deaths in Gabon (2012-2015)]

Moser, A., & Korstjens, I. (2017). Series: Practical guidance to qualitative research. part 3: Sampling, data collection and analysis. *European journal of general practice*, 24(1), 9-18. <https://doi.org/10.1080/13814788.2017.1375091>

Musarandega, R., Nyakura, M., Machezano, R., Pattinson, R., & Munjanja, S. P. (2021). Causes of maternal mortality in sub-Saharan Africa: A systematic review of studies published from 2015 to 2020. *International Global Health Society*, 11.04048. doi:10.7189/jogh.11.04048

Moyer, C. A., & Mustafa, A. (2013). Drivers and deterrents of facility delivery in sub-Saharan Africa: A systematic review. *Reproductive Health*, 10(1), 40. <http://www.reproductive-health-journal.com/content/10/1/40>

Naanyu, V., Wade, T. J., Ngetich, A., Mulama, K., Nyaga, L., Pell, R., . . . Temmerman, M. (2020). A qualitative exploration of barriers to health - facility - based delivery in Bomachoge - Borabu and kaloleni, kenya. *International Journal of Gynecology & Obstetrics*. 153(2). 273-279. <https://doi.org/10.1002/ijgo.13450>

Rui Matsu, & Yoshie Mori. (2018). Reasons for women delivering at home in rural areas in the

- Republic of Senegal. *Japanese Journal of Maternal Health*, 58(4), 583-591. <https://search.jamas.or.jp/link/ui/2018136462> (in Japanese)
- Sandall, J., Soltani, H., Gates, S., Shennan, A., & Devane, D. (2016). Midwife-led continuity models versus other models of care for childbearing women (Review). *Cochrane Library*, 2016(4). CD004667. doi:10.1002/14651858.cd004667.pub5
- Sanogo, N. A., Fantaye, A. W., & Yaya, S. (2020). Beyond coverage: A qualitative study exploring the perceived impact of Gabon's health insurance plan on access to and quality of prenatal care. *BMC Health Services Research*, 20, 483. <https://doi.org/10.1186/s12913-020-05310-6>
- Scott, N. A., Kaiser, J. L., Ngoma, T., McGlasson, K. L., Henry, E. G., Munro-Kramer, M. L., . . . Rockers, P. C. (2021). If we build it, will they come? results of a quasi-experimental study assessing the impact of maternity waiting homes on facility-based childbirth and maternity care in Zambia. *BMJ Global Health*, 6, e006385. doi:10.1136/bmjgh-2021-006385
- Shifraw, T., Berhane, Y., Gulema, H., Kendall, T., & Austin, A. (2016). A qualitative study on factors that influence women's choice of delivery in health facilities in Addis Ababa, Ethiopia. *BMC Pregnancy and Childbirth*, 16(1), 307. doi:10.1186/s12884-016-1105-7
- Sougou, N. M., Bassoum, O., Faye, A., & Leye, M. M. M. (2020). Women's autonomy in health decision-making and its effect on access to family planning services in Senegal in 2017: A propensity score analysis. *BMC Public Health*, 20(1), 872. <https://doi.org/10.1186/s12889-020-09003-x>
- Srivastava, A., Avan, B. I., Rajbangshi, P., & Bhattacharyya, S. (2015). Determinants of women's

- satisfaction with maternal health care: A review of literature from developing countries. *BMC Pregnancy and Childbirth*, 15, 97. doi:10.1186/s12884-015-0525-0
- Thaddeus, S., & Maine, D. (1994). Too far to walk: Maternal mortality in context. *Social Science and Medicine*, 38(8), 1091 -1110. doi:10.1016/0277-9536(94)90226-7
- The Ottawa Hospital Research Institute. (nd). *The Ottawa decision support framework (ODSF)*. Ottawa Hospital Research Institute. Retrieved January 28, 2024, from <https://decisionaid.ohri.ca/docs/develop/ODSF.pdf>
- The World Bank (2023). *Data bank. World development indicators*. World Bank Group. Retrieved January 28, 2024, from <https://databank.worldbank.org/reports.aspx?source=2&country=GAB>
- The World Bank (2020a) *Gabon Increasing Economic Diversification & Equalizing Opportunity to Accelerate Poverty Reduction*. Report No. 150048-GA
- The World Bank. (2020b). *Gabon poverty assessment: Poverty and equity global practice*. Report No: AUS0001412. <https://openknowledge.worldbank.org/bitstream/handle/10986/33429/138955.pdf?sequence=4>
- Umar, N., Quaife, M., Exley, J., Shuaibu, A., Hill, Z., & Marchant, T. (2020). Toward improving respectful maternity care: A discrete choice experiment with rural women in northeast Nigeria. *BMJ Global Health* 5, e002135. doi:10.1136/bmjgh-2019-002135
- Weldegiorgis, S. K., & Feyisa, M. M. (2021). Why women in Ethiopia give birth at home? A systematic review of the literature. *International Journal Women's Health* 13, 1065-1079.

doi:10.2147/ijwh.s326293

World Health Organization (2012) The WHO allocation of ICD-10 to deaths during pregnancy, childbirth and puerperium: ICD MM. Retrieved January 28,2024, from <https://www.who.int/publications/i/item/9789241548458>

World Health Organization (2018). WHO recommendations intrapartum care for a positive childbirth experience. World Health Organization. Retrieved January 28,2024, from <https://www.who.int/publications/i/item/9789241550215>

Yoseph, M., Abebe, S. M., Mekonnen, F. A., Sisay, M., & Gonete, K. A. (2020). Institutional delivery services utilization and its determinant factors among women who gave birth in the past 24 months in southwest Ethiopia. *BMC Health Services Research* ,20,265. <https://doi.org/10.1186/s12913-020-05121-9>