

References

- Di Lorenzo, B., Pau, M. C., Zinellu, E., Mangoni, A. A., Paliogiannis, P., Pirina, P., Fois, A. G., Carru, C., & Zinellu, A. Association between Red Blood Cell Distribution Width and Obstructive Sleep Apnea Syndrome: A Systematic Review and Meta-Analysis. (2023). *Journal of Clinical Medicine*, 12(9), 3302. <https://doi.org/10.3390/jcm12093302>
- Fukuma, S., Iizuka, T., Ikenoue, T., & Tsugawa, Y. Association of the National Health Guidance Intervention for Obesity and Cardiovascular Risks With Health Outcomes Among Japanese Men. (2020). *JAMA Internal Medicine*, 180(12), 1630-1637. <https://doi.org/10.1001/jamainternmed.2020.4334>
- Haruyama, Y., Nakagawa, A., Kato, K., Motoi, M., Sairenchi, T., Umesawa, M., Uematsu, A., Kudou, Y., & Kobashi, G. Incidence of Metabolic Syndrome in Young Japanese Adults in a 6-Year Cohort Study: The Uguisudani Preventive Health Large-Scale Cohort Study (UPHLS). (2020). *Journal of Epidemiology*, 30(5), 219-226. <https://doi.org/10.2188/jea.je20180246>
- Hirode, G., & Wong, R. J. Trends in the Prevalence of Metabolic Syndrome in the United States, 2011-2016. (2020). *Journal of the American Medical Association*, 323(24), 2526-2528. <https://doi.org/10.1001/jama.2020.4501>
- Khaing, I. K., Tahara, Y., Chimed-Ochir, O., Shibata, S., & Kubo, T. Effect of breakfast protein intake on muscle mass and strength in adults: a scoping review. (2024). *Nutrition Reviews*, nuad167. <https://doi.org/10.1093/nutrit/nuad167>
- Kikuchi, A., Monma, T., Ozawa, S., Tsuchida, M., Tsuda, M., & Takeda, F. Risk factors for multiple metabolic syndrome components in obese and non-obese Japanese individuals. (2021). *Preventive Medicine*, 153, 106855. <https://doi.org/10.1016/j.ypmed.2021.106855>

Kim, H. K., Chijiki, H., Fukazawa, M., Okubo, J., Ozaki, M., Nanba, T., Higashi, S., Shioyama, M., Takahashi, M., Nakaoka, T., & Shibata, S. Supplementation of Protein at Breakfast Rather Than at Dinner and Lunch Is Effective on Skeletal Muscle Mass in Older Adults. (2021). *Frontiers in Nutrition*, 2021; 8: 797004.

<https://doi.org/10.3389%2Ffnut.2021.797004>

Kobo, O., Leiba, R., Avizohar, O., & Karban, A. Normal body mass index (BMI) can rule out metabolic syndrome. (2019). *Medicine*, 98(9), e14712.

<https://doi.org/10.1097/md.00000000000014712>

Ministry of Health, Labour and Welfare of Japan. (2019). National Health and Nutrition Survey, Comprehensive government statistics counter (e-Stat) of Japan. [https://www.e-](https://www.e-stat.go.jp/dbview?sid=0003223783)

[stat.go.jp/dbview?sid=0003223783](https://www.e-stat.go.jp/dbview?sid=0003223783)

Ministry of Health, Labour and Welfare of Japan. (2021). Diagnostic criteria for metabolic syndrome. <https://www.e-healthnet.mhlw.go.jp/information/metabolic/m-01-003.html>

Ministry of Health, Labour and Welfare of Japan. (2022a). “Regarding “expenses necessary for specific health checkups and health guidance”.

https://www.mhlw.go.jp/jigyo_shiwake/dl/r04_jigyoku01a_day1.pdf

Ministry of Health, Labour and Welfare of Japan. (2022b). Materials on efficient and effective implementation methods of specific medical examinations and specific health guidance.

<https://www.mhlw.go.jp/content/12401000/000973955.pdf>

Ministry of Health, Labour and Welfare of Japan. (2022c). Changes in Nutrition and Health in Japan. <https://www.mhlw.go.jp/content/000894080.pdf>

Ministry of Health, Labour and Welfare of Japan. (2023). 4th Study Group on the Review of

Specific Medical Examinations and Specific Health Guidance (Standard Medical Examination and Health Guidance Program).

https://www.mhlw.go.jp/stf/seisakunitsuite/bunya/0000194155_00004.html

Mottillo, S., Filion, K. B., Genest, J., Joseph, L., Pilote, L., Poirier, P., Rinfret, S., Schiffrin, E.

L., & Eisenberg, M. J. (2010). The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. *Journal of the American College of Cardiology*, 56(14), 1113-1132. <https://doi.org/10.1016/j.jacc.2010.05.034>

Noubiap, J. J., Nansseu, J. R., Lontchi-Yimagou, E., Nkeck, J. R., Nyaga, U. F., Ngouo, A. T.,

Tounouga, D. N., Tianyi, F. L., Foka, A. J., Ndoadoumgue, A. L., & Bigna, J. J. (2022). Geographic distribution of metabolic syndrome and its components in the general adult population: A meta-analysis of global data from 28 million individuals. *Diabetes Research and Clinical Practice*, 188, 109924.

<https://doi.org/10.1016/j.diabres.2022.109924>

Ogura, M., Nagashima, M., Iida, K., Kawamura, M., Hashinishi, M., Kurimoto, M., Kondou, J.,

Moriyama, Y., Nakagawa, K., & Nakagawa T. Investigation of lifestyle habits related to metabolic syndrome. (2011). *Ningen Dock*, 25(5), 803-810 (In Japanese).

<https://doi.org/10.11320/ningendock.25.803>

Ostman, C., Smart, N. A., Morcos, D., Duller, A., Ridley, W., & Jewiss, D. The effect of exercise

training on clinical outcomes in patients with the metabolic syndrome: a systematic review and meta-analysis. (2017). *Cardiovascular Diabetology*, 16(1), 110.

<https://doi.org/10.1186/s12933-017-0590-y>

Pedersen, K. M., Çolak, Y., Ellervik, C., Hasselbalch, H. C., Bojesen, S. E., & Nordestgaard, B.

G. Smoking and Increased White and Red Blood Cells. (2019). *Arteriosclerosis*,

Thrombosis, and Vascular Biology, 39(5), 965-977.

<https://doi.org/10.1161/atvbaha.118.312338>

- Sampath Kumar, A., Maiya, A. G., Shastry, B. A., Vaishali, K., Ravishankar, N., Hazari, A., Gundmi, S., & Jadhav, R. Exercise and insulin resistance in type 2 diabetes mellitus: A systematic review and meta-analysis. (2019). *Annals of Physical and Rehabilitation Medicine*, 62(2), 98-103. <https://doi.org/10.1016/j.rehab.2018.11.001>
- Tsutatani, H., Funamoto, M., Sugiyama, D., Kuwabara, K., Miyamatsu, N., Watanabe, K., & Okamura, T. Relationship between lifestyle items on standard questionnaires in specific health checkups, metabolic syndrome, and hypertension: 5-year follow-up study. (2017). *Nihon Koshueisei Zasshi*, 64(5), 258-269 (In Japanese).
https://doi.org/10.11236/jph.64.5_258
- Wang, X., Li, Q., Liu, Y., Jiang, H., & Chen, W. Intermittent fasting versus continuous energy-restricted diet for patients with type 2 diabetes mellitus and metabolic syndrome for glycemic control: A systematic review and meta-analysis of randomized controlled trials. (2021). *Diabetes Research and Clinical Practice*, 179, 109003.
<https://doi.org/10.1016/j.diabres.2021.109003>
- Yamashita, Shizuya. Arteriosclerotic disease prevention guidelines 2017 edition. (2018). *Nihon Naika Gakkai Zasshi*, 107(1), 73-80 (In Japanese).
https://www.jstage.jst.go.jp/article/naika/107/1/107_73/_pdf
- Yarizadeh, H., Eftekhar, R., Anjom-Shoae, J., Speakman, J. R., & Djafarian, K. The Effect of Aerobic and Resistance Training and Combined Exercise Modalities on Subcutaneous Abdominal Fat: A Systematic Review and Meta-analysis of Randomized Clinical Trials. (2021). *Advances in Nutrition*, 12(1), 179-196. <https://doi.org/10.1093/advances/nmaa090>