

## 引用文献

- American Psychiatric Association.(2003). DSM-IV-TR 精神疾患の分類と診断の手引. 医学書院.
- American Psychiatric Association. (1999). Practice Guideline for the Treatment of Patients with Delirium. (日本精神神経学会監訳, 訳) Washington DC: American Psychiatric Association.
- BreitbartW, GibsonC, TremblayA. (2002). The delirium experience : delirium recall and delirium-related distress in hospitalized patients with cancer, their spouses/caregivers, and their nurses. *Psychosomatics*,43(3),183-194.
- CaplanG. (1970). The Theory and Practice of Mental Health Consultation. New York: Basic Books.
- ColeMG, McCuskerJ, BellavanceF, et al.(2002). Systematic detection and multidisciplinary care of delirium in older medical inpatients: a randomized trial. *CMAJ*, 167(7), 753-759.
- Ely EW, Inouye SK, BernardGR,et al.(2001).Delirium in mechanically ventilated patients: validity and reliability of the confusion assessment method for the intensive care unit (CAM-ICU). *JAMA:Journal of the American Medical Association*286(21), 2703-2710.
- Grinberg L, (1982). ビオソ入門. (高橋哲郎, 訳) 岩崎学術出版社.
- InouyeSK, CharpentierPA. (1996). Precipitating factors for delirium in hospitalized elderly persons. Predictive model and interrelationship with baseline vulnerability. *JAMA:Journal of the American Medical Association* 275(11),852-857.
- InouyeSK, BoqardusST Jr, CharpentierPA, et al. (1999). A multicomponent intervention to prevent delirium in hospitalized older patients.*New England journal of medicine*, 340(9), 669-676.
- InouyeSK, ForemanMD, Mionet al.LC,. (2001). Nurses' recognition of delirium and its symptoms: comparison of nurse and researcher ratings.161. *Arch Intern Med*.
- Kakumaet et al.(2003). Delirium in older emergency department patients discharged home: effect on survival. *Journal of the American Geriatrics Society*.51(4), 443-450.
- KatholR, SaravaySM, LoboA, OrmelJ. (2006). Epidemiologic trends and costs of fragmentation. *The Medical clinics of North America*, 90(4),549-572.
- LipowskiZJ. (1990). Delirium : Acute confusional state. Oxford University Press, New York.

- LipowskiZJ. (1999). Clinical features, course, and outcome. Delirium: acute confusional states. New York: Oxford University Press.
- LiptzinB, LevkoffSE. (1992). An empirical study of delirium subtypes.The British journal of psychiatry.161,843-845.
- MoritaT et al. (2007). Terminal delirium: recommendations from bereaved families' experiences. Pain and symptom manage, 34(6), 579-589.
- NelsonJK, SchilkeDA. (1976). The evolution of psychiatric liaison nursing. Perspectives in Psychiatric Care, 14, 61-65.
- ScheinHEdgar. (2010). プロセスコンサルテーション 援助関係を築くこと.(初版).(稲葉元吉, 尾川丈一, 訳).白桃書房.
- SiddiqiNajma, HoltRachel, BrittonMAnnette, HolmesJohn. (2007). Interventions for preventing delirium in hospitalised patients. Cochrane database of systematic reviews.. John Wiley & Sons, Ltd.
- SukantaratKT, BurgessPW, WilliamsonRC, BrettSJ. (2005). Prolonged cognitive dysfunction in survivors of critical illness. Anaesthesia, 60(9), 847-853.
- TrzepaczPT, MeagherDJ. (2004). Delirium. James L, Levenson MD, ed:The American Psychiatric Publishing Text Book of Psychosomatic Medicine.(LevensonLJames, ) Washington: Amer Psychiatric Pub.
- WitloxJ et al.(2010). Delirium in elderly patients and the risk of postdischarge mortality, institutionalization, and dementia: a meta-analysis. JAMA:Journal of the American Medical Association 304(4), 443-451.
- World Health Organization. (2008). The ICD-10 Classification of Mental and Behavioral Disorders: Diagnostic criteria and research. (中根充文, 岡崎裕士, 藤原妙子, 訳): 医学書院.
- Yanget al.FM,. (2009). Phenomenological subtypes of delirium in older persons: pattens, prevalence, and prognosis.50(3). Psychosomatics.
- 医学通信社(2012).診療点数早見表[医科]2012年4月現在の診療報酬点数表 2012年4月版. 医学通信社.
- 井上潤一, 奥野聡子, 山崎恭子, 川原玲子. (2009). がん末期のせん妄に対する抑肝散 (TJ-54) 投与の経験. ペインクリニック, 30(4), 525-528.
- 一瀬邦弘(2006).高齢者せん妄の特徴と診断. 老年精神医学.
- 一瀬邦弘,益富一郎,中村満,竹澤健司,島陽一(2004).意識障害.最新精神医学,9(3),209-222.
- 一般財団法人厚生労働統計協会. (2012). 厚生指標増刊 国民の福祉と介護の動向 2012/2013.Vol.59. No.10.
- 宇津木聡(2012).脳腫瘍術後のせん妄に抑肝散が有効であった1例. 漢方医学, 36(3), 231-233.

- 加我牧子(2011).自殺の原因分析に基づく効果的な自殺防止対策の確立に関する研究. 厚生労働科学研究成果データベース.
- 関島康雄(2008). チームビルディングの技術 みんなを本気にさせるマネジメントの基本 18.日本経団連出版.
- 岸泰宏(2008). 精神疾患と身体疾患の合併. 日本医科大学医学会雑誌, 4(4), 175-180.
- 岸泰宏(2011).【認知症の臨床的診断-薬物投与の前に鑑別を要する病態】 せん妄. 認知症の最新治療, 1(3), 112-118.
- 岩崎洋平, 中村禎志, 浜川俊朗(2010). デクスメトミジンを使用した破裂脳動脈瘤手術後患者の鎮静に関する検討. 麻酔, 59(11), 1396-1399.
- 吉村弥須子, 久保正二, 白田久美子(2003). 肝切除術のクリニカルパス導入におけるバリエーション要因の検討 術後の在院日数長期化の要因について. 看護技術, 49(7), 622-625.
- 吉澤明孝, 行田泰明, 石黒俊彦(2008).緩和ケアと麻酔科医 疼痛コントロールから全人的ケアへ. 日本臨床麻酔学会誌, 28, 293-300.
- 金子亜矢子(2010). 精神看護専門看護師の活動評価. 共済医報, 59(1), 59-64.
- 江尻晴美(2012). 活動型せん妄と低活動型せん妄に対する看護師の認識. 日本集中治療学会医学誌, 19(2).
- 山田圭輔, 武川治水, 山本健(2012). 麻酔科医による専門的な痛み治療と援助的コミュニケーション. 日本臨床麻酔学会誌, 32(1), 33-38.
- 小川朝生(2010). 心のケアの考え方 精神心理的苦痛のアセスメント これだけは知っておきたいがん医療における心のケア. (小川朝生, 内富庸介, 共同編集).創造出版.
- 森田達也, 井上聡, 千原明(1996). 終末期せん妄にみられる幻覚の意味 緩和ケアの視点からみた1考察. 臨床精神医学, 25(11), 1361-1368.
- 川原玲子(2010). がん患者のせん妄に対する抑肝散の効果の臨床的検討. 痛みと漢方, 20, 63-67.
- 川村治子(2003). ヒヤリ・ハット 11,000 事例によるエラーマップ完全本.医学書院.
- 倉内宣明, 向井信貴, 吉田淳, 青柳武史, 丸山将輝, 笠島浩行,他. (2009). 術後せん妄に対する抑肝散投与の試み. 函館医学誌, 33(1), 1-4.
- 竹田明弘(2006). 基本からわかる医療経営学 4 病院における部門間コンフリクトの発生と解決. 病院, 65, 748 - 751.
- 中村めぐみ(2011).急性期病院でのチーム医療と役割分担. 看護, 63(1), 70-73.
- 中村龍, 小林浩之, 大石悠理, 長野ゆり, 岩崎衣津, 渡辺陽子,他(2011). ICU 譫妄に対し抑肝散が有効であった2症例. 日本集中治療医学会雑誌, 18, 427-428.
- 津田司, 平野寛, 渡辺洋一郎(1985). 面接技法の教育法に関する検討. 医学教育, 16(6), 465-468.

- 坪敏仁, 西村雅之, 斉藤淳一, 橋場英二, 大川, 大川浩文, 他(2012). 集中治療における鎮静薬としての漢方製剤抑肝散の使用経験. 日本集中治療医学会雑誌, 19, 83-84.
- 梅澤志乃(2012). 看護師による精神症状の早期発見と適切なケアのために. プロフェッショナルがんナーシング, 2(3), 111-118.
- 八田耕太郎(2010). せん妄の治療指針-日本総合病院精神医学会治療指針 1-(薬物療法検討小委員会, 編) 星和書店.
- 野末聖香(1995). コンサルタントに必要な教育. インターナショナルナーシングレビュー, 18(5), 27.
- 野末聖香, 田中美恵子, 宇佐美しおり, 他(2006). 精神看護の看護技術評価 介入効果とコスト評価の視点から (第 1 報) 精神科看護技術の焦点をあてて. 日本看護科学学会学術集会講演集, 26, 305.
- 和田健(2012). せん妄の臨床—リアルワールド・プラクティス—. 新興医学出版社.