

【引用・参考文献】

- American College of Obstetricians and Gynecologists( ACOG)(2006). Intimate partner violence during pregnancy. A guide for clinicians. [http://www.cdc.gov/reproductivehealth/violence/IntimatePartnerViolence/ipvdp\\_download.htm](http://www.cdc.gov/reproductivehealth/violence/IntimatePartnerViolence/ipvdp_download.htm)、 [2011-11-14]
- A Tiwari, KL Chan, D Fong, et al.(2007). The impact of psychological abuse by an intimate partner on the mental health of pregnant women, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2253706/pdf/bjo0115-0377.pdf>, [2012-1-17]
- British Medical Association(1998). Domestic Violence: A Health Care Issue. London:BMA
- Claudia, Leite. Moraes., Flavia, Dias. Nogueira. Arana, & Michael, Eduardo. Reichenheim.(2010). Physical intimate partner violence during gestation as a risk factor for low quality of prenatal care, [http://www.scielo.org/scielo.php?script=sci\\_arttext&pid=S0034-89102010000400010&lng=en&nrm=iso&tlng=en](http://www.scielo.org/scielo.php?script=sci_arttext&pid=S0034-89102010000400010&lng=en&nrm=iso&tlng=en), [2012-1-17]
- Coulthard, P., Yong, S.L., Adamson, L., et al (2010) . Domestic violence screening and intervention programmes for adults with dental or facial injury, The Cochrane Library
- Ewing, J.A.(1984). Detecting alcoholism: The CAGE questionnaire. JAMA, 252(14), 1905-1907.
- Feder, G., Ramsay, J., Dunne, D., et al (2009) . How far does screening women for domestic (partner) violence in different health-care settings meet criteria for a screening programme? Systemtic reviews of nine UK National Screening Committee criteria. Health Technology Assessment, 2009, 13(16).
- Feldhaus, K., Abbott, J. T. A., Amsbury, H. L., et al (1997) . Accuracy of 3 brief screening questions for detecting partner violence in the emergency department. Journal of the American Medical Association,227, 1357-1361.
- Goodwin, M.N., Gazmararian, J.A., Johnson, C.H., et al.(2000). Pregnancy Intendedness and Physical Abuse Around the Time of Pregnancy: Finding from the

- Pregnancy Risk Assessment Monitoring System, 1996-1997. Maternal and Child Health Journal, 4(2),85-92.
- Guyatt, G., Rennie, D.(2002). User's Guide to the Medical Literature – Essentials of Evidence-based Clinical Practice/ 古川壽亮、山崎力監訳(2003)、臨床のための EBM 入門—決定版 JAMA ユーザーズガイド、医学書院、152－175
- Harriet, L., MacMillan., Ellen, Jamieson., et al(2009). Screening for Intimate Partner Violence in Health Care Settings A Randomized Trial. Journal of American Medical Association, 302(5),493-501.
- Horiuchi, S., Kataoka, Y., Eto, H., et al (2006) . The applicability of women-centered care : Two case studies of capacity-building for maternal health through international collaboration. Japan Journal of Nursing Science, 3, 143-150.
- Hudson, W.W., McIntosh ,S.R. (1981) . The assessment of spouse abuse: Two quantifiable dimensions. Journal of Marriage and The Family, 43, 873-888.
- Inami, E., Kataoka, Y., Eto, H., et al(2010). Intimate partner violence against Japanese and non-Japanese women in Japan: A cross-sectional study in the perinatal setting. Japan Journal of Nursing Science, 7, 84-95.
- Kataoka, Y.(2004). Effectiveness of two screening methods in a prenatal setting for Identifying women experiencing domestic violence. St Luke's college of Nursing 2003 Dissertation.
- Kataoka Y.,Yaju,Y., Eto,H., et al (2004) . Screening of domestic violence against women in the perinatal setting: A systematic review. Japan Journal of Nursing Science, 1, 77-86.
- McFarlane, J., Bullock, L., Parker, B., et al (1992) , Assessing for abuse during pregnancy . Severity and frequency of injuries and associated entry into prenatal care, Journal of the American Medical Association, 267, 3176-3178
- National Collaborating Centre for Women's and Children's Health (2008) . Antenatal Care: routine care for healthy pregnant woman., <http://www.nice.org.uk/nicemedia/live/11947/40145/40145.pdf> , [2011-6-21]
- Nicole, Trabold.(2007). Screening for Intimate Partner Violence Within a Health Care Setting: A Systematic Review of the Literature. Social Work in Health Care,

45(1),1-18.

- Paranjape, A., Liebschutz, J.(2003). STaT: a three-question screen for intimate partner violence. *Journal of Women's Health*, 12(3), 233-239.
- Prakesh, S., Shah, Jyotsna .Shah.(2010). Maternal Exposure to Domestic Violence and Pregnancy and Birth Outcomes: A Systematic Review and Meta-Analyses. *Journal of Women's Health*, 19(11), 2017-2031.
- Polona, Selic., Katja, Pesjak., Kersnik, Janko.(2011). The prevalence of exposure to domestic violence and the factors associated with co-occurrence of psychological and physical violence exposure: a sample from primary care patients. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3160996/pdf/1471-2458-11-621.pdf> ,[2012-1-12]
- Rebecca F. Rabin, Jacckey M. Jennings, Jacquelyn C. Cambell, et al (2009) . Intimate Partner Violence Screening Tools A systematic Review. *American Journal of Preventive Medicine*,36 (5) , 439-445.
- Schroll, A.M., Tabor, A., Kjaergaard, H. (2011). Physical and sexual lifetime violence: prevalence and influence on fear of childbirth before, during and after delivery. *Journal of Psychosom Obstet Gynaecol*, 32(1), 19-26.
- Sherin, K.M., Sinacore, J.M., Li, X.Q., et al(1998). HITS: a short domestic violence screening tool for use in a family practice setting. *Family Medicine*, 30(7), 508-512.
- Simukai Shamu, Naeemah Abrahams, Marleen Temmerman, et al(2011). A Systematic Review of African Studies on Intimate Partner Violence against Pregnant Women: Prevalence and Risk Factors. *PLoS ONE*, 6(3), <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3050907/pdf/pone.0017591.pdf>, [2012-1-9]
- Smith, P.H., Earp, J.A., DeVellis, R.(1995). Measuring battering: development of the Women's Experience with Battering(WEB) Scale. *Women Health*, 1(4),273-288.
- Straus, M.A., Hamby, S.L., Boney-McCoy, S., et al(1996). The Revised Conflict Tactics Scales(CTS2): Development and preliminary psychometric date. *Journal of Family Issue*, 17(3),283-316.
- United States Preventive Services Task Force(USPSTF: 2004). Screening for family and

intimate partner violence: recommendation statement,.

<http://www.annfammed.org/content/2/2/156.full.pdf+html>, [2012-1-12]

Weiss, S.J., Ernst, A.A., Cham, E., et al(2003). Development of a screen for ongoing intimate partner violence. *Violence Vict*, 18(2), 131-141.

WHO (2005) . WHO Multi-country Study on Women's Health and Domestic Violence against Women. [http://whqlibdoc.who.int/publications/2005/9241593512\\_eng.pdf](http://whqlibdoc.who.int/publications/2005/9241593512_eng.pdf), [2011-5-7]

Yoshihama, Mieko.(2002a). Battered Women's Coping Strategies and Psychological Distress: Differences by Immigratuin Status. *American Journal of Community Psychology*, 30(3),429-451.

Yoshihama, Mieko.(2002b). The idenfinitional process of domestic violence in Japan: Generating official responses through action-oriented research and international advocacy. *Violence Against Women*, 8, 339-366.

石井朝子、飛鳥井望、木村弓子他 (2003). ドメスティックバイオレンス (DV) 簡易スクリーニング尺度 (DVSI) の作成および信頼性・妥当性の検討. *精神医学*, 45 (8)、817－823.

今村利香(2004). 医療者関係者が求められる DV(Domestic Violence)被害者支援について. *日本看護学会論文集 第35回地域看護*, 178－180.

片岡弥恵子、八重ゆかり、江藤宏美他 (2005). 妊娠期におけるドメスティック・バイオレンス. *日本公衆衛生雑誌*, 52 (9)、785－795.

片岡弥恵子、長坂桂子、井上梢他 (2008). 医療施設における DV 防止にむけての取り組み. *助産雑誌*, 62 (3)、236-242.

片岡弥恵子、櫻井綾香、江藤宏美他 (2010). 日本の医療施設における DV 被害者支援の現状. *聖路加看護大学紀要*, 36、59－63.

片山美穂、楠本裕紀、北田衣代他(2007). 妊婦の中の DV(Domestic Violence)被害者の発見と支援の取り組み. *産婦人科の実際*, 56(9)、1401－1406.

川原みちよ、中塚幹也(2011). 「妊婦の DV 被害」の実態と産科医療スタッフの意識. *母性衛生*, 52(1)、147－159.

北村俊則(2000). *精神症状測定の理論と実際 第2版*. 海鳴社、112－114.

工藤奈織美、山田典子、山本春江他(2005). ドメスティック・バイオレンス被害者支援のた

めのチェックリストの検討—看護職へのアンケート調査から—. 日本看護学会論文集  
第36回地域看護、219—221.

厚生労働省(2010a). 平成22年度「出生に関する統計」.  
<http://www.mhlw.go.jp/toukei/saikin/hw/jinkou/tokusyu/syussyo06/syussyo1.html#03>、[2012-1-10]

厚生労働省(2010b). 出生前後の就業変化に関する統計.  
<http://www.mhlw.go.jp/toukei/saikin/hw/jinkou/tokusyu/04/index.html>、[2012-1-10]

厚生労働省(2011). 子ども虐待による死亡事例等の検証結果等について(第7次報告).  
<http://www.mhlw.go.jp/bunya/kodomo/dv37/dl/7-2.pdf>、[2012-1-11]

柴田芽久美、稲用和也、佐久間裕子他(2009). DV被害者の健診における新しい取り組み.  
日本視能訓練士協会誌、38、297—304.

社団法人アルコール医学協会. お酒と健康. <http://www.arukenkyo.or.jp/> [2011-6-21]

菅原真由美(2010). 医療機関におけるドメスティック・バイオレンス被害者支援に関する実態調査. こころの健康、25(2)、44—52.

聖路加看護大学女性を中心にしたケア研究班(2004). EBMの手法による 周産期ドメスティック・バイオレンスの支援ガイドライン 2004年度版. 金原出版株式会社  
東京都(2009). 東京都配偶者暴力対策基本計画(概要).  
<http://www.metro.tokyo.jp/INET/KEIKAKU/2009/03/DATA/70j3v100.pdf>、[2011-6-21]

内閣府男女共同参画局(2006). 男女間における暴力に関する調査報告書.  
<http://www.gender.go.jp/e-vaw/chousa/images/pdf/chousagaiyou.pdf>、[2011-1-12]

内閣府男女共同参画局(2009). 男女間における暴力に関する調査(概要版).  
<http://www.gender.go.jp/e-vaw/chousa/images/pdf/chousagaiyou2103.pdf>、[2011-4-7]

内閣府男女共同参画局(2010). 配偶者からの暴力に関するデータ.  
[http://www.gender.go.jp/e-vaw/data/dv\\_dataH2205.pdf](http://www.gender.go.jp/e-vaw/data/dv_dataH2205.pdf)、[2011-6-11]

中澤直子(2009). 周産期女性のDV被害の実態と問題点. 日本女性心身医学会雑誌、14(2)、136-142.

信田さよ子(2002). DVと虐待:「家庭の暴力」に援助者ができること. 医学書院、86.

東田有加、今田恭子、三木佐登美他(2010). 妊婦におけるドメスティック・バイオレンス被害の実態—面接式DVスクリーニングの逐語録より—. 母性衛生、51(1)、163—169.

増井香名子(2011). DV 被害者は、いかにして暴力関係からの「脱却」を決意するのか:「決定的底打ち実感」に至るプロセスと「生き続けている自己」. 社会福祉学、52(2)、94-106.

松本千香(2009). DV 対策に組織的に取り組んだいる医療機関の実際と課題. 2008 年度聖路加看護大学大学院博士前期課程課題研究論文

宮崎千香、片岡弥恵子(2010). 周産期医療における DV に対する組織的な取り組みの実際. 聖路加看護学会誌、14(2)、37-45.

山田典子、工藤奈織美、山本春江他 (2006). DV 被害者に対する看護的視点の明確化と課題. 保健の科学、48 (1)、63-70.

山田典子(2008). DV 被害者早期発見観察チェックリストの検討. 日本精神保健看護学会誌、17(1)、33-43.

吉田博美、小西聖子、景山隆之他(2005). ドメスティック・バイオレンス被害者における精神疾患の実態と被害体験の及ぼす影響. トラウマティック・ストレス、3(1)、83-89.

吉本博昭 (2008). アルコール依存症チェック CAGE によるチェック. <http://www.nsknet.or.jp/~hy-comp/check/index.html>、[2011-6-21]