

## 文献

- 阿保順子 (1993). 痴呆老人のコミュニケーションにおける 3 つのレベル 痴呆老人の生活世界への理解に向けて. 看護研究, 26(6), 529-551.
- Acton, G. J., Mayhew, P. A., Hopkins, B. A. et al. (1999). Communicating with individuals with dementia. The impaired person's perspective. *Journal of Gerontological Nursing*, 25(2), 6-13.
- 天津栄子, 中田まゆみ (1998). 老人保健施設における痴呆老人とケアスタッフの相互作用に見られる特徴. 老年看護学, 3(1), 52-63.
- 荒井啓行 (2002). 高齢者に特有な症候, 痴呆. 日本老年医学会編. 改訂版老年医学テキスト. 52-53. メジカルビュー社.
- Baumgarten, M., Becker, R. & Gauthier, S. (1990). Validity and reliability of the dementia behavior disturbance scale. *Journal Of The American Geriatrics Society*, 38(3), 221-6.
- Berg, A., Hallberg, I.R. & Norberg, A. (1998). Nurses' reflections about dementia care, the patients, the care and themselves in their daily caregiving. *International Journal of Nursing Studies*, 35(5), 271-282.
- 別所遊子, 出口洋二, 安井裕子他 (2005). 在宅痴呆症高齢者の 10 年間の死亡率, 死因及び死亡場所. 日本公衆衛生学会雑誌, 52(10), 865-873.
- Blumer, H. (1969). シンボリック相互作用論 パースペクティブと方法. 後藤将之. (1991). 勁草書房.
- Bucks, R. S. & Radford, S. A. (2004). Emotion processing in Alzheimer's disease. *Aging & Mental Health*, 8(3), 222-232.
- Burgener, S. C. & Shimer, R. (1993a). Variables related to caregiver behaviors with cognitively impaired elders in institutional settings. *Research in Nursing & Health*, 16(3), 193-202.
- Burgener, S. C., Shimer R. & Murrell, L. (1993b). Expressions of individuality in cognitively impaired elders. Need for individual assessment and care. *Journal of Gerontological Nursing*. 19(4), 13-22.

- Burgio, L. D., Allen-Burge, R., Roth, D. L. et al. (2001). Come talk with me: improving communication between nursing assistants and nursing home residents during care routines. *Gerontologist*, 41(4), 449-460.
- Cissna, K. N. L. & Sieburg, E. (1981). Patterns of interactional confirmation and disconfirmation. In Wilder-Mott, C. & Weakland, J. H. (Eds.), *Rigor & Imagination: essays from the legacy of Gregory Bateson* (pp. 253-282). Praeger, New York.
- Clare, L., Rowlands, J., Bruce, E. et al. (2008a). 'I don't do like I used to do': a grounded theory approach to conceptualizing awareness in people with moderate to severe dementia living in long-term care. *Social Science & Medicine*, 66(11), 2366-2377.
- Clare, L., Rowlands, J., Bruce, E. et al. (2008b). The experience of living with dementia in residential care: an interpretative phenomenological analysis. *Gerontologist*, 48 (6), 711-720.
- Dijkstra, K., Bourgeois, M., & Burgio, L. et al. (2002). Effects of a communication intervention on the discourse of nursing home residents with dementia and their nursing assistants. *Journal of Medical Speech-Language Pathology*, 10(2), 143-157.
- Drew, N. (1986). Exclusion and confirmation: a phenomenology of patients' experiences with caregivers. *Image: Journal of Nursing Scholarship*, 18(2), 39-43.
- Edberg, A. K., Nordmark Sandgren, A. & Hallberg, I. R. (1995). Initiating and terminating verbal interaction between nurses and severely demented patients regarded as vocally disruptive. *Journal of Psychiatric and Mental Health Nursing*, 2(3), 159-167.
- Edberg, A., Bird, M., Richards, D. A. et al. (2008). Strain in nursing care of people with dementia: nurses' experience in Australia, Sweden and United Kingdom. *Aging & Mental Health*, 12(2), 236-243.
- Eggers, T., Norberg, A. & Ekman, S. (2005). Counteracting fragmentation in the care of people with moderate and severe dementia. *Clinical Nursing Research*, 14(4), 343-369.

- Eriksson, C. & Saveman, B. (2002). Nurses' experiences of abusive/non-abusive caring for demented patients in acute care settings. *Scandinavian Journal of Caring Sciences*, 16(1), 79-85.
- Eriksson, U. & Svedlund, M. (2007). Struggling for confirmation - patients' experiences of dissatisfaction with hospital care. *Journal of Clinical Nursing*, 16(3), 438-446.
- Fukaya, Y., Suzuki, K. & Shitita, K. (2004). Predictors and correlates of the frequency and the length of verbal communications between nursing staff and elderly residents in geriatric care facilities, *Japan Journal of Nursing Science*, 1(2), 107-115.
- 船津衛 (1988). シンボリック相互作用論. 新睦人, 三沢謙一編. 現代アメリカの社会学理論. 178-204. 恒星社厚生閣.
- Garvin, B. J. & Kennedy, C. W. (1988). Confirming communication of nurses in interaction with physicians. *Journal of Nursing Education*, 27(4), 161-166.
- Gillies, B. A. (2000). A memory like clockwork: accounts of living through dementia. *Aging & Mental Health*, 4(4), 366-374.
- Graneheim, U. H., Norberg, A. & Jansson, L. (2001). Interaction relating to privacy, identity, autonomy and security. An observational study focusing on a woman with dementia and 'behavioural disturbances', and on her care providers. *Journal of Advanced Nursing*, 36(2), 256-265.
- Graneheim, U. H. & Jansson, L. (2006). The meaning of living with dementia and disturbing behaviour as narrated by three persons admitted to a residential home. *Journal of Clinical Nursing*, 15(11), 1397-1403.
- Hallberg, I. R., Holst, G., Nordmark, A. et al. (1995). Cooperation during morning care between nurses and severely demented institutionalized patients. *Clinical Nursing Research*, 4(1), 78-104.
- Hansebo, G. & Kihlgren, M. (2001). Carers' reflections about their video-recorded interactions with patients suffering from severe dementia. *Journal of Clinical Nursing*, 10(6), 737-747.

- Hansebo, G. & Kihlgren, M. (2002). Carers' interactions with patients suffering from severe dementia: a difficult balance to facilitate mutual togetherness. *Journal of Clinical Nursing*, 11, 225-236.
- 平岡敬子, 山内京子, 岩本由美 (2002). 痴呆高齢者とその家族等が期待する看護婦(士)の役割. *看護学統合研究*, 3(2), 38-45.
- 平田弘美 (2003). 施設における痴呆老人による攻撃行動の分析. *福島県立医科大学看護学部紀要*, 5, 49-56.
- Hoffman, S. B., Platt, C. A., Barry, K. E. et al. (1985). When language fails: nonverbal communication abilities of the demented. In J.T. Hutton & A. K. Kenny (Eds.), *Senile Dementia of the Alzheimer Type* (pp. 49-64). Liss: New York.
- 堀内ふき (2007). 看護と介護の異同 高齢者ケアにおける看護と介護を考察する. *保健医療社会学論集*, 18(2), 13-17.
- 伊藤麻美子, 泉キヨ子, 天津栄子 (2005). 介護老人保健施設入所初期における中等度・重度認知症高齢者相互の交流の様態. *老年看護学*, 9(2), 100-108.
- Kempler, D. (1995). Language change in dementia of the Alzheimer type. In Lubinski R. (Ed.), *Dementia and Communication* (pp.98-114). Delmer: United States of America.
- Kennedy, B. R. (2005). Stress and burnout of nursing staff working with geriatric clients in long-term care. *Journal of Nursing Scholarship*. 37(4), 381-382.
- Kennedy, C. W. & Garvin, B. J. (1986). Confirmation-disconfirmation: A framework for the study of interpersonal relationships. In Chinn, P. L. (Ed.), *Nursing research methodology: Issues and implementation* (pp.221-235). Aspen Publishers: USA.
- Kuremyr D., Kihlgren M., Norberg A. et al. (1994). Emotional experiences, empathy and burnout among staff caring for demented patients at a collective living unit and a nursing home. *Journal of Advanced Nursing*, 19(4), 670-679.
- 小泉素子 (2004). 老人性痴呆疾患治療病棟の看護者が排泄ケアで抱く困難感とその患者要因についての認識. *日本看護学会論文集: 老年看護*, 34, 48-50.
- 是枝祥子 (2007). 看護と介護の異同 生活を支援する介護. *保健医療社会学論集*, 18(2), 24-28.

- 厚生労働省 (2005). 厚生労働白書平成 17 年版. ぎょうせい. 247-260.
- 厚生労働省 (2008). 臨床研究に関する倫理指針 (平成 20 年改正版). 検索日 2009 年 6 月 3 日, <http://www.mhlw.go.jp/general/seido/kousei/i-kenkyu/rinsyo/dl/shishin.pdf>.
- 厚生労働省大臣官房統計情報部社会統計課 (2008). 平成 18 年介護サービス施設・事業所調査結果の概況. 厚生指標, 55(2), 42-52.
- 小林敏子, 播口之朗, 西村健他 (1988). 行動観察による痴呆患者の精神状態評価尺度 (NM スケール) および日常生活動作能力評価尺度 (N-ADL) の作成. 臨床精神医学, 17(11), 1653-1668.
- Lawton, M. P., Van Haitsma, K. & Klapper, J. (1996). Observed affect in nursing home residents with Alzheimer's disease. *Journal of Gerontology. Series B, Psychological Sciences and Social Sciences*, 51(1), 3-14.
- Lincoln, Y.S. & Guba, E.G. (1985). *Naturalistic inquiry*. Sage: California. USA.
- McCabe, C. (2004). Nurse-patient communication: an exploration of patients' experiences. *Journal of Clinical Nursing*, 13, 41-49.
- Mayhew, P. A., Acton, G. J., Yauk, S. et al. (2001). Communication from individuals with advanced DAT: can it provide clues to their sense of self-awareness and well-being? *Geriatric Nursing*, 22(2), 106-110.
- Mayo Clinic (2002). メイヨー・クリニック アルツハイマー病. 諸治高嗣訳. 法研.
- 松田千登勢, 長畑多代 (2004). 老年看護学実習における学生の痴呆性高齢者の理解プロセス. 大阪府立看護大学看護学部紀要, 10(1), 43-50.
- Mead, G. H. (1934). 現代社会学体系 10. ミード 精神・自我・社会. 稲葉三千男, 滝沢正樹, 中野収訳 (1973). 青木書店
- 三木明子, 富永知美, 五十嵐トヨ子 (2008). 看護師が職場で発生した患者暴力に対し最も困っていること. 日本看護学会論文集: 看護管理, 38, 445-447.
- Middleton, J. I., Stewart, N. J. & Richardson, J. S. (1999). Caregiver distress related to disruptive behaviors on special care units versus traditional long-term care units. *Journal of Gerontological Nursing*, 25(3), 11-19.
- Mistretta, E. F. & Kee, C. C. (1997). Caring for Alzheimer's residents in dedicated units. Developing and using expertise. *Journal of Gerontological Nursing*, 23(2), 41-46.

- 宮本美佐, 伊藤まゆみ, 小泉美佐子 (2002). 看護学生が痴呆高齢者への対応で困難を感じる状況の分析. 群馬大学医学部保健学科紀要, 22, 47-54.
- 宮崎和加子 (2006). グループホームにみる新しい高齢者看護. *Geriatric Medicine*, 44(8), 1117-1119.
- Morgan, D. G., Stewart, N. J., D'Arcy, C. et al. (2005). Work stress and physical assault of nursing aides in rural nursing homes with and without dementia special care units. *Journal of Psychiatric and Mental Health Nursing*, 12(3), 347-358.
- 溝口環, 飯島節, 江藤文夫他 (1993). DBD スケール (Dementia Behavior Disturbance Scale) による老年期痴呆患者の行動異常評価に関する研究. 日本老年医学会雑誌, 30(9), 835-840.
- 水谷信子 (2007). 認知症高齢者の看護. 中島紀恵子編. 認知症高齢者の看護. 1-7. 医歯薬出版株式会社.
- 長尾毅彦, 横地正之, 田久保秀樹 (2009). 血管性認知症の経過・予後. 老年精神医学雑誌, 20(6), 611-617.
- 中野今治, 水澤英洋編 (2004). よくわかるアルツハイマー病. 永井書店. .
- 中村祐, 武田雅俊 (2001). アルツハイマー型痴呆の症状. 日本老年精神医学会監修. アルツハイマー型痴呆の診断・治療マニュアル. 13-41. ワールドプランニング.
- Nishimura, T., Kobayashi, T., Hariguchi, S. et al. (1993). Scales for mental state and daily living activities for the elderly: clinical behavioral scales for assessing demented patients. *International Psychogeriatrics*, 5(2), 117-34.
- 野村豊子 (2004). コミュニケーションスキル. 日本認知症ケア学会編. 認知症ケア標準テキスト 認知症ケアの実際 I : 総論. 39-61, ワールドプランニング.
- Normann, H.K., Norberg, A. & Asplund, K. (2002). Confirmation and lucidity during conversations with a woman with severe dementia. *Journal of Advanced Nursing*, 39 (4), 370-376.
- Normann, H. K., Henriksen, N., Norberg, A. et al. (2005). Lucidity in a woman with severe dementia related to conversation. A case study. *Journal of Clinical Nursing*, 14(7), 891-896.
- 小車淑子, 松山郁夫 (2004). 会話ができない痴呆性高齢者に対する介護者の意識に関する調査研究. 高齢者のケアと行動科学. 9(2), 63-68.

- 小野塚元子, 奥野茂代 (2006). グループホームに入居している認知症高齢者その他の入居者, ケアスタッフとの相互作用. 高齢者のケアと行動科学, 12(1), 43-51.
- Pulsford, D. & Duxbury, J. (2006). Aggressive behaviour by people with dementia in residential care settings: a review. *Journal of Psychiatric Mental Health Nursing*, 13(5), 611-618.
- Ragneskog, H., Gerdner, L. A., Josefsson, K. et al. (1998). Probable reasons for expressed agitation in persons with dementia. *Clinical Nursing Research*, 7(2), 189-206.
- Rodney, V. (2000). Nurse stress associated with aggression in people with dementia: its relationship to hardiness, cognitive appraisal and coping. *Journal of Advanced Nursing*, 31(1), 172-180.
- Rundqvist, E.M. & Severinsson, E.I. (1999). Caring relationships with patients suffering from dementia –an interview study. *Journal of Advanced Nursing*, 29(4), 800-807.
- Ryden, M. B., Bossenmaier, M. & McLachlan, C. (1991). Aggressive behavior in cognitively impaired nursing home residents. *Research in Nursing & Health*, 14(2), 87-95.
- 坂口千鶴 (2002). 痴呆と判断される高齢患者の言動パターンへの看護者の認識過程. 日本赤十字看護学会誌, 2(1), 50-60.
- Sandelowski, M. (2000). Focus on research methods. Whatever happened to qualitative description? *Research in Nursing & Health*, 23(4), 334-340.
- 清水秀明, 小森憲治郎, 檜林哲雄他 (2009). 前頭側頭葉変性症の経過・予後. 老年精神医学雑誌, 20(6), 623-629.
- 下方浩史 (2006). 認知症による社会負担, 最新医学, 61(12), 20-25.
- 角徳文, 本間昭 (2007). Alzheimer 病の疫学, 医学のあゆみ, 220(5), 427-430.
- 諏訪さゆり, 吉尾千世子, 瀧断子他 (2001). 痴呆性高齢者の言動の意味の分析 その人らしさを尊重したケア技術確立に向けて. 東京女子医科大学看護学部紀要, 4, 11-18.
- 高山成子, 水谷信子 (2000). 中等度・重度痴呆症高齢者が経験している世界についての研究. 老年看護学, 5(1), 88-95.

- 高山成子, 水谷信子 (2001). 中等度・重度痴呆症高齢者に残された現実認識の力についての研究—看護者との対話から—. 日本看護科学会誌, 21(2), 46-55.
- 谷口好美, 亀井智子(2002). 病院・介護老人保健施設に勤務する看護者の高齢者観と看護上の不愉快体験. 老年看護学. 7(1), 110-118.
- 谷口好美(2006). 医療施設で認知症高齢者に看護を行ううえで生じる看護師の困難の構造. 老年看護学. 11(1), 12-20.
- 千葉京子, 草地潤子 (2006). 介護老人保健施設における認知症高齢者との関わりで看護学生が対応困難となる場面の特性. 日本赤十字武蔵野短期大学紀要, 19, 9-16.
- 得居みのり (2007). 認知症の病態・治療と看護. 中島紀恵子編集. 認知症高齢者の看護. 17-30. 医歯薬出版株式会社.
- 植木昭紀, 真城英孝, 中島貴也他 (1999). アルツハイマー型老年痴呆および血管性痴呆の生命予後に関連する要因の検討—老人性痴呆疾患センターでの追跡調査から—. 日本老年医学会雑誌, 36(5), 358-364.
- 内海雄思, 村山憲男, 井関栄三 (2009). レビー小体型認知症の経過・予後. 老年精神医学雑誌, 20(6), 618-622.
- van Weert, J. C. M., van Dulmen, A. M., Spreeuwenberg, P. M. M. et al. (2005). Effects of snoezelen, integrated in 24h dementia care, on nurse-patient communication during morning care. Patient Education and Counseling. 58(3), 312-326.
- Watzlawick, P., Bavelas, J. B. & Jackson, D. D. (1967). 人間コミュニケーションの語用論 相互作用パターン、病理とパラドックスの研究. 山本和郎監訳 (2007). 二瓶社.
- 渡辺裕美 (2007). 看護と介護の異同 介護福祉士の専門性. 保健医療社会学論集, 18(2), 18-23.
- Williams, C. L. & Tappen, R. M. (1999). Can we create a therapeutic relationship with nursing home residents in the later stages of Alzheimer's disease? Journal of Psychosocial Nursing, 37(3), 28-35.
- Williams, K. N. (2006). Improving outcomes of nursing home interactions, Research in Nursing & Health, 29, 121-133.



山田紀代美，西田公昭（2007）．認知症高齢者に用いる看護師のコミュニケーション技法とその関連要因の検討．老年精神医学雑誌，18(9)，983-991．

安田真美，山村江美子，小林朋美他（2004）．看護・介護の専門性と協働に関する研究 施設に従事する看護師と介護福祉士の面接調査より．聖隷クリストファー大学看護学部紀要，12，89-97．

吉田敦彦（2007）．ブーバー対話論とホリスティック教育 他者・呼びかけ・応答．勁草書房．

吉川悠貴，大久保幸積，池田和泉（2007）．コミュニケーション支援モデルに関する研究—職員・高齢者間コミュニケーションの基礎構造—．加藤伸司代表，認知症における標準的なケアモデルの構築に関する研究 厚生労働科学研究補助金長寿科学総合研究事業平成 18 年度総括・分担研究報告書，88-114．