

## References

- Abdi, F., & Simbar, M. (2013). The peer education approach in adolescents-Narrative review article. *Iranian Journal of Public Health*, 42(11), 1200.
- About Teen Pregnancy, (2017). Retrieved from <https://www.cdc.gov/teenpregnancy/about/index.htm> on December 09.
- Aiko, T., Horiuchi, S., Shimpuku, Y., Madeni, F., & Leshabari, S. (2016). Overcoming barriers to inclusive education: A reproductive health awareness programme for adolescents in rural Tanzania. *African Journal of Midwifery and Women's Health*, 1, 27-3.
- Atuyambe, L., Mirembe, F., Johansson, A., Kirumira, E. K., & Faxelid, E. (2007). Experiences of pregnant adolescents-voices from Wakiso district, Uganda. *African Health Sciences*, 5(4), 304-309.
- Atuyambe, L., Mirembe, F., Tumwesigye, N. M., Annika, J., Kirumira, E. K., & Faxelid, E. (2008). Adolescent and adult first- time mothers' health seeking practices during pregnancy and early motherhood in Wakiso district, central Uganda. *Reproductive Health*, 5(1), 13.
- Bluestein, D., & Starling, M. E. (1994). Helping pregnant teenagers. *Western Journal of Medicine*, 161(2), 140.
- Bowen, D. J., Kreuter, M., Spring, B., Cofta-Woerpel, L., Linnan, L., Weiner, D., ... Fernandez, M. (2009). How we design feasibility studies. *American Journal of Preventive Medicine*, 36(5), 452-457.
- Campbell, C., & MacPhail, C. (2002). Peer education, gender and the development of critical consciousness: Participatory HIV prevention by South African youth, *Social Science & Medicine*, 55(2), 331-345.

- Carver, C. S., Scheier, M. F., & Weintraub, J. K. (1989). Assessing coping strategies: A theoretically based approach. *Journal of Personality and Social Psychology*, 56(2), 267.
- Carver, C. S., Scheier, M. F., & Weintraub, J. K. (2013). The COPE Inventory. *Measurement Instrument Database for the Social Science*. Retrieved from [www.midss.ie](http://www.midss.ie)
- Faul, F., Erdfelder, E., Buchner, A., & Lang, A.-G. (2009). Statistical power analyses using G\*Power 3.1: Tests for correlation and regression analyses. *Behavior Research Methods*, 41, 1149-1160. Retrieved from <http://www.gpower.hhu.de/> (accessed on 13<sup>th</sup> February 2017).
- Garcia, C., (2010). Conceptualization and measurement of coping during adolescence: A review of the literature. *Journal Nursing Scholarship*, 1;42 (2): 166-185. doi; 10.1111/j.1547-5069.2009.01327.x.
- Gee, C. B., & Rhodes, J. E. (2008). A social support and social strain measure for minority adolescent mothers: A confirmatory factor analytic study. *Child: Care, Health and Development*, 34(1), 87-97.
- Hailu, D., & Berhe, H. (2014). Knowledge about obstetric danger signs and associated factors among mothers in Tsegedie District, Tigray Region, Ethiopia 2013: Community based cross-sectional study. *Plos one*, 9(2), e83459.
- Hailu, M., Gebremariam, A., & Alemseged, F. (2010). Knowledge about obstetric danger signs among pregnant women in AletaWondo District, Sidama Zone, Southern Ethiopia. *Ethiopian Journal of Health Sciences*, 20(1).
- Hill, L. M., Maman, S., Groves, A. K., & Moodley, D. (2015). Social support among HIV-positive and HIV-negative adolescents in Umlazi, South Africa: Changes in family and partner relationships during pregnancy and the postpartum period. *BMC*

*Pregnancy and Childbirth*, 15(1), 117.

- Hokororo, A., Kihunrwa, A. F., Kalluvya, S., Changalucha, J., Fitzgerald, D. W., & Downs, J. A. (2015). Barriers to access reproductive health care for pregnant adolescent girls: A qualitative study in Tanzania. *Acta Paediatrica*, 104(12), 1291-1297.
- JHPIEGO, (2001). Birth preparedness and complication readiness: A matrix of shared responsibilities. *Maternal and Neonatal Health (MNH) Program*  
<http://www.jhpiego.org/files/bpcrmatrix.pdf>.
- Kabakyenga, J. K., Östergren, P. O., Turyakira, E., & Pettersson, K. O. (2011). Knowledge of obstetric danger signs and birth preparedness practices among women in rural Uganda. *Reproductive Health*, 8(1), 33.
- Kaveh, M. H., Hesampour, M., Ghahremani, L., & Tabatabaee, H. R. (2014). The effects of a peer-led training program on female students' self-esteem in public secondary schools in Shiraz. *Journal of Advances in Medical Education & Professionalism*, 2(2), 63.
- Klima, C. S. (2003). Centering pregnancy: a model for pregnant adolescents. *Journal of Midwifery & Women's Health*, 48(3), 220-225.
- Letourneau, N. L., Stewart, M. J., & Barnfather, A. K. (2004). Adolescent mothers: Support needs, resources, and support-education interventions. *Journal of Adolescent Health*, 35(6), 509-525.
- Logsdon, M. C., Birkimer, J. C., Ratterman, A., Cahill, K., & Cahill, N. (2002). Social support in pregnant and parenting adolescents: Research, critique, and recommendations. *Journal of Child and Adolescent Psychiatric Nursing*, 15(2), 75.
- Madeni, F., Horiuchi, S., & Iida, M. (2011). Evaluation of a reproductive health awareness program for adolescence in urban Tanzania-A quasi-experimental pre-test

- post-test research. *Reproductive Health*, 8(8), 8-21.
- Main, D. S. (2002). Commentary: Understanding the effects of peer education as a health promotion strategy. *Health Education & Behavior*, 29(4), 424-426.
- Matlala, S. F. (2017). A model to facilitate collaborative social support for pregnant students in secondary schools. *Journal of multidisciplinary healthcare*, 10, 383.
- Mbalinda, S. N., Nakimuli, A., Kakaire, O., Osinde, M. O., Kakande, N., & Kaye, D. K. (2014). Does knowledge of danger signs of pregnancy predict birth preparedness? A critique of the evidence from women admitted with pregnancy complications. *Health Research Policy and Systems*, 12(1), 60.
- Mbelwa, C., & Isangula, K. G. (2012). Teen pregnancy: Children having children in Tanzania. Retrieved from [http://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=2028369](http://papers.ssrn.com/sol3/papers.cfm?abstract_id=2028369)
- McCleary-Sills, J., Douglas, Z., Rwehumbiza, A., Hamisi, A., & Mabala, R. (2013). Gendered norms, sexual exploitation and adolescent pregnancy in rural Tanzania. *Reproductive Health Matters*, 21(41), 97-105.
- McIntyre, P. (2006). Pregnant adolescents: Delivering on global promises of hope. *World Health Organization*. Retrieved from [http://www.who.int/maternal\\_child\\_adolescent/documents/9241593784/en/](http://www.who.int/maternal_child_adolescent/documents/9241593784/en/)
- Mead, S., Hilton, D., & Curtis, L. (2001). Peer support: A theoretical perspective. *Psychiatric Rehabilitation Journal*, 25(2), 134.
- Medley, A., Kennedy, C., O'Reilly, K., & Sweat, M. (2009). Effectiveness of peer education interventions for HIV prevention in developing countries: A systematic review and meta-analysis. *AIDS Education and Prevention*, 21(3), 181-206.
- Michielsen, K., Beauclair, R., Delva, W., Roelens, K., Van Rossem, R., & Temmerman, M. (2012). Effectiveness of a peer-led HIV prevention intervention in secondary

schools in Rwanda: Results from a non-randomized controlled trial. *BMC Public Health*, 12(1), 729.

- Ministry of Health, Community Development, Gender, Elderly and Children - MoHCDGEC/Tanzania Mainland, Ministry of Health - MoH/Zanzibar, National Bureau of Statistics - NBS/Tanzania, Office of Chief Government Statistician - OCGS/Zanzibar, and ICF, (2016). Tanzania demographic and health survey and malaria indicator survey (TDHS-MIS) 2015-16. *Dar es Salaam/Tanzania: MoHCDGEC, MoH, NBS, OCGS, and ICF*. Retrieved from <http://dhsprogram.com/publications/publication-FR321-DHS-Final-Reports.cfm#sthash.UC7kUPTP.dpuf>
- Murphy, C. A., Cupples, M. E., Percy, A., Halliday, H. L., & Stewart, M. C. (2008). Peer-mentoring for first-time mothers from areas of socio-economic disadvantage: a qualitative study within a randomised controlled trial. *BMC health services research*, 8(1), 46.
- Mwilike, B., Nalwadda, G., Kagawa, M., Malima, K., Mselle, L., & Horiuchi, S. (2018). Knowledge of danger signs during pregnancy and subsequent healthcare seeking actions among women in Urban Tanzania: a cross-sectional study. *BMC pregnancy and childbirth*, 18(1), 4.
- Mwilike, B., Shimoda, K., Oka, M., Leshabari, S., Shimpuku, Y., & Horiuchi, S. (2018). A Feasibility Study of an Educational Program on Obstetric Danger Signs among Pregnant Adolescents in Tanzania: A mixed-methods Study. *International Journal of Africa Nursing Sciences*.
- Myors, K., Johnson, M., & Langdon, R. (2001). Coping styles of pregnant adolescents. *Public Health Nursing*, 18(1), 24-32.
- Naigaga, M. D., Guttersrud, Ø., & Pettersen, K. S. (2015). Measuring maternal health

literacy in adolescents attending antenatal care in a developing country—the impact of selected demographic characteristics. *Journal of Clinical Nursing*, 24(17-18), 2402-2409.

National Bureau of Statistics (NBS), (2013). Population and housing census: Population distribution by administrative areas. *National Bureau of Statistics, Ministry of Finance, Dar es Salaam and Office of Chief Government Statistician, President's Office, Finance, Economy and Development Planning, Zanzibar*. Retrieved from <http://meac.go.tz/sites/default/files/Statistics/Tanzania%20Population%20Census%202012.pdf> (Accessed on August 30, 2017).

National Bureau Statistics, & Macro, I. (2011). Tanzania demographic and health survey 2010. *Dar es Salaam, Tanzania: National Bureau of Statistics and ICF Macro*. Retrieved from <https://dhsprogram.com/pubs/pdf/FR243/FR243%5B24June2011%5D.pdf>

Nove, A., Matthews, Z., Neal, S., & Camacho, A. V. (2014). Maternal mortality in adolescents compared with women of other ages: Evidence from 144 countries. *The Lancet Global Health*, 2(3), e155-e164.

Pembe, A. B., Urassa, D. P., Carlstedt, A., Lindmark, G., Nyström, L., & Darj, E. (2009). Rural Tanzanian women's awareness of danger signs of obstetric complications. *BMC Pregnancy and Childbirth*, 9(1), 1.

Perreira, K. M., Bailey, P. E., de Bocaletti, E., Hurtado, E., de Villagrán, S. R., & Matute, J. (2002). Increasing awareness of danger signs in pregnancy through community- and clinic-based education in Guatemala. *Maternal and Child Health Journal*, 6(1), 19-28.

Pradhan, R., Wynter, K., & Fisher, J. (2015). Factors associated with pregnancy among adolescents in low-income and lower middle-income countries: A systematic

- review. *Journal of Epidemiology and Community Health*, jech-2014.
- Puskar, K., Sereika, S., Tusaie-Mumford, K. (2003). Effect of the teaching kids to cope (TKC) program on outcomes of depression and coping among rural adolescents. *Journal of Child & Adolescent Psychiatric Nursing*, 16(2), 71–80. [PubMed: 12873069]
- Rashad, W. A., & Essa, R. M. (2010). Women’s awareness of danger signs of obstetrics complications. *Journal of American Science*, 6(10), 1299-1306.
- Reina, M. F., Ciaravino, H., Llovera, N., & Castelo-Branco, C. (2010). Contraception knowledge and sexual behaviour in secondary school students. *Gynecological Endocrinology*, 26(7), 479-483.
- Rukundo, G. Z., Abaasa, C., Natukunda, P. B., Ashabahebwa, B. H., & Allain, D. (2015). Antenatal services for pregnant teenagers in Mbarara Municipality, Southwestern Uganda: Health workers and community leaders’ views. *BMC Pregnancy and Childbirth*, 15(1), 1.
- Shimpuku, Y., Madeni, F. E., Horiuchi, S., & Leshabari, S. C. (2017). Perceptual gaps among women, husbands and family members about intentions for birthplace: a cross-sectional study. *Revista latino-americana de enfermagem*, 25.
- Sik, I. (2015). *Early motherhood in Tanzania: Exploring the education, health and employment challenges of Dar es Salaam’s adolescent mothers* (unpublished doctoral dissertation) University of Toronto, Scarborough Canada. Retrieved from [https://tspace.library.utoronto.ca/bitstream/1807/69067/1/THESIS\\_Sik.pdf](https://tspace.library.utoronto.ca/bitstream/1807/69067/1/THESIS_Sik.pdf)
- Sriranganathan, G., Jaworsky, D., Larkin, J., Flicker, S., Campbell, L., Flynn, S., Janssen, J. & Erlich, L. (2012). Peer sexual health education: Interventions for effective programme evaluation. *Health Education Journal*, 71(1), 62-71. Retrieved from <http://journals.sagepub.com/doi/pdf/10.1177/0017896910386266>

- The 5 roles of a peer educator (n.d.). Retrieved from <http://www.oit.edu/docs/default-source/integrated-student-health-center-documents/phe/the-5-roles-of-a-peer-educator.pdf?sfvrsn=0>
- UNFPA & FHI360, (2006). Standards for peer education programs. Retrieved from <http://www.unfpa.org/resources/peer-education-toolkit>.
- UNICEF (2011). Adolescence in Tanzania. Retrieved from [http://www.unicef.org/tanzania/TANZANIA\\_ADOLESCENT\\_REPORT\\_Final.pdf](http://www.unicef.org/tanzania/TANZANIA_ADOLESCENT_REPORT_Final.pdf) . (accessed on February 2, 2016)
- Vogel, J. P., Pileggi-Castro, C., Chandra-Mouli, V., Pileggi, V. N., Souza, J. P., Chou, D., & Say, L. (2015). Millennium Development Goal 5 and adolescents: Looking back, moving forward. *Archives of Disease in Childhood*, 100(Suppl 1), S43-S47.
- WHO, UNFPA, UNICEF, & Group, W. B. (2003). Pregnancy, childbirth, postpartum and newborn care: A guide for essential practice quick check, rapid assessment and management of women of child bearing age (pp. B2-B7). Geneva, Switzerland: WHO publication library. Retrieved from [http://www.jica.go.jp/project/philippines/0600894/04/pdf/pcpnc\\_who.pdf](http://www.jica.go.jp/project/philippines/0600894/04/pdf/pcpnc_who.pdf)
- Workineh, Y., Hailu, D., Gultie, T., Degefu, N., Mihrete, M., Shimeles, M., Mahino, M., Guesh, M. and Alemu, M. (2014). Knowledge of obstetric danger signs and its associated factors in Arba Minch town, Ethiopia. *American Journal Health Research*, 2(5), 255-9.
- World Health Organization. (2011). WHO guidelines on preventing early pregnancy and poor reproductive health outcomes among adolescents in developing countries. Retrieved from [http://www.who.int/maternal\\_child\\_adolescent/documents/preventing\\_early\\_pregnancy/en/](http://www.who.int/maternal_child_adolescent/documents/preventing_early_pregnancy/en/) (Accessed on March 2, 2016).



World Health Organization. (2014, September). Adolescent pregnancy [Fact sheet].

Retrieved from <http://www.who.int/mediacentre/factsheets/fs364/en/>. (Accessed on January 26, 2016).