

文献

- 阿部幸恵(2013).看護のためのシミュレーション教育,pp19,31-32,56-57,95,123.東京:医学書院.
- American Heart Association (AHA). アメリカ心臓学会心肺蘇生と救急心血管治療のためのガイドライン 2010 のハイライト.
http://eccjapan.heart.org/pdf/ECC_Guidelines_Highlights_2010JP.pdf
- American College of Obstetricians and Gynecologists (2006). Optimizing Protocols in Obstetrics management of obstetric hemorrhage.
https://www.acog.org/~media/Districts/District%20II/PDFs/Final_Hemorrhage_Web.pdf.
- 厚生省児童家庭局母子保健課母子衛生研究会(2014).母子保健の主なる統計.p80,東京: 母子保健事業団.
- Cooper, S., Cant, R., Porter, J., Bogossian, F., McKenna, L., Brady, S., Fox-Young, S. (2012). Simulation based learning in midwifery education: A systematic review. *Women and Birth : Journal of the Australian College of Midwives*, 25(2),pp64-78. doi:10.1016/j.wombi.2011.03.004 [doi]
- Crofts, J. F., Bartlett, C., Ellis, D., Hunt, L. P., Fox, R., Draycott, T. J. (2006). Training for shoulder dystocia: A trial of simulation using low-fidelity and high-fidelity mannequins. *Obstetrics and Gynecology*, 108(6), pp1477-1485. doi:108/6/1477 [pii]
- Crofts, J. F., Bartlett, C., Ellis, D., Winter, C., Donald, F., Hunt, L. P., Draycott, T. J. (2008). Patient-actor perception of care: A comparison of obstetric emergency training using manikins and patient-actors. *Quality & Safety in Health Care*, 17(1), pp20-24. doi:10.1136/qshc.2006.021873 [doi]
- Crofts, J. F., Ellis, D., Draycott, T. J., Winter, C., Hunt, L. P., Akande, V. A. (2007). Change in knowledge of midwives and obstetricians following obstetric emergency training: A randomised controlled trial of local hospital, simulation centre and teamwork training. *BJOG : An International Journal of Obstetrics and Gynaecology*, 114(12), pp1534-1541. doi:BJO1493 [pii]
- Dale,E.(1961).Audio-Visual Methods in Teaching. Holt, Rinehart & Winston of Canada Ltd.

- Daniels, K., Arafeh, J., Clark, A., Waller, S., Druzin, M., Chueh, J. (2010). Prospective randomized trial of simulation versus didactic teaching for obstetrical emergencies. *Simulation in Healthcare : Journal of the Society for Simulation in Healthcare*, 5(1), pp40-45. doi:10.1097/SIH.0b013e3181b65f22 [doi]
- Deering, S., Poggi, S., Macedonia, C., Gherman, R., Satin, A. J. (2004). Improving resident competency in the management of shoulder dystocia with simulation training. *Obstetrics and Gynecology*, 103(6), pp1224-1228.
doi:10.1097/01.AOG.0000126816.98387.1c [doi]
- 独立行政法人 医薬品医療機器総合機構,ICH-E9 臨床試験, 臨床試験のための統計的原則.(1997).<https://www.pmda.go.jp/files/000156112.pdf>.
- Donald L. Kirkpatrick, James D. Kirkpatrick. (2006). *Evaluating training programs third edition*, pp21-26.San Francisco: Berret-Koehler Publishers. Inc.
- Ellis, D., Crofts, J. F., Hunt, L. P., Read, M., Fox, R., James, M. (2008). Hospital, simulation center, and teamwork training for eclampsia management: A randomized controlled trial. *Obstetrics and Gynecology*, 111(3), pp723-731.
doi:10.1097/AOG.0b013e3181637a82 [doi]
- Fisher, N., Bernstein, P. S., Satin, A., Pardanani, S., Heo, H., Merkatz, I. R., Goffman, D. (2010). Resident training for eclampsia and magnesium toxicity management: Simulation or traditional lecture? *American Journal of Obstetrics and Gynecology*, 203(4), pp379.e1-379.e5. doi:10.1016/j.ajog.2010.06.010 [doi]
- Fransen, A. F., van de Ven, J., Merien, A. E., de Wit-Zuurendonk, L. D., Houterman, S., Mol, B. W., Oei, S. G.(2012). Effect of obstetric team training on team performance and medical technical skills: A randomised controlled trial. *BJOG : An International Journal of Obstetrics and Gynaecology*, 119(11),pp1387-1393.doi:10.1111/j.1471-0528.2012.03436.x [doi]
- Higgins, JPT., Green S.(2008). *Cochrane Handbook for Systematic Reviews of Interventions*.England: wiley-blackwell.
- 蛭田明子,五十嵐ゆかり,佐藤理恵,豊嶋優子,加藤千穂,片岡弥恵子(2015). 助産師の卒後教育における分娩後出血 シミュレーショントレーニングプログラムの開発. 聖路加国際大学紀要,(1),pp127-130.

- Horiuchi S, Yajyu Y, Koyo M, Sakyo Y, Nakayama K. (2009). Evaluation of a web-based graduate continuing nursing education program in Japan: A randomized controlled trial. *Nurse Educ Today* 29(2) 140-149.
- Jeffries, P. R. (2007). *Simulation in nursing education : From conceptualization to evaluation* ,p3. New York: National League for Nursing.
- Jeffries, P. R. (2012). *Simulation in nursing education : From conceptualization to evaluation second edition*,p37. New York: National League for Nursing.
- 加藤千穂,片岡弥恵子.(2015).産科救急シミュレーションの効果に関する文献レビュー.日本助産学会誌,29(1),pp4-14.
- 加藤千穂,片岡弥恵子,五十嵐ゆかり,蛭田明子.(2015).e-learning による分娩後出血対応に関する助産師継続教育プログラムの評価.日本助産学会誌,29(1),pp77-86.
- 加藤千穂,片岡弥恵子,五十嵐ゆかり,蛭田明子,江藤宏美.(2013).分娩後出血対応に関する助産師継続教育プログラムの開発－e-learning による学習プログラムの作成－.聖路加看護大学紀要,(40),pp49-53.
- Kirkpatrick, D. L., & Kirkpatrick, J. D. (2006). *Evaluating training programs : The four levels / donald L. kirkpatrick, james D. kirkpatrick* (3rd ed.) pp21-26. San Francisco, Calif.: Berrett-Koehler.
- Kolb, D. *Experiential learning : Experience as the source of learning and development*. p38,40-41. Englewood Cliffs, N.J.: Prentice-Hall.
- 厚生労働統計協会(2015).国民衛生の動向・厚生 の指標 増刊,62(9),p75.東京.厚生労働協会.
- 国際助産師連盟(2010).基本的助産業務に必須な能力, pp8-10.
- <http://www.nurse.or.jp/nursing/international/icm/definition/pdf/kihon/kj-02.pdf>
- Levine AI, DeMaria Jr S, Schwartz AD, et al, eds. The Comprehensive Textbook of Healthcare Simulation. Berlin: Springer, 2013.
- Means, B., Toyama, Y., Murphy, R., Bakia, M., Jones, K.(2009). *Evaluation of Evidenced-Based Practices in Online Learning: A Meta-Analysis and Review of Online Learning Studies*. US Department of Education.
- Merien, A. E., van de Ven, J., Mol, B. W., Houterman, S., Oei, S. G. (2010). Multidisciplinary team training in a simulation setting for acute obstetric emergencies: A systematic review. *Obstetrics and Gynecology*, 115(5),pp1021-

1031.doi:10.1097/AOG.0b013e3181d9f4cd [doi]

日本助産師会安全対策委員会(2013).安全対策委員会報告平成 23 年度安全管理評価と分娩件数/転院件数の調査結果報告.助産師,67(1),pp71-74.

妊産婦死亡症例検討評価委員会,日本産婦人科医会.(2015). 母体安全への提言 2014 vol.5.

日本 ACLS 協会(2015), <http://acls.jp/index.php>

日本助産実践能力推進協議会(2015).助産師実践能力習熟段階(クリニカルラダー)にもとづいた助産師実践能力育成のための教育プログラム.東京. 医学書院.

日本看護協会(2013). 助産実践能力習熟段階 (クリニカルラダー) 活用ガイド.

<http://www.nurse.or.jp/nursing/josan/pdf/suishin/guide.pdf>.

日本産婦人科学会,日本産婦人科医会(2014).産婦人科診療ガイドライン産科編 2014.

日本産婦人科学会,日本産婦人科医会,日本周産期・新生児医学会(2010).産科危機的出血への対応ガイドライン.<http://www.jspsnm.com/topics/data/topics100414.pdf>.

日本周産期・新生児医学会(2015), http://www.ncpr.jp/guideline/purpose_ncpr.html

NPO 法人日本周産期機構(2015).<http://www.oppic.net/>

Reynolds, A., Ayres-de-Campos, D., Lobo, M. (2011). Self-perceived impact of simulation-based training on the management of real-life obstetrical emergencies. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 159(1), 72-76. doi:10.1016/j.ejogrb.2011.07.022; 10.1016/j.ejogrb.2011.07.022

Stephen B. Hulley, Steven R. Cummings, Warren S. Browner et al.(2014).医学的研究のデザイン 研究の質を高める疫学のアプローチ第 4 版.木原雅子,木原正博訳, p85.東京. メディカル・サイエンス・インターナショナル.

The Nordic Cochrane Center. (2014).*The Cochrane Collaboration.Review*

Manager(RevMan).5.3. Copenhagen: The Nordic Cochrane Center, The Cochrane Collaboration.

東京都周産期医療協議会.東京都母体救命搬送システムによる搬送事案(2013).

http://www.fukushihoken.metro.tokyo.jp/iryo/kyuukyuu/syusankiiryo/syusanki_kyougikai/21kyougikai3.files/shiryou6.pdf

豊増佳子,中山和弘(2004).e-learning を実施している米国の看護系大学院の実態調査ー Web 調査によるアプローチからー.聖路加看護大学紀要,(30),pp104-114.

World Health Organization(2012).*WHO recommendations for the*

prevention and treatment of postpartum haemorrhage.

http://apps.who.int/iris/bitstream/10665/75411/1/9789241548502_eng.pdf