

## References

- ACOG Committee on Practice Bulletins -- Obstetrics. (2009). ACOG practice bulletin no. 107: Induction of labor. *Obstetrics and Gynecology*, 114(2 Pt 1), 386-397. doi:10.1097/AOG.0b013e3181b48ef5
- ACOG committee opinion no 579: Definition of term pregnancy. (2013). *Obstetrics and Gynecology*, 122(5), 1139-1140. doi:10.1097/01.AOG.0000437385.88715.4a
- Adewole, I. F., Franklin, O., & Matiluko, A. A. (1993). Cervical ripening and induction of labour by breast stimulation. *African Journal of Medicine and Medical Sciences*, 22(4), 81-85.
- Amico, J. A., & Finley, B. E. (1986). Breast stimulation in cycling women, pregnant women and a woman with induced lactation: Pattern of release of oxytocin, prolactin and luteinizing hormone. *Clinical Endocrinology*, 25(2), 97-106.
- Arthur, P., Taggart, M. J., & Mitchell, B. F. (2007). Oxytocin and parturition: A role for increased myometrial calcium and calcium sensitization? *Frontiers in Bioscience : A Journal and Virtual Library*, 12, 619-633. doi:2087
- Buckley, S. J. (2015). Hormonal physiology of childbearing: Evidence and implications for women, babies, and maternity care (2015). *Childbirth Connection Programs, National Partnership for Women & Families.*, Washington, D.C., Retrieved from <http://www.nationalpartnership.org/research-library/maternal-health/hormonal-physiology-of-childbearing.pdf>
- Campbell, M. K., Ostbye, T., & Irgens, L. M. (1997). Post-term birth: Risk factors and outcomes in a 10-year cohort of norwegian births. *Obstetrics and Gynecology*, 89(4), 543-548. doi:S0029784497000495

- Carter, C. S., Pournajafi-Nazarloo, H., Kramer, K. M., Ziegler, T. E., White-Traut, R., Bello, D., & Schwertz, D. (2007). Oxytocin: Behavioral associations and potential as a salivary biomarker. *Annals of the New York Academy of Sciences*, 1098, 312-322. doi:1098/1/312
- Caughey, A. B., Nicholson, J. M., & Washington, A. E. (2008). First- vs second-trimester ultrasound: The effect on pregnancy dating and perinatal outcomes. *American Journal of Obstetrics and Gynecology*, 198(6), 703.e1-5; discussion 703.e5-6. doi:10.1016/j.ajog.2008.03.034
- Chapman, T., Pincombe, J., & Harris, M. (2013). Antenatal breast expression: A critical review of the literature. *Midwifery*, 29(3), 203-210. doi:10.1016/j.midw.2011.12.013
- Chaudhry, Z., Fischer, J., & Schaffir, J. (2011). Women's use of nonprescribed methods to induce labor: A brief report. *Birth*, 38(2), 168-171.
- Chayen, B., Tejani, N., & Verma, U. (1986). Induction of labor with an electric breast pump. *The Journal of Reproductive Medicine*, 31(2), 116-118.
- Chibbar, R., Miller, F. D., & Mitchell, B. F. (1993). Synthesis of oxytocin in amnion, chorion, and decidua may influence the timing of human parturition. *The Journal of Clinical Investigation*, 91(1), 185-192. doi:10.1172/JCI116169
- Christensson, K., Nilsson, B. A., Stock, S., Matthiesen, A. S., & Uvnas-Moberg, K. (1989). Effect of nipple stimulation on uterine activity and on plasma levels of oxytocin in full term, healthy, pregnant women. *Acta Obstetrica Et Gynecologica Scandinavica*, 68(3), 205-210.
- Crall, H. D., & Mattison, D. R. (1991). Oxytocin pharmacodynamics: Effect of long infusions on uterine activity. *Gynecologic and Obstetric Investigation*, 31(1), 17-22.

- Crowley, W. R., & Armstrong, W. E. (1992). Neurochemical regulation of oxytocin secretion in lactation. *Endocrine Reviews*, 13(1), 33-65. doi:10.1210/edrv-13-1-33
- Cunningham, F. G., Leveno, K. J., Bloom, S. L., Spong, C. Y., Dashe, J. S., Hoffman, B. L., . . . Sheffield, J. S. (2014). *Williams obstetrics* (24th ed.). New York: McGraw-Hill Medical.
- Curtis, P., Resnick, J., & Evens, S. (1986). Prepartum and intrapartum breast stimulation in obstetrics. A review. *The Journal of Reproductive Medicine*, 31(4), 228-230.
- Curtis, P. (1999). Breast stimulation to augment labor: History, mystery, and culture. *Birth (Berkeley, Calif.)*, 26(2), 123-126.
- Curtis, P., Resnick, J. C., Evens, S., & Thompson, C. J. (1999). A comparison of breast stimulation and intravenous oxytocin for the augmentation of labor. *Birth (Berkeley, Calif.)*, 26(2), 115-122.
- Dale, H. H. (1906). On some physiological actions of ergot. *The Journal of Physiology*, 34(3), 163-206.
- Damania, K. K., Natu, U., Mhatre, P. N., Mataliya, M., Mehta, A. C., & Daftary, S. N. (1992). Evaluation of two methods employed for cervical ripening. *Journal of Postgraduate Medicine*, 38(2), 58-59.
- Declercq, E. R., Sakala, C., Corry, M. P., Applebaum, S., & Herrlich, A. (2014). Major survey findings of listening to mothers(SM) III: Pregnancy and birth: Report of the third national U.S. survey of women's childbearing experiences. *The Journal of Perinatal Education*, 23(1), 9-16. doi:10.1891/1058-1243.23.1.9
- Divon, M. Y., Ferber, A., Nisell, H., & Westgren, M. (2002). Male gender predisposes to prolongation of pregnancy. *American Journal of Obstetrics and Gynecology*, 187(4), 1081-1083. doi:S0002937802002995

du Vigneaud, V., Ressler, C., Swan, J. M., Roberts, C. W., & Katsoyannis, P. G. (1954). The synthesis of oxytocin. *Journal of the American Chemical Society*, 76(12), 3115-3121.

du Vigneaud, V., Ressler, C., & Trippett, S. (1953). The sequence of amino acids in oxytocin, with a proposal for the structure of oxytocin. *The Journal of Biological Chemistry*, 205(2), 949-957.

Ellingsen, D. M., Leknes, S., Loseth, G., Wessberg, J., & Olausson, H. (2016). The neurobiology shaping affective touch: Expectation, motivation, and meaning in the multisensory context. *Frontiers in Psychology*, 6, 1986.  
doi:10.3389/fpsyg.2015.01986

Elliott, J. P., & Flaherty, J. F. (1984). The use of breast stimulation to prevent postdate pregnancy. *American Journal of Obstetrics and Gynecology*, 149(6), 628-632.  
doi:0002-9378(84)90247-3

Feldman, R., Gordon, I., Schneiderman, I., Weisman, O., & Zagoory-Sharon, O. (2010). Natural variations in maternal and paternal care are associated with systematic changes in oxytocin following parent-infant contact. *Psychoneuroendocrinology*, 35(8), 1133-1141. doi:10.1016/j.psyneuen.2010.01.013

Feldman, R., Weller, A., Zagoory-Sharon, O., & Levine, A. (2007). Evidence for a neuroendocrinological foundation of human affiliation: Plasma oxytocin levels across pregnancy and the postpartum period predict mother-infant bonding. *Psychological Science*, 18(11), 965-970. doi:PSCI2010

Feldman, R., Zagoory-Sharon, O., Weisman, O., Schneiderman, I., Gordon, I., Maoz, R., . . . Ebstein, R. P. (2012). Sensitive parenting is associated with plasma oxytocin and polymorphisms in the OXTR and CD38 genes. *Biological Psychiatry*, 72(3), 175-181. doi:10.1016/j.biopsych.2011.12.025

- Finley, J. L., Silverman, J. F., & Lannin, D. R. (1989). Fine-needle aspiration cytology of breast masses in pregnant and lactating women. *Diagnostic Cytopathology*, 5(3), 255-259.
- Freedman, D., Brown, A. S., Shen, L., & Schaefer, C. A. (2015). Perinatal oxytocin increases the risk of offspring bipolar disorder and childhood cognitive impairment. *Journal of Affective Disorders*, 173, 65-72. doi:10.1016/j.jad.2014.10.052
- Fuchs, A. R., & Fuchs, F. (1984). Endocrinology of human parturition: A review. *British Journal of Obstetrics and Gynaecology*, 91(10), 948-967.
- Fuchs, A. R., Fuchs, F., Husslein, P., & Soloff, M. S. (1984). Oxytocin receptors in the human uterus during pregnancy and parturition. *American Journal of Obstetrics and Gynecology*, 150(6), 734-741. doi:0002-9378(84)90677-X
- Fuchs, A. R., Fuchs, F., Husslein, P., Soloff, M. S., & Fernstrom, M. J. (1982). Oxytocin receptors and human parturition: A dual role for oxytocin in the initiation of labor. *Science (New York, N.Y.)*, 215(4538), 1396-1398.
- Fuchs, A. R., Periyasamy, S., Alexandrova, M., & Soloff, M. S. (1983). Correlation between oxytocin receptor concentration and responsiveness to oxytocin in pregnant rat myometrium: Effects of ovarian steroids. *Endocrinology*, 113(2), 742-749. doi:10.1210/endo-113-2-742
- Gammie, N., & Key, S. (2014). Time's up! women's experience of induction of labour. *The Practising Midwife*, 17(4), 15-18.
- Gregory, S. G., Anthopolos, R., Osgood, C. E., Grotegut, C. A., & Miranda, M. L. (2013). Association of autism with induced or augmented childbirth in north carolina birth record (1990-1998) and education research (1997-2007) databases. *JAMA Pediatrics*, 167(10), 959-966. doi:10.1001/jamapediatrics.2013.2904

- Grewen, K. M., Davenport, R. E., & Light, K. C. (2010). An investigation of plasma and salivary oxytocin responses in breast- and formula-feeding mothers of infants. *Psychophysiology*, 47(4), 625-632. doi:10.1111/j.1469-8986.2009.00968.x
- Handlin, L., Jonas, W., Petersson, M., Ejdeback, M., Ransjo-Arvidson, A. B., Nissen, E., & Uvnas-Moberg, K. (2009). Effects of sucking and skin-to-skin contact on maternal ACTH and cortisol levels during the second day postpartum-influence of epidural analgesia and oxytocin in the perinatal period. *Breastfeeding Medicine : The Official Journal of the Academy of Breastfeeding Medicine*, 4(4), 207-220. doi:10.1089/bfm.2009.0001
- Henderson, J., & Redshaw, M. (2013). Women's experience of induction of labor: A mixed methods study. *Acta Obstetrica Et Gynecologica Scandinavica*, 92(10), 1159-1167. doi:10.1111/aogs.12211
- Hoffman, E. R., Brownley, K. A., Hamer, R. M., & Bulik, C. M. (2012). Plasma, salivary, and urinary oxytocin in anorexia nervosa: A pilot study. *Eating Behaviors*, 13(3), 256-259. doi:10.1016/j.eatbeh.2012.02.004
- Israel, S., Lerer, E., Shalev, I., Uzefovsky, F., Reibold, M., Bachner-Melman, R., . . . Ebstein, R. P. (2008). Molecular genetic studies of the arginine vasopressin 1a receptor (AVPR1a) and the oxytocin receptor (OXTR) in human behaviour: From autism to altruism with some notes in between. *Progress in Brain Research*, 170, 435-449. doi:10.1016/S0079-6123(08)00434-2
- Jesinger, R. A. (2014). Breast anatomy for the interventionalist. *Techniques in Vascular and Interventional Radiology*, 17(1), 3-9. doi:10.1053/j.tvir.2013.12.002
- Kamel, R. M. (2010). The onset of human parturition. *Archives of Gynecology and Obstetrics*, 281(6), 975-982. doi:10.1007/s00404-010-1365-9

Kavanagh, J., Kelly, A. J., & Thomas, J. (2005). Breast stimulation for cervical ripening and induction of labour. *The Cochrane Database of Systematic Reviews*, (3)(3), CD003392. doi:10.1002/14651858.CD003392.pub20

Kavanagh, J., Kelly Anthony, J., & Thomas, J. (2001). *Sexual intercourse for cervical ripening and induction of labour*. ().John Wiley & Sons, Ltd.  
doi:10.1002/14651858.CD003093

Kelly Anthony, J., Kavanagh, J., & Thomas, J. (2013). *Castor oil, bath and/or enema for cervical priming and induction of labour*. ().John Wiley & Sons, Ltd.  
doi:10.1002/14651858.CD003099.pub2

Kimura, T. (1995). Investigation of the oxytocin receptor at the molecular level. *Advances in Experimental Medicine and Biology*, 395, 259-268.

Kimura, T., Takemura, M., Nomura, S., Nobunaga, T., Kubota, Y., Inoue, T., . . . Saji, F. (1996). Expression of oxytocin receptor in human pregnant myometrium. *Endocrinology*, 137(2), 780-785. doi:10.1210/endo.137.2.8593830

Kozhimannil, K. B., Johnson, P. J., Attanasio, L. B., Gjerdingen, D. K., & McGovern, P. M. (2013). Use of nonmedical methods of labor induction and pain management among U.S. women. *Birth (Berkeley, Calif.)*, 40(4), 227-236.  
doi:10.1111/birt.12064

Kurth, L., & Haussmann, R. (2011). Perinatal pitocin as an early ADHD biomarker: Neurodevelopmental risk? *Journal of Attention Disorders*, 15(5), 423-431.  
doi:10.1177/1087054710397800

Leake, R. D., Fisher, D. A., Ross, M., & Buster, J. E. (1984). Oxytocin secretory response to breast stimulation in pregnant women. *American Journal of Obstetrics and Gynecology*, 148(3), 259-262.

- Leake, R. D., Waters, C. B., Rubin, R. T., Buster, J. E., & Fisher, D. A. (1983). Oxytocin and prolactin responses in long-term breast-feeding. *Obstetrics and Gynecology*, 62(5), 565-568.
- Lee, H. J., Macbeth, A. H., Pagani, J. H., & Young, W. S.,3rd. (2009). Oxytocin: The great facilitator of life. *Progress in Neurobiology*, 88(2), 127-151.  
doi:10.1016/j.pneurobio.2009.04.001
- Macones, G. A., Hankins, G. D., Spong, C. Y., Hauth, J., & Moore, T. (2008). The 2008 national institute of child health and human development workshop report on electronic fetal monitoring: Update on definitions, interpretation, and research guidelines. *Obstetrics and Gynecology*, 112(3), 661-666.  
doi:10.1097/AOG.0b013e3181841395
- Marshall, C. (1986). The nipple stimulation contraction stress test. *Journal of Obstetric, Gynecologic, and Neonatal Nursing : JOGNN / NAACOG*, 15(6), 459-462.
- McCullough, M. E., Churchland, P. S., & Mendez, A. J. (2013). Problems with measuring peripheral oxytocin: Can the data on oxytocin and human behavior be trusted? *Neuroscience and Biobehavioral Reviews*, 37(8), 1485-1492.  
doi:10.1016/j.neubiorev.2013.04.018
- McNeilly, A. S., Robinson, I. C., Houston, M. J., & Howie, P. W. (1983). Release of oxytocin and prolactin in response to suckling. *British Medical Journal (Clinical Research Ed.)*, 286(6361), 257-259.
- Mogren, I., Stenlund, H., & Hogberg, U. (1999). Recurrence of prolonged pregnancy. *International Journal of Epidemiology*, 28(2), 253-257.
- Morhenn, V., Beavin, L. E., & Zak, P. J. (2012). Massage increases oxytocin and reduces adrenocorticotropin hormone in humans. *Alternative Therapies in Health and Medicine*, 18(6), 11-18.



- Nishimori, K., Young, L. J., Guo, Q., Wang, Z., Insel, T. R., & Matzuk, M. M. (1996). Oxytocin is required for nursing but is not essential for parturition or reproductive behavior. *Proceedings of the National Academy of Sciences of the United States of America*, 93(21), 11699-11704.
- Olesen, A. W., Westergaard, J. G., & Olsen, J. (2003). Perinatal and maternal complications related to postterm delivery: A national register-based study, 1978-1993. *American Journal of Obstetrics and Gynecology*, 189(1), 222-227. doi:S0002937803004022
- Omar, N. S. (2013). Coitus to expedite the onset of labour: A randomised trial. *BJOG: An International Journal of Obstetrics and Gynaecology*, 120(3), 338-345.
- Patel, R. R., Steer, P., Doyle, P., Little, M. P., & Elliott, P. (2004). Does gestation vary by ethnic group? A london-based study of over 122,000 pregnancies with spontaneous onset of labour. *International Journal of Epidemiology*, 33(1), 107-113. doi:10.1093/ije/dyg238
- Prevost, M., Zelkowitz, P., Tulandi, T., Hayton, B., Feeley, N., Carter, C. S., . . . Gold, I. (2014). Oxytocin in pregnancy and the postpartum: Relations to labor and its management. *Frontiers in Public Health*, 2, 1. doi:10.3389/fpubh.2014.00001
- Ramsay, D. T., Kent, J. C., Owens, R. A., & Hartmann, P. E. (2004). Ultrasound imaging of milk ejection in the breast of lactating women. *Pediatrics*, 113(2), 361-367.
- Razgaitis, E. J., & Lyvers, A. N. (2010). Management of protracted active labor with nipple stimulation: A viable tool for midwives? *Journal of Midwifery & Women's Health*, 55(1), 65-69. doi:10.1016/j.jmwh.2009.05.002
- Reddy, U. M., Bettegowda, V. R., Dias, T., Yamada-Kushnir, T., Ko, C. W., & Willinger, M. (2011). Term pregnancy: A period of heterogeneous risk for infant

mortality. *Obstetrics and Gynecology*, 117(6), 1279-1287.  
doi:10.1097/AOG.0b013e3182179e28

Riordan, J., & Wambach, K. (2010). *Breastfeeding and human lactation* (4th ed.) Jones & Bartlett Learning.

Ross, M. G., Ervin, M. G., & Leake, R. D. (1986). Breast stimulation contraction stress test: Uterine contractions in the absence of oxytocin release. *American Journal of Perinatology*, 3(1), 35-37. doi:10.1055/s-2007-999822

Salmon, Y. M., Kee, W. H., Tan, S. L., & Jen, S. W. (1986). Cervical ripening by breast stimulation. *Obstetrics and Gynecology*, 67(1), 21-24.

Schaffir, J. (2002). Survey of folk beliefs about induction of labor. *Birth (Berkeley, Calif.)*, 29(1), 47-51. doi:047

Seitchik, J., Amico, J., Robinson, A. G., & Castillo, M. (1984). Oxytocin augmentation of dysfunctional labor. IV. oxytocin pharmacokinetics. *American Journal of Obstetrics and Gynecology*, 150(3), 225-228.

Shetty, A., Burt, R., Rice, P., & Templeton, A. (2005). Women's perceptions, expectations and satisfaction with induced labour--a questionnaire-based study. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 123(1), 56-61. doi:S0301-2115(05)00136-3

Singh, N., Tripathi, R., Mala, Y. M., & Yedla, N. (2014). Breast stimulation in low-risk primigravidas at term: Does it aid in spontaneous onset of labour and vaginal delivery? A pilot study. *BioMed Research International*, 2014, 695037.  
doi:10.1155/2014/695037

Smith, C. A. (2003). Homoeopathy for induction of labour. *The Cochrane Database of Systematic Reviews*, (4)(4), CD003399. doi:10.1002/14651858.CD003399

- Smith, C. A., Crowther, C. A., & Grant, S. J. (2013). Acupuncture for induction of labour. *The Cochrane Database of Systematic Reviews*, (8):CD002962. doi(8), CD002962. doi:10.1002/14651858.CD002962.pub3
- Smith, R. (2007). Parturition. *The New England Journal of Medicine*, 356(3), 271-283. doi:356/3/271
- Spong, C. Y. (2013). Defining "term" pregnancy: Recommendations from the defining "term" pregnancy workgroup. *Jama*, 309(23), 2445-2446. doi:10.1001/jama.2013.6235
- Stotland, N. E., Washington, A. E., & Caughey, A. B. (2007). Prepregnancy body mass index and the length of gestation at term. *American Journal of Obstetrics and Gynecology*, 197(4), 378.e1-378.e5. doi:S0002-9378(07)00718-1
- Szeto, A., McCabe, P. M., Nation, D. A., Tabak, B. A., Rossetti, M. A., McCullough, M. E., . . . Mendez, A. J. (2011). Evaluation of enzyme immunoassay and radioimmunoassay methods for the measurement of plasma oxytocin. *Psychosomatic Medicine*, 73(5), 393-400. doi:10.1097/PSY.0b013e31821df0c2
- Takahata, K. (2015). Pregnant women's efforts to induce labor during the seven days before parturition. *Journal of Japan Academy of Midwifery*, 29(2), 251-261.
- Takahata, K., Horiuchi, S., Tadokoro, Y., Shuo, T., Sawano, E., & Shinohara, K. (2016). *Salivary oxytocin levels related to breast stimulation for spontaneous onset of labor in low-risk pregnant women: Preliminary study*. Unpublished manuscript.
- Terkawi, A. S., Jackson, W. M., Thiet, M. P., Hansoti, S., Tabassum, R., & Flood, P. (2012). Oxytocin and catechol-O-methyltransferase receptor genotype predict the length of the first stage of labor. *American Journal of Obstetrics and Gynecology*, 207(3), 184.e1-184.e8. doi:10.1016/j.ajog.2012.06.079

- Terzidou, V., Blanks, A. M., Kim, S. H., Thornton, S., & Bennett, P. R. (2011). Labor and inflammation increase the expression of oxytocin receptor in human amnion. *Biology of Reproduction*, 84(3), 546-552. doi:10.1095/biolreprod.110.086785
- Terzidou, V., Sooranna, S. R., Kim, L. U., Thornton, S., Bennett, P. R., & Johnson, M. R. (2005). Mechanical stretch up-regulates the human oxytocin receptor in primary human uterine myocytes. *The Journal of Clinical Endocrinology and Metabolism*, 90(1), 237-246. doi:10.1210/endo.2004-0277
- Tita, A. T., Landon, M. B., Spong, C. Y., Lai, Y., Leveno, K. J., Varner, M. W., . . . Eunice Kennedy Shriver NICHD Maternal-Fetal Medicine Units Network. (2009). Timing of elective repeat cesarean delivery at term and neonatal outcomes. *The New England Journal of Medicine*, 360(2), 111-120. doi:10.1056/NEJMoa0803267
- Tsuji, S., Yuhi, T., Furuhashi, K., Ohta, S., Shimizu, Y., & Higashida, H. (2015). Salivary oxytocin concentrations in seven boys with autism spectrum disorder received massage from their mothers: A pilot study. *Frontiers in Psychiatry*, 6, 58. doi:10.3389/fpsy.2015.00058
- Waldenström, U., Hildingsson, I., Rubertsson, C., & Radestad, I. (2004). A negative birth experience: Prevalence and risk factors in a national sample. *Birth (Berkeley, Calif.)*, 31(1), 17-27. doi:10.1111/j.1522-8593.2004.00270.x
- Wathes, D. C., Borwick, S. C., Timmons, P. M., Leung, S. T., & Thornton, S. (1999). Oxytocin receptor expression in human term and preterm gestational tissues prior to and following the onset of labour. *The Journal of Endocrinology*, 161(1), 143-151. doi:10.1046/j.1365-2298.1999.00311.x
- White-Traut, R., Watanabe, K., Pournajafi-Nazarloo, H., Schwertz, D., Bell, A., & Carter, C. S. (2009). Detection of salivary oxytocin levels in lactating women. *Developmental Psychobiology*, 51(4), 367-373. doi:10.1002/dev.20376

- Whitworth, M., Bricker, L., & Mullan, C. (2015). Ultrasound for fetal assessment in early pregnancy. *The Cochrane Database of Systematic Reviews*, (7):CD007058. doi(7), CD007058. doi:10.1002/14651858.CD007058.pub3
- Yang, H. P., Wang, L., Han, L., & Wang, S. C. (2013). Nonsocial functions of hypothalamic oxytocin. *ISRN Neuroscience*, 2013, 179272. doi:10.1155/2013/179272
- Zingg, H. H., & Laporte, S. A. (2003). The oxytocin receptor. *Trends in Endocrinology and Metabolism: TEM*, 14(5), 222-227. doi:S1043276003000808
- Zingg, H. H., Rozen, F., Chu, K., Larcher, A., Arslan, A., Richard, S., & Lefebvre, D. (1995). Oxytocin and oxytocin receptor gene expression in the uterus. *Recent Progress in Hormone Research*, 50, 255-273.