

## References

- References marked with an asterisk indicate studies included in the meta-analysis.
- Abdollahpour, S., Khosravi, A., Motaghi, Z., Keramat, A., & Mousavi, S. (2019). Effect of brief cognitive behavioral counseling and debriefing on the prevention of Post-traumatic stress disorder in traumatic birth: A randomized clinical trial. *Community Mental Health Journal*, 55(7), 1173-1178.  
<https://doi.org/10.1007/s10597-019-00424-6>
- \*Afulani, P. A., Kirumbi, L., & Lyndon, A. (2017). What makes or mars the facility-based childbirth experience: Thematic analysis of women's childbirth experiences in western Kenya. *Reproductive Health*, 14(1), 180. <https://doi.org/10.1186/s12978-017-0446-7>
- Alkema, L., Chou, D., Hogan, D., Zhang, S., Moller, A., Gemmill, A., Fat, D., Boerma, T., Temmerman, M., Mathers, C., & Say, L. (2016). Global, Regional, and National Levels and Trends in Maternal Mortality Between 1990 and 2015, With Scenario-based Projections to 2030: A Systematic Analysis by the UN

Maternal Mortality Estimation Inter-Agency Group. *Obstetric Anesthesia*

*Digest*, 36(4), 191. 10.1097/01.aoa.0000504718.91214.7d

\*Anwar, S., Jan, R., Qureshi, R. N., & Rattani, S. (2014). Perinatal women's perceptions

about midwifery led model of care in secondary care hospitals in Karachi,

Pakistan. *Midwifery*, 30(3), e79-e90. <https://doi.org/10.1016/j.midw.2013.10.020>

Aromataris, E., Munn, Z. (Editors). (2020a). *JBI manual for evidence synthesis chapter*

*2: Systematic review of qualitative evidence.* 22-

70. <https://wiki.jbi.global/display/MANUAL/Chapter+2%3A+Systematic+review+of+qualitative+evidence>

Aromataris, E., Munn, Z. (Editors). (2020b). *JBI manual for evidence synthesis chapter2:*

*Systematic review of qualitative evidence. 2.7.6.4 Data synthesis.*

<https://wiki.jbi.global/display/MANUAL/2.7.6.4+Data+synthesis>

Bastos, M. H., Furuta, M., Small, R., McKenzie - McHarg, K., Bick, D. (2015).

Debriefing interventions for the prevention of psychological trauma in women

following childbirth. *Cochrane Database of Systematic Reviews*, 2015(4),

CD007194. <https://doi.org/10.1002/14651858.CD007194.pub2>

- Beck, C. T. (2011). A metaethnography of traumatic childbirth and its aftermath: Amplifying causal looping. *Qualitative Health Research, 21*(3), 301-311. <https://doi.org/10.1177/1049732310390698>
- Bohren, M. A., Hunter, E. C., Munthe-Kaas, H. M., Souza, J. P., Vogel, J. P., & Gürmezoglu, A. M. (2014). Facilitators and barriers to facility-based delivery in low- and middle-income countries: A qualitative evidence synthesis. *Reproductive Health, 11*(1), 71. <https://doi.org/10.1186/1742-4755-11-71>
- Bohren, M. A., Mehrtash, H., Fawole, B., Maung, T. M., Balde, M. D., Maya, E., Thwin, S. S., Aderoba, A. K., Vogel, J. P., Irinyenikan, T. A., Adeyanju, A. O., Mon, N. O., Adu-Bonsaffoh, K., Landoulsi, S., Guure, C., Adanu, R., Diallo, B., Gürmezoglu, A. M., Soumah, A., . . . Tunçalp, Ö. (2019). How women are treated during facility-based childbirth in four countries: A cross-sectional study with labour observations and community-based surveys. *The Lancet (British Edition), 394*(10210), 1750-1763. [https://doi.org/10.1016/S0140-6736\(19\)31992-0](https://doi.org/10.1016/S0140-6736(19)31992-0)

\*Borrelli, S. E., Spiby, H., & Walsh, D. (2016). The kaleidoscopic midwife: A conceptual metaphor illustrating first-time mothers' perspectives of a good midwife during childbirth. A grounded theory study. *Midwifery*, 39, 103-111. <https://doi.org/10.1016/j.midw.2016.05.008>

Bowser, D., & Hill, K. (2010). Exploring evidence for disrespect and abuse in facility-based childbirth: Report of a landscape analysis. *Harvard School of Public Health, University Research Co. LLC.*

[https://www.ghdonline.org/uploads/Respectful\\_Care\\_at\\_Birth\\_9-20-101\\_Final1.pdf](https://www.ghdonline.org/uploads/Respectful_Care_at_Birth_9-20-101_Final1.pdf)

Carroli, G., Cuesta, C., Abalos, E., & Gulmezoglu, A. M. (2008). Epidemiology of postpartum haemorrhage: A systematic review. *Best Practice & Research. Clinical Obstetrics & Gynaecology*, 22(6), 999-1012.

<https://doi.org/10.1016/j.bpobgyn.2008.08.004>

Critical Appraisal Skills Programme. (2018). *CASP checklist*.

<http://www.casp-uk.net/casp-tools-checklists>

Downe, S., Finlayson, K., Oladapo, O. T., Bonet, M., & Gürmezoglu, A. M. (2018).

What matters to women during childbirth: A systematic qualitative review. *PLoS ONE*, 13(5). <https://doi.org/10.1371/journal.pone.0197791>

\*Fuzy, E., Clow, S. E., & Fouché, N. (2020). ‘Please treat me like a person’—respectful care during adolescent childbirth. *British Journal of Midwifery*, 28(6), 360-369.

<https://doi.org/10.12968/bjom.2020.28.6.360>

\*Hastings-Tolsma, M., Nolte, A. G. W., & Temane, A. (2018). Birth stories from South Africa: Voices unheard. *Women and Birth*, 31(1), e42-e50.

<https://doi.org/10.1016/j.wombi.2017.06.015>

Horiuchi, S., Kataoka, Y., Eto, H., Oguro, M., & Mori, T. (2006). The applicability of women-centered care: Two case studies of capacity-building for maternal health through international collaboration. *Japan Journal of Nursing Science*, 3(2), 143-150. <https://doi.org/10.1111/j.1742-7924.2006.00060.x>

\*Iida, M., Horiuchi, S., & Nagamori, K. (2020). Women’s experience of receiving team-midwifery care in Japan: A qualitative descriptive study. *Women and Birth*, <https://doi.org/10.1016/j.wombi.2020.09.020>

Ishijima, H., Nishikido, K., Teshima, M., Nishikawa, S., & Gawad, E. A. (2019).

Introducing the “5S-KAIZEN-TQM” approach into public hospitals in

Egypt. *International Journal of Health Care Quality Assurance*, 33(1), 89-

109. <https://doi.org/10.1108/IJHCQA-06-2018-0143>

\*Ith, P., Dawson, A., & Homer, C. S. E. (2013). Women's perspective of maternity care in Cambodia. *Women and Birth*, 26(1), 71-75.

<https://doi.org/10.1016/j.wombi.2012.05.002>

Japan International Cooperate Association, (JICA). (2016). *JICA Partnership program “project for humanized childbirth based on scientific evidence in the National Women’s Hospital”*.

[https://www.jica.go.jp/partner/kusanone/partner/ku57pq00000x9tkg-att/els\\_01\\_p.pdf](https://www.jica.go.jp/partner/kusanone/partner/ku57pq00000x9tkg-att/els_01_p.pdf)

\*Jenkins, M. G., Ford, J. B., Morris, J. M., & Roberts, C. L. (2014). Women's expectations and experiences of maternity care in NSW – What women highlight as most important. *Women and Birth* 27(3), 214-219.

<https://doi.org/10.1016/j.wombi.2014.03.002>

\*Karlström, A., Nystedt, A., & Hildingsson, I. (2015). The meaning of a very positive

birth experience: Focus groups discussions with women. *BMC Pregnancy and*

*Childbirth*, 15(1), 251. <https://doi.org/10.1186/s12884-015-0683-0>

\*Kennedy, H. P. (1995). The essence of nurse-midwifery care: The woman's

story. *Journal of Nurse-Midwifery*, 40(5), 410-417.

[https://doi.org/10.1016/0091-2182\(95\)00046-M](https://doi.org/10.1016/0091-2182(95)00046-M)

\*Khresheh, R., Barclay, L., & Shoqirat, N. (2019). Caring behaviours by midwives:

Jordanian women's perceptions during childbirth. *Midwifery*, 74, 1-5.

<https://doi.org/10.1016/j.midw.2019.03.006>

\*Kuo, S., Wu, C. J., & Mu, P. (2010). Taiwanese women's experiences of hospital

midwifery care: A phenomenological study. *Midwifery*, 26(4), 450-456.

<https://doi.org/10.1016/j.midw.2008.09.002>

\*Kumbani, L. C., Chirwa, E., Malata, A., Odland, J. Ø, & Bjune, G. (2012). Do

Malawian women critically assess the quality of care? A qualitative study

on women's perceptions of perinatal care at a district hospital in

Malawi. *Reproductive Health*, 9(1), 30. <https://doi.org/10.1186/1742-4755-9-30>

- \*Kyaddondo, D., Mugerwa, K., Byamugisha, J., Oladapo, O. T., & Bohren, M. A. (2017). Expectations and needs of Ugandan women for improved quality of childbirth care in health facilities: A qualitative study. *International Journal of Gynecology and Obstetrics*, 139, 38-46. <https://doi.org/10.1002/ijgo.12405>
- \*Larkin, P., Begley, C. M., & Devane, D. (2012). ‘Not enough people to look after you’: An exploration of women’s experiences of childbirth in the Republic of Ireland. *Midwifery*, 28(1), 98-105. <https://doi.org/10.1016/j.midw.2010.11.007>
- Mazzocato, P., Stenfors-Hayes, T., von Thiele Schwarz, U., Hasson, H., & Nyström, M. E. (2016). Kaizen practice in healthcare: A qualitative analysis of hospital employees’ suggestions for improvement. *BMJ Open*, 6(7), e012256. <https://doi.org/10.1136/bmjopen-2016-012256>
- Ministry of Health, Labor and Welfare, Japan. (2018). “KAIZEN-showcase of engineering patient safety and quality culture”, Global Ministerial Summit on Patient Safety, Tokyo. *Ministry of Health, Labor & Welfare.* [www.mhlw.go.jp/stf/seisaku-2018/pdf/document/6\\_Document.pdf](http://www.mhlw.go.jp/stf/seisaku-2018/pdf/document/6_Document.pdf)
- Misago, C., Kendall, C., Freitas, P., Haneda, K., Silveira, D., Onuki, D., Mori, T., Sadamori, T., & Umenai, T. (2001). From ‘culture of dehumanization of

childbirth' to 'childbirth as a transformative experience': Changes in five municipalities in North-east Brazil. *International Journal of Gynecology and Obstetrics*, 75, S67-S72. [https://doi.org/10.1016/S0020-7292\(01\)00511-2](https://doi.org/10.1016/S0020-7292(01)00511-2)

Misago, C., Umenai, T., Onuki, D., Haneda, K., & Wagner, M. (1999). Humanised maternity care. *The Lancet (British Edition)*, 354(9187), 1391-1392.

[https://doi.org/10.1016/S0140-6736\(05\)76250-4](https://doi.org/10.1016/S0140-6736(05)76250-4)

\*Mselle, L. T., Kohi, T. W., & Dol, J. (2019). Humanizing birth in Tanzania: A qualitative study on the (mis) treatment of women during childbirth from the perspective of mothers and fathers. *BMC Pregnancy and Childbirth*, 19(1), 231. <https://doi.org/10.1186/s12884-019-2385-5>

National Institute for Clinical Excellence, (NICE). (2008). *Antenatal care: Routine care for the healthy pregnant woman*.

[https://www.ncbi.nlm.nih.gov/books/NBK51886/pdf/Bookshelf\\_NBK51886.pdf](https://www.ncbi.nlm.nih.gov/books/NBK51886/pdf/Bookshelf_NBK51886.pdf)

NVivo (2018). *NVivo Qualitative Data Analysis Software (Version 12, 2018) Computer Software* <https://www.qsrinternational.com/nvivo-qualitative-data-analysis-software/home>

Perriman, N., Davis, D. L., & Ferguson, S. (2018). What women value in the midwifery continuity of care model: A systematic review with meta-synthesis. *Midwifery*, 62, 220-229.

<https://doi.org/10.1016/j.midw.2018.04.011>

\*Petit-Steeghs, V., Lips, S. R., Schuitmaker-Warnaar, T. J., & Broerse, J. E. W. (2019). Client-centred maternity care from women's perspectives: Need for responsiveness. *Midwifery*, 74, 76-83.

<https://doi.org/10.1016/j.midw.2019.03.016>

Sasagawa, E., Buendia, L. E., Ortiz Avendano, G. A., Diaz de Navarro, A. M., Barrera Erazo, H. A., Sandoval Lopez, D. X., Cedillos, R. A., Kita, K., Misago, C. (2017). A comparison of blood loss determination after vaginal delivery in El Salvador: visual estimation versus direct measurement. *International Journal of Nursing and Health Science*, 4(6), 81-71

<http://www.openscienceonline.com/journal/archive2?journalId=719&paperId=3636>

Shimoda, K., Leshabari, S., & Horiuchi, S. (2020). Self-reported disrespect and abuse by nurses and midwives during childbirth in Tanzania: A cross-sectional

study. *BMC Pregnancy and Childbirth*, 20(1),

584. <https://doi.org/10.1186/s12884-020-03256-5>

\* Silva, Ú., Fernandes, B. M., Silva Louzada Paes, M., Souza, M. das D., & Aparecida

Almeida Duque, D. (2016). Nursing care experienced by women during the

child-birth in the humanization perspective. *Journal of Nursing UFPE / Revista*

*de Enfermagem UFPE*, 10(4), 1273–1279. [in Portuguese]

<https://doi.org/10.5205/reuol.8464-74011-1-SM.1004201614>

Suárez-Barraza, M. F., & Miguel-Davila, J. A. (2020). Kaizen-kata, a problem-solving

approach to public service health care in Mexico. A multiple-case

study. *International Journal of Environmental Research and Public*

*Health*, 17(9), 3297. <https://doi.org/10.3390/ijerph17093297>

Takahashi, Y., & Nakamura, E. (2018). Humanized childbirth. *JICA Health*

*Newsletter*. [https://www.jica.go.jp/activities/issues/health/ku57pq00000wwjhn-att/panf\\_hoken49.pdf](https://www.jica.go.jp/activities/issues/health/ku57pq00000wwjhn-att/panf_hoken49.pdf)

United Nations Population Fund. (2020). *State of world population*. UNFPA.

[\[pdf/UNFPA\\\_PUB\\\_2020\\\_EN\\\_State\\\_of\\\_World\\\_Population.pdf\]\(https://www.unfpa.org/sites/default/files/pdf/UNFPA\_PUB\_2020\_EN\_State\_of\_World\_Population.pdf\)](https://www.unfpa.org/sites/default/files/pub-</a></p></div><div data-bbox=)

White Ribbon Alliance. (2011). *Respectful maternity care: The universal rights of childbearing women*. White Ribbon Alliance.

[https://www.whiteribbonalliance.org/wp-content/uploads/2017/11/Final\\_RMC\\_Charter.pdf](https://www.whiteribbonalliance.org/wp-content/uploads/2017/11/Final_RMC_Charter.pdf)

Wigert, H., Nilsson, C., Dencker, A., Begley, C., Jangsten, E., Sparud-Lundin, C., Mollberg, M., & Patel, H. (2020). Women's experiences of fear of childbirth: A metasynthesis of qualitative studies. *International Journal of Qualitative Studies on Health and Well-Being*, 15(1), 1704484. <https://doi.org/10.1080/17482631.2019.1704484>

World Health Organization. (2012). *WHO recommendations for postpartum hemorrhage*. World Health Organization.  
[https://www.who.int/reproductivehealth/publications/maternal\\_perinatal\\_health/9789241548502/en/](https://www.who.int/reproductivehealth/publications/maternal_perinatal_health/9789241548502/en/)

World Health Organization. (2014). *The prevention and elimination of disrespect and abuse during facility-based childbirth: WHO statement*. World Health Organization. <https://apps.who.int/iris/handle/10665/134588>

World Health Organization. (2018). *WHO recommendations intrapartum care for a positive childbirth experience*. World Health Organization.

<https://www.who.int/reproductivehealth/publications/intrapartum-care-guidelines/en/>

World Health Organization (2019). *Trends in maternal mortality 2000 to 2017: Estimates by WHO, UNICEF, UNFPA*. World Bank Group and the United

Nations Population Division. Geneva.

[https://www.unfpa.org/sites/default/files/pub-pdf/Maternal\\_mortality\\_report.pdf](https://www.unfpa.org/sites/default/files/pub-pdf/Maternal_mortality_report.pdf).

World Health Organization (2020a, September 20). *Sustainable Development Goal 3: Health*. World Health Organization.

<https://www.who.int/topics/sustainable-development-goals/targets/en/>

World Health Organization. (2020b, September 24). *Universal health coverage*.

[https://www.who.int/health-topics/universal-health-coverage#tab=tab\\_1](https://www.who.int/health-topics/universal-health-coverage#tab=tab_1)

\*Zitha, E., & Mokgatle, M. M. (2020). Women's views of and responses to maternity services rendered during labor and childbirth in maternity units in a semi-rural

district in South Africa. *International Journal of Environmental Research and Public Health*, 17(14), 5035. <https://doi.org/10.3390/ijerph17145035>