

References

References marked with an asterisk indicate studies used in the scoping review.

American College of Obstetricians & Gynecologists. (2019). ACOG practice bulletin No.

202: Gestational hypertension and preeclampsia. *Obstetrics & Gynecology*, *133*(1), e1-e25. doi:10.1097/AOG.0000000000003018

American College of Obstetricians & Gynecologists. (2013). Hypertension in pregnancy:

Executive summary. *Obstetrics & Gynecology*, *122*(5), 1122-1131.

doi:10.1097/01.AOG.0000437382.03963.88

Arksey, H., & O'Malley, L. (2005). Scoping studies: Towards a methodological

framework. *International Journal of Social Research Methodology*, *8*(1), 19- 32.

doi:10.1080/1364557032000119616

*Barlow, J. H., Hainsworth, J., & Thornton, S. (2008). Women's experiences of

hospitalisation with hypertension during pregnancy: Feeling a fraud. *Journal of Reproductive and Infant Psychology*, *26*(3), 157-167.

doi:10.1080/02646830701691384

Benschop, L., Duvekot, J. J., & Roeters Van Lennep, J. (2019). Future risk of

cardiovascular disease risk factors and events in women after a hypertensive disorder of pregnancy. *British Medical Journal*. doi:10.1136/heartjnl-2018-

313453

Bokslag, A., van Weissenbruch, M., Mol, B. W., & de Groot, C. J. M. (2016). Preeclampsia:

Short and long-term consequences for mother and neonate. *Early Human*

- Development*, 102, 47-50. doi:10.1016/j.earlhumdev.2016.09.007
- *Brown, M. C., Bell, R., Collins, C., Waring, G., Robson, S. C., Waugh, J., & Finch, T. (2013). Women's perception of future risk following pregnancies complicated by preeclampsia. *Hypertension in Pregnancy*, 32(1), 60-73.
doi:10.3109/10641955.2012.70410
- Craig, J. W., Glick, C., Phillips, R., Hall, S. L., Smith, J., & Browne, J. (2015). Recommendations for involving the family in developmental care of the NICU baby. *Journal of Perinatology*, 35(S1), S5-S8. doi:10.1038/jp.2015.142
- Critical Appraisal Skills Programme (2018). CASP (Qualitative studies) checklist.
Retrieved December 10, 2020 from <https://casp-uk.net/casp-tools-checklists/>
- *de Azevedo, D. V., de Araújo, A. C. P. F., & Clara Costa, Í. C. (2011). An analysis of the meanings of pre-eclampsia for pregnant and postpartum women and health professionals in Rio Grande do Norte, Brazil. *Midwifery*, 27(6), e182-e187.
doi:10.1016/j.midw.2010.06.021
- *de Souza [aka Lima de Souza], N. L., de Araújo, A. C., & Costa, Ido C. (2013). Social representations of mothers about gestational hypertension and premature birth. *Revista Latino-Americana De Enfermagem*, 21(3), 726-733.
doi:10.1590/S0104-11692013000300011
- *Duffy, J., Thompson, T., Hinton, L., Salinas, M., McManus, R., Ziebland, S., . . . Khan, K. S. (2019). What outcomes should researchers select, collect and report in preeclampsia research? A qualitative study exploring the views of

women with lived experience of preeclampsia. *BJOG: International Journal of Obstetrics and Gynaecology*, 126(5), 637-646. doi:10.1111/1471- 0528.15616

Dyer, E., Bell, R., Graham, R., & Rankin, J. (2019). Pregnancy decisions after fetal or perinatal death: Systematic review of qualitative research. *BMJ Open*, 9(12), e029930. doi:10.1136/bmjopen-2019-029930

*Fleury, C., Parpinelly, M., & Makuch, M. Y. (2010). Development of the mother-child relationship following pre-eclampsia. *Journal of Reproductive and Infant Psychology*, 28(3), 297-306. doi:10.1080/02646831003729104

Folk, D. M. (2018). Hypertensive disorders of pregnancy: Overview and current recommendations. *Journal of Midwifery & Women's Health*, 63(3), 289-300. doi:10.1111/jmwh.12725

Garti, I., Gray, M., Tan, J., & Bromley, A. (2020). Midwives' knowledge of preeclampsia management: A scoping review. *Women & Birth*. doi:10.1016/j.wombi.2020.08.010

*Herbst, A., & Drenth, C. (2012). The intensity of intensive care: A patient's narrative. *Global Journal of Health Science*, 4(5), 20-29. doi:10.5539/gjhs.v4n5p20

Hernández-Díaz, S., Toh, S., & Cnattingius, S. (2009). Risk of pre-eclampsia in first and subsequent pregnancies: Prospective cohort study. *BMJ*, 338(7711), 34. doi:10.1136/bmj.b2255

- *Jackson, C J., Bosio, P., Habiba, M., Waugh, J., Kamal, P., & Dixon-Woods, M. (2006). Referral and attendance at a specialist antenatal clinic: Qualitative study of women's views. *BJOG: An International Journal of Obstetrics and Gynaecology*, *113*(8), 909-913. doi:10.1111/j.1471-0528.2006.01016.x
- *Kehler, S., Ashford, K., Cho, M., & Dekker, R. L. (2016). Experience of preeclampsia and bed rest: Mental health implications. *Issues in Mental Health Nursing*, *37*(9), 674-681. doi:10.1080/01612840.2016.1189635
- Khan, K. S., Wojdyla, D., Say, L., Gülmezoglu, A. M., & Van Look, P. F. (2006). WHO analysis of causes of maternal death: A systematic review. *The Lancet*, *367*(9516), 1066-1074. doi:10.1016/S0140-6736(06)68397-9
- *Lima de Souza [aka de Souza], N. L., Fernandes Araújo, A. C., Dantas de Azevedo, G., Bezerra Jerônimo, S. M., Barbosa, Lde. M., & Lima de Sousa, N. M. (2007). Maternal perception of premature birth and the experience of pre-eclampsia pregnancy. *Revista De Saúde Pública*, *41*(5), 704-710.

<https://www.ncbi.nlm.nih.gov/pubmed/17923890>
- Levac, D., Colquhoun, H., & O'Brien, K. K. (2010). Scoping studies: Advancing the methodology. *Implementation Science*, *5*(1), 69. doi:10.1186/1748-5908-5-69
- Meazaw, M. W., Chojenta, C., Muluneh, M. D., & Loxton, D. (2020). Systematic and meta-analysis of factors associated with preeclampsia and eclampsia in Sub-Saharan Africa. *PloS One*, *15*(8), e0237600. doi:10.1371/journal.pone.0237600

*Mukwenda, A. M., Mbekenga, C. K., Pembe, A. B., & Olsson, P. (2017). Women's experiences of having had, and recovered from, eclampsia at a tertiary hospital in Tanzania. *Women and Birth, 30*(2), 114-120.
doi:10.1016/j.wombi.2016.09.006

National Institute for Health and Care Excellence (NICE). (2019). *Hypertension in pregnancy: Diagnosis and management* (NICE Guideline NO. 133).
<https://www.nice.org.uk/guidance/ng133>

Osungbade, K. O., & Ige, O. K. (2011). Public health perspectives of preeclampsia in developing countries: Implication for health system strengthening. *Journal of Pregnancy, 2011*, 481095-6. doi:10.1155/2011/481095

Parker, A., Sricharoenchai, T., Raparla, S., Schneck, K., Bienvenu, O., & Needham, D. (2015). Posttraumatic stress disorder in critical illness survivors: A metaanalysis. *Critical Care Medicine, 43*(5), 1121-1129.
doi:10.1097/CCM.0000000000000882

Peters, M. D. J., Godfrey, C., McInerney, P., Munn, Z., Tricco, A. C., Khalil, H. (2020). Chapter 11: Scoping Reviews (2020 version). In: E. Aromataris, Z. Munn (Eds.). *JBIM Manual for Evidence Synthesis*. <https://doi.org/10.46658/JBIMES-20-12>

Perriman, N., Davis, D. L., & Ferguson, S. (2018). What women value in the midwifery continuity of care model: A systematic review with meta-synthesis. *Midwifery, 62*, 220-229. doi:10.1016/j.midw.2018.04.011

- *Roberts, L. M., Davis, G. K., & Homer, C. S. E. (2017). Pregnancy with gestational hypertension or preeclampsia: A qualitative exploration of women's experiences. *Midwifery*, *46*, 17-23. doi:10.1016/j.midw.2017.01.004
- Roberts, L., Davis, G. K., & Homer, C. S. E. (2019). Depression, anxiety, and post-traumatic stress disorder following a hypertensive disorder of pregnancy: A narrative literature review. *Frontiers in Cardiovascular Medicine*, *6*, 147. doi:10.3389/fcvm.2019.00147
- *Sandsæter, H. L., Horn, J., Rich-Edwards, J. W., & Haugdahl, H. S. (2019). Preeclampsia, gestational diabetes and later risk of cardiovascular disease: Women's experiences and motivation for lifestyle changes explored in focus group interviews. *BMC Pregnancy and Childbirth*, *19*(1), 448. doi:10.1186/s12884-019-2591-1
- *Semasaka, J. P. S., Krantz, G., Nzayirambaho, M., Munyanshongore, C., Edvardsson, K., & Mogren, I. (2019). "Not taken seriously"—A qualitative interview study of postpartum Rwandan women who have experienced pregnancy-related complications. *PloS One*, *14*(2), e0212001. doi:10.1371/journal.pone.0212001
- *Sripad, P., Kirk, K., Adoyi, G., Dempsey, A., Ishaku, S., & Warren, C. E. (2019). Exploring survivor perceptions of pre-eclampsia and eclampsia in Nigeria through the health belief model. *BMC Pregnancy and Childbirth*, *19*(1), 431. doi:10.1186/s12884-019-2582-2

United Nations. (2020 January 30). *Goal 3 Sustainable development knowledge platform.*

<https://sustainabledevelopment.un.org/sdg3>

Værland, I. E., Vevatne, K. & Brinchmann, B. S., 2016. An integrative review of mothers' experiences of preeclampsia. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 45(3), pp. 300-307.

*Værland, I. E., Vevatne, K., & Brinchmann, B. S. (2018). Mothers' experiences of having a premature infant due to preeclampsia. *Scandinavian Journal of Caring Sciences*, 32(2), 527-534. doi:10.1111/scs.12476

World Health Organization. (2011). *WHO recommendations for prevention and treatment of pre-eclampsia and eclampsia.*

https://apps.who.int/iris/bitstream/handle/10665/44703/9789241548335_eng.pdf;jsessionid=CA9F22EA315EE95295923D56F016669F?sequence=1

Wu, P., Haththotuwa, R., Kwok, C. S., Babu, A., Kotronias, R. A., Rushton, C., . . . Mamas, M. A. (2017). Preeclampsia and future cardiovascular health: A systematic review and meta-analysis. *Circulation Cardiovascular Quality and Outcomes*, 10(2) doi:10.1161/CIRCOUTCOMES.116.003497