

引用文献

- Akosile, C. O., Banjo, T. O., Okoye, E. C., Ibikunle, P. O., & Odole, A. C. (2018). Informal caregiving burden and perceived social support in an acute stroke care facility. *Health Qual.Life Outcomes*, 16(1) Camak, D. J. (2015). Addressing the burden of stroke caregivers: A literature review. *J Clin Nurs*, 24(17), 2376-2382.
- Arai, Y., Sugiura, M., Washio, M., Miura, H., & Kudo, K. (2001). Caregiver depression predicts early discontinuation of care for disabled elderly at home. *Psychiatry and Clinical Neurosciences*, 55, 379-382.
- 浅井佳士. (2018). 在宅移行した重症心身障がい児の主養育者が望む支援のあり方. 小児保健研究, 77(3), 253-260.
- Bakas, T., Jessup, N. M., McLennon, S. M., Habermann, B., Weaver, M. T., & Morrison, G. (2016). Tracking patterns of needs during a telephone follow-up programme for family caregivers of persons with stroke. 38(18), 1780 - 1790.
- Cameron, J., Naglie, G., Warner, G., Green, T., Gignac, M., Bayley, M., . . . Phillips, S. (2017). An economic evaluation of the timing it right stroke family support program. *International Journal of Stroke*, 12(4), 49 - .
- Chafjiri, R. T., Navabi, N., Shamsalinia, A., & Ghaffari, F. (2017). The relationship between the spiritual attitude of the family caregivers of older patients with stroke and their burden. *Clin.Interventions Aging*, 12, 453-458.
- Cheng, H. Y., Chair, S. Y., & Chau, J. P. C. (2018). Effectiveness of a strength-oriented psychoeducation on caregiving competence, problem-solving abilities, psychosocial outcomes and physical health among family caregiver of stroke survivors: A randomised controlled trial. *International Journal of Nursing Studies*, 87, 84-93.
- De Araujo Freitas Moreira, K L, Abalos-Medina, G. M., Villaverde-Gutierrez, C., Gomes de Lucena, N M, Belmont Correia de Oliveira, A, & Perez-Marmol, J. M. (2018). Effectiveness of two home ergonomic programs in reducing pain and enhancing quality of life in informal caregivers of post-stroke patients: A pilot randomized controlled clinical trial.

- Denham, A. M. J., Wynne, O., Baker, A. L., Spratt, N. J., Turner, A., Magin, P., . . . Bonevski, B. (2019). "This is our life now. our new normal": A qualitative study of the unmet needs of carers of stroke survivors. *PLoS ONE*, *14*(5).
- Gholamzadeh, S., Tengku Aizan, H., Sharif, F., Hamidon, B., & Rahimah, I. (2015). Exploration the supportive needs and coping behaviors of daughter and daughter in-law caregivers of stroke survivors, shiraz-iran: A qualitative content analysis. *International Journal of Community Based Nursing and Midwifery*, *3*(3), 205-215.
- Haley, W. E., Roth, D. L., Hovater, M., & Clay, O. J. (2015). Long-term impact of stroke on family caregiver well-being: A population-based case-control study. *Neurology*, *84*(13), 1323-1329.
- 広瀬美千代. (2010). 家族介護者の「アンビバレントな世界」における語りの記述-もう一つのストーリー構築に向けて-, 老年社会科学, 4-31
- Hu, P., Yang, Q., Kong, L., Hu, L., & Zeng, L. (2018). Relationship between the anxiety/depression and care burden of the major caregiver of stroke patients. *Medicine*, *97*(40), e12638.
- 新鞍, 真, 荒木, 晴 美, & 炭谷, 靖 子. (2009). 家族介護者の要介護高齢者に対する身体的および心理的虐待の切迫感に関連する要因. 老年社会科学, *31*(1), 21-31.
- Khalid, W., Rozi, S., Ali, T. S., Azam, I., Mullen, M. T., Illyas, S., . . . Kamal, A. K. (2016). Quality of life after stroke in pakistan. *BMC Neurology*, *16*(1), 250-1. doi:250
- 木下康仁. (2020). M-GTA ライブ講義 M-GTA 実践的質的研究法 修正版グラウンデッド・セオリー・アプローチのすべて. 東京. 弘文堂.
- 小林祥泰ら, (2015), 脳卒中データバンク, 中山書店, 東京, p28-29
- 厚生労働省, (2016), 国民生活基礎調査 <https://www.mhlw.go.jp/toukei/list/20-21kekka.html>.
- 黒田昌子, (2003), 在宅脳卒中患者の介護者の健康関連 QOL Euro QOL による検討, 日老医誌, *40*(4), 381-389
- Olivier, C. L., Phillips, J., & Roy, D. E. (2018). To be or not to be? A caregiver's question: The lived experience of a stroke family during the first 18 months poststroke. *Scandinavian Journal of Caring Sciences*, *32*(1), 270-279. doi:10.1111/scs.12458 [doi]

- Lehnerer, S., Hotter, B., Padberg, I., Knispel, P., Remstedt, D., Liebenau, A., . . . Meisel, A. (2019). Social work support and unmet social needs in life after stroke: A cross-sectional exploratory study. *BMC Neurol.*, *19*(1)
- López-Espuela, F., González-Gil, T., Amarilla-Donoso, J., Cordovilla-Guardia, S., Portilla-Cuenca, J. C., & Casado-Naranjo, I. (2018). Critical points in the experience of spouse caregivers of patients who have suffered a stroke. A phenomenological interpretive study. *PLoS ONE*, *13*(4)
- Lutz, B. J., Young, M. E., Cox, K. J., Martz, C., & Creasy, K. R. (2011). The crisis of stroke: Experiences of patients and their family caregivers. *Topics in Stroke Rehabilitation*, *18*(6), 786-797. doi:10.1310/tsr1806-786 [doi]
- Lutz, B. J., Young, M. E., Creasy, K. R., Martz, C., Eisenbrandt, L., Brunny, J. N., & Cook, C. (2017). Improving stroke caregiver readiness for transition from inpatient rehabilitation to home. *Gerontologist*, *57*(5), 880-889.
- Marima, P., Gunduza, R., Machando, D., & Dambi, J. M. (2019). Correlates of social support on report of probable common mental disorders in zimbabwean informal caregivers of patients with stroke: A cross-sectional survey.
- Mei, Y., Wilson, S., Lin, B., Li, Y., & Zhang, Z. (2018). Benefit finding for chinese family caregivers of community-dwelling stroke survivors: A cross-sectional study. *J Clin Nurs*, *27*(7), e1419-e1428.
- Misawa, F., Nogueira Sanches, Rafaely de Cássia, da Silva Rêgo, A., & Trindade Radovanovic, C. A. (2018). Care for the family member after a stroke. *Journal of Nursing UFPE / Revista De Enfermagem UFPE*, *12*(3), 599-606.
- Mores, G., Whiteman, R. M., Ploeg, J., Knobl, P., Cahn, M., Klaponski, L., . . . Fisher, K. (2018). An evaluation of the family informal caregiver stroke self-management program. *Can.J.Neurol.Sci.*, *45*(6), 660-668. Nolan, M. D. (2015). *The relationship of stroke patients' functional and cognitive status and caregivers' resilience to caregiver burden*. (rayyan-55281146; 109782203).
- 森 英里奈, & 上杉 裕子. (2018). 脳卒中療養者を在宅で介護する家族の介護評価の変化 退院後 1 ヶ月と退院後 6 ヶ月を比較して. *日本保健医療行動科学会雑誌*, *33*(2), 65-73.

- 内閣府,(2019). 高齢化の現状と将来像 https://www8.cao.go.jp/kourei/whitepaper/w-2019/zenbun/pdf/1s1s_01.pdf
- 日本看護科学学会. (2011). 看護学を構成する重要な用語集(第9、10期), https://www.jans.or.jp/uploads/files/committee/2011_yougo.pdf
- 日本脳卒中学会脳卒中ガイドライン委員会. (2015). 脳卒中治療ガイドライン 2015. 東京: 協和企画. 328
- 日本脳卒中協会, 脳卒中なんでも相談窓口, <http://www.jsa-web.org/citizen/89.html>
- 日本脳卒中データバンク運営委員会,(2018), 脳卒中レジストリを用いた我が国の脳卒中診療実態の把握(日本脳卒中データバンク)報告書;2018 年.<http://strokedatabank.ncvc.go.jp/f12kQnRI/wp-Content/uploads/95679f694678ea62e59a029372297e88.pdf>
- 日本脳卒中者友の会, <https://noutomo.com>
- 脳卒中合同ガイドライン委員会. (2009). 脳卒中治療ガイドライン 2009. 東京: 協和企画. 289
- 杉田翔. (2016). 脳卒中者の家族介護者における介護負担感に関連する要因の検討 システマティックレビュー. 理学療法科学, 31(5), 689-695.
- Esantes, M. A., Brandt, L. R., Ipince, A., Miranda, J. J., & Diez-Canseco, F. (2017). An exploration into caring for a stroke-survivor in lima, peru: Emotional impact, stress factors, coping mechanisms and unmet needs of informal caregivers. *eNeurologicalSci*, 6, 33-50.
- Simeone, S., Coehn, M. Z., Savini, S., Pucciarelli, G., Alvaro, R., & Vellone, E. (2016). The lived experiences of stroke caregivers three months after discharge of patients from rehabilitation hospitals. [Il vissuto esperenziale dei caregiver di soggetti sopravvissuti ad ictus tre mesi dopo la dimissione dei pazienti da un istituto di riabilitazione] *Professioni Infermieristiche*, 69(2), 103-112. doi:10.7429/pi.2016.692103 [doi]
- 杉田 翔, 藤本 修平, 今 法子, & 小向 佳奈子. (2016). 脳卒中者の家族介護者における介護負担感に関連する要因の検討 システマティックレビュー. 理学療法科学, 31(5), 689-695.
- 杉田 翔, 藤本 修平, 小向 佳奈子, & 小林 資英. (2019). 脳卒中者を持つ家族の介護負担感に対するリハビリテーション職による介入の効果 ランダム化比較試験のシステマティックレビュー. 日本プライマリ・ケア連合学会誌, 42(1), 15-25.

- Tosun, Z. K., & Temel, M. (2017). Burden of caregiving for stroke patients and the role of social support among family members: An assessment through home visits. *International Journal of Caring Sciences*, 10(3), 1696-1704.
- Tsai, P. -, Yip, P. -, Tai, J. J., & Lou, M. -. (2015). Needs of family caregivers of stroke patients: A longitudinal study of caregivers' perspectives. *Patient Preference Adherence*, 9, 449-457.
- Tsai, Y., Lou, M., Feng, T., Chu, T., Chen, Y., & Liu, H. (2018). Mediating effects of burden on quality of life for caregivers of first-time stroke patients discharged from the hospital within one year. *BMC Neurology*, 18(1), 50.
- Ugur, H. G., & Erci, B. (2019). The effect of home care for stroke patients and education of caregivers on the caregiver burden and quality of life. *Acta Clinica Croatica*, 58(2), 321-332.
- Wan-Fei, K., Hassan, S. T. S., Sann, L. M., Ismail, S. I. F., Raman, R. A., & Ibrahim, F. (2017). Depression, anxiety and quality of life in stroke survivors and their family caregivers: A pilot study using an actor/partner interdependence model. *Electronic Physician*, 9(8), 4924-4933.
- Watanabe, A., Fukuda, M., Suzuki, M., Kawaguchi, T., Habata, T., Akutsu, T., & Kanda, T. (2015). Factors decreasing caregiver burden to allow patients with cerebrovascular disease to continue in long-term home care. *Journal of Stroke and Cerebrovascular Diseases: The Official Journal of National Stroke Association*, 24(2), 424-430.
- 山我 美佳, & 池田 俊也. (2016). 脳血管疾患の Cost of illness(医療・社会的資源). 国際医療福祉大学学会誌, 21(1), 82-92.
- 山本かよ, & 森下安子. (2015). 在宅移行期における訪問看護師によるチームメンバー間の合意形成にむけたアプローチ. 高知女子大学看護学会誌, 41(1), 76-85.
- Yilmaz, C. K., Asiret, G. D., Cetinkaya, F., OludaG, G., & Kapucu, S. (2019). Effect of progressive muscle relaxation on the caregiver burden and level of depression among caregivers of older patients with a stroke: A randomized controlled trial. *16(2)*, 202-211.
- 吉川 真世, & 池添 志乃. (2014). 脳血管障害をもつ療養者とともに生活する家族の QOL. 高知女子大学看護学会誌, 39(2), 63-72.