

## REFERENCES

- Alhaidari, T., Amso, N., Jawad, T. M., Alnakkash, U., Khazaal, F., Alnaaimi, A., ... & Al Hilfi, T. (2018). Feasibility and acceptability of text messaging to support antenatal healthcare in Iraqi pregnant women: a pilot study. *Journal of perinatal medicine*, 46(1), 67-74.
- Alkema, L., Chou, D., Hogan, D., Zhang, S., Moller, A. B., Gemmill, A., ... & Say, L. (2016). Global, regional, and national levels and trends in maternal mortality between 1990 and 2015, with scenario-based projections to 2030: a systematic analysis by the UN Maternal Mortality Estimation Inter-Agency Group. *The Lancet*, 387(10017), 462-474.
- Amoakoh-Coleman, M., Borgstein, A. B. J., Sondaal, S. F., Grobbee, D. E., Miltenburg, A. S., Verwijs, M., ... & Klipstein-Grobusch, K. (2016). Effectiveness of mHealth interventions targeting health care workers to improve pregnancy outcomes in low-and middle-income countries: a systematic review. *Journal of Medical Internet Research*, 18(8), e226.
- Ashford, M. T., Olander, E. K., & Ayers, S. (2016). Computer-or web-based interventions for perinatal mental health: a systematic review. *Journal of Affective Disorders*, 197, 134-146.
- Atnafu, A., Bisrat, A., Kifle, M., Taye, B., & Debebe, T. (2015). Mobile health (mHealth) intervention in maternal and child health care: Evidence from resource-constrained settings: A review. *The Ethiopian Journal of Health Development*, 29(3), 137-196.

- Atnafu, A., Otto, K., & Herbst, C. H. (2017). The role of mHealth intervention on maternal and child health service delivery: findings from a randomized controlled field trial in rural Ethiopia. *mHealth*, 3, 39.
- Bangal, V. B., Borawake, S. K., Gavhane, S. P., & Aher, K. H. (2017). Use of mobile phone for improvement in maternal health: a randomized control trial. *Int J Reprod, Contracept, Obstet Gynecol*, 6(12), 5458-63.
- Campbell, O. M., Graham, W. J., & group, L. M. S. S. s. (2006). Strategies for reducing maternal mortality: getting on with what works. *The Lancet*, 368(9543), 1284-1299.
- Chaimani, A., & Salanti, G. (2012). Using network meta-analysis to evaluate the existence of small-study effects in a network of interventions. *Research Synthesis Methods*, 3(2), 161-176.
- Chaimani, A., Higgins, J. P., Mavridis, D., Spyridonos, P., & Salanti, G. (2013). Graphical tools for network meta-analysis in STATA. *PloS One*, 8(10), e76654.
- Chan, K. L., & Chen, M. (2019). Effects of social media and mobile health apps on pregnancy care: meta-analysis. *JMIR mHealth and uHealth*, 7(1), e11836.
- Chen, H., Chai, Y., Dong, L., Niu, W., & Zhang, P. (2018). Effectiveness and appropriateness of mHealth interventions for maternal and child health: systematic review. *JMIR mHealth and uHealth*, 6(1), e7.
- Colaci, D., Chaudhri, S., & Vasan, A. (2016). mHealth interventions in low-income countries to address maternal health: a systematic review. *Annals of Global Health*, 82(5), 922-935.

- Coleman, J., Black, V., Thorson, A. E., & Eriksen, J. (2020). Evaluating the effect of maternal mHealth text messages on uptake of maternal and child health care services in South Africa: a multicentre cohort intervention study. *Reproductive Health*, 17(1), 1-9.
- Daly, L. M., Horey, D., Middleton, P. F., Boyle, F. M., & Flenady, V. (2018). The effect of mobile app interventions on influencing healthy maternal behavior and improving perinatal health outcomes: systematic review. *JMIR mHealth and uHealth*, 6(8), e10012.
- Fedha, T. (2014). Impact of mobile telephone on maternal health service care: a case of Njoro division. *Open Journal of Preventive Medicine*, 4, 365-376.
- Feroz, A., Perveen, S., & Aftab, W. (2017). Role of mHealth applications for improving antenatal and postnatal care in low and middle income countries: a systematic review. *BMC Health Services Research*, 17(1), 704.
- Fisher, J. D., & Fisher, W. A. (1992). Changing AIDS-risk behavior. *Psychological bulletin*, 111(3), 455.
- Flax, V. L., Negerie, M., Ibrahim, A. U., Leatherman, S., Daza, E. J., & Bentley, M. E. (2014). Integrating group counseling, cell phone messaging, and participant-generated songs and dramas into a microcredit program increases Nigerian women's adherence to international breastfeeding recommendations. *The Journal of nutrition*, 144(7), 1120-1124.

- Follmann, D., Elliott, P., Suh, I. L., & Cutler, J. (1992). Variance imputation for overviews of clinical trials with continuous response. *Journal of Clinical Epidemiology*, 45(7), 769-773.
- Guyatt, G. H., Oxman, A. D., Kunz, R., Brozek, J., Alonso-Coello, P., Rind, D., ... & Jaeschke, R. (2011c). GRADE guidelines 6. Rating the quality of evidence—imprecision. *Journal of Clinical Epidemiology*, 64(12), 1283-1293.
- Guyatt, G. H., Oxman, A. D., Kunz, R., Woodcock, J., Brozek, J., Helfand, M., ... & Norris, S. (2011b). GRADE guidelines: 7. Rating the quality of evidence— inconsistency. *Journal of Clinical Epidemiology*, 64(12), 1294-1302.
- Guyatt, G. H., Oxman, A. D., Kunz, R., Woodcock, J., Brozek, J., Helfand, M., ... & Akl, E. A. (2011e). GRADE guidelines: 8. Rating the quality of evidence— indirectness. *Journal of Clinical Epidemiology*, 64(12), 1303-1310.
- Guyatt, G. H., Oxman, A. D., Montori, V., Vist, G., Kunz, R., Brozek, J., ... & Williams Jr, J. W. (2011d). GRADE guidelines: 5. Rating the quality of evidence— publication bias. *Journal of Clinical Epidemiology*, 64(12), 1277-1282.
- Guyatt, G. H., Oxman, A. D., Vist, G., Kunz, R., Brozek, J., Alonso-Coello, P., ... & Norris, S. L. (2011a). GRADE guidelines: 4. Rating the quality of evidence— study limitations (risk of bias). *Journal of Clinical Epidemiology*, 64(4), 407-415.
- Harrington, E. K. (2017). Evaluation of an mHealth SMS dialogue strategy to meet women's and couples' postpartum contraceptive needs in Kenya (Mobile WACh XY): A randomized controlled trial (Master's thesis).

- Higgins, J. P. T., & Green, S. (2015). Cochrane Handbook for Systematic Reviews of Interventions Version 5.1. 0 [updated March 2011]. 2011. The Cochrane Collaboration, London, United Kingdom.
- Higgins, J. P. T., Altman, D. G., Gøtzsche, P. C., Jüni, P., Moher, D., Oxman, A. D., ... Sterne, J. A. C. (2011). The Cochrane Collaboration's tool for assessing risk of bias in randomised trials. *BMJ*, 343, d5928.
- Higgins, J. P. T., Jackson, D., Barrett, J. K., Lu, G., Ades, A. E., & White, I. R. (2012). Consistency and inconsistency in network meta-analysis: concepts and models for multi-arm studies. *Research Synthesis Methods*, 3(2), 98-110.
- Higgins, J. P., Thomas, J., Chandler, J., Cumpston, M., Li, T., Page, M. J., & Welch, V. A. (2019). Cochrane handbook for systematic reviews of interventions: John Wiley & Sons.
- Hmone, M. P. (2017). Effectiveness of short message service (SMS) to improve exclusive breastfeeding and reduce other adverse infant feeding practices in Yangon, Myanmar: findings from a hospital based, community follow-up randomized controlled trial.
- Hussain, T., Smith, P., & Yee, L. M. (2020). Mobile phone-based behavioral interventions in pregnancy to promote maternal and fetal health in high-income countries: systematic review. *JMIR mHealth uHealth*, 8(5), e15111.
- Hutton, B., Salanti, G., Caldwell, D. M., Chaimani, A., Schmid, C. H., Cameron, C., ... & Mulrow, C. (2015). The PRISMA extension statement for reporting of systematic reviews incorporating network meta-analyses of health care

interventions: checklist and explanations. Annals of Internal Medicine, 162(11), 777-784.

Jareethum, R., Titapant, V., Tienthai, C., Viboonchart, S., Chuenwattana, P., & Chatchainoppakhun, J. (2008). Satisfaction of healthy pregnant women receiving short message service via mobile phone for prenatal support: A randomized controlled trial. Journal of the Medical Association of Thailand, 91(4), 458.

Jiang, H., Li, M., Wen, L. M., Hu, Q., Yang, D., He, G., ... & Qian, X. (2014). Effect of short message service on infant feeding practice: findings from a community-based study in Shanghai, China. JAMA pediatrics, 168(5), 471-478.

Joshi, S., Patil, N., & Hegde, A. (2015). Impact of mhealth initiative on utilization of ante natal care services in rural Maharashtra, India. Indian Journal of Maternal and Child Health, 17(2), 1-7.

Jüni, P., Altman, D. G., & Egger, M. (2001). Assessing the quality of controlled clinical trials. BMJ, 323(7303), 42-46.

Kebede, A. S., Ajayi, I. O., & Arowojolu, A. O. (2019). Effect of enhanced reminders on postnatal clinic attendance in Addis Ababa, Ethiopia: a cluster randomized controlled trial. Global health action, 12(1), 1609297.

Lamont, K., Sliwa, K., Stewart, S., Carrington, M., Pretorius, S., Libhaber, E., ... & Klipstein-Grobusch, K. (2016). Short message service (SMS) as an educational tool during pregnancy: A literature review. Health Education Journal, 75(5), 540-552.

- Langlois, É. V., Miszkurka, M., Zunzunegui, M. V., Ghaffar, A., Ziegler, D., & Karp, I. (2015). Inequities in postnatal care in low-and middle-income countries: a systematic review and meta-analysis. *Bulletin of the World Health Organization*, 93, 259-270G.
- Lee, S. H., Nurmatov, U. B., Nwaru, B. I., Mukherjee, M., Grant, L., & Pagliari, C. (2016). Effectiveness of mHealth interventions for maternal, newborn and child health in low-and middle-income countries: Systematic review and meta-analysis. *Journal of Global Health*, 6(1).
- Li, C., Tang, L., Yang, M., Lin, Y., Liu, C., Liu, Y., ... & Duan, X. (2020). A Study to Evaluate the Efficacy of Different Interventions for Improving Quality of Maternal Health Care Service in China. *Telemedicine and e-Health*, 26(10), 1291-1300.
- Lund, S., Hemed, M., Nielsen, B. B., Said, A., Said, K., Makungu, M. H., & Rasch, V. (2012). Mobile phones as a health communication tool to improve skilled attendance at delivery in Zanzibar: a cluster-randomised controlled trial. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(10), 1256-1264.
- Lund, S., Nielsen, B. B., Hemed, M., Boas, I. M., Said, A., Said, K., ... & Rasch, V. (2014). Mobile phones improve antenatal care attendance in Zanzibar: a cluster randomized controlled trial. *BMC pregnancy and childbirth*, 14(1), 1-10.
- Lund, S., Rasch, V., Hemed, M., Boas, I. M., Said, A., Said, K., ... & Nielsen, B. B. (2014a). Mobile phone intervention reduces perinatal mortality in zanzibar:

secondary outcomes of a cluster randomized controlled trial. JMIR mHealth and uHealth, 2(1), e15.

Luo M. (2013) Effectiveness of health education intervention through mobile telephone message in pregnancy. Changsha, China: Central South University.

Makunyi, E. G. (2018). Utilization of mobile phone short message service to enhance uptake of focused antenatal care in Tharaka Nithi county, Kenya.

Maslowsky, J., Frost, S., Hendrick, C. E., Cruz, F. O. T., & Merajver, S. D. (2016). Effects of postpartum mobile phone-based education on maternal and infant health in Ecuador. International Journal of Gynecology & Obstetrics, 134(1), 93-98.

Masoi, T. J., & Kibusi, S. M. (2019). Improving pregnant women's knowledge on danger signs and birth preparedness practices using an interactive mobile messaging alert system in Dodoma region, Tanzania: a controlled quasi experimental study. Reproductive health, 16(1), 1-10.

McConnell, M., Ettenger, A., Rothschild, C. W., Muigai, F., & Cohen, J. (2016). Can a community health worker administered postnatal checklist increase health-seeking behaviors and knowledge?: evidence from a randomized trial with a private maternity facility in Kiambu County, Kenya. BMC pregnancy and childbirth, 16(1), 1-19.

McFadden, A., Gavine, A., Renfrew, M. J., Wade, A., Buchanan, P., Taylor, J. L., ... & MacGillivray, S. (2017). Support for healthy breastfeeding mothers with healthy term babies. Cochrane Database of Systematic Reviews, (2).

Michielsen, K., Chersich, M., Temmerman, M., Dooms, T., & Van Rossem, R. (2012).

Nothing as practical as a good theory? The theoretical basis of HIV prevention interventions for young people in Sub-Saharan Africa: a systematic review. AIDS research and treatment, 2012.

Murthy, N., Chandrasekharan, S., Prakash, M. P., Ganju, A., Peter, J., Kaonga, N., &

Mechael, P. (2020). Effects of an mHealth voice message service (mMitra) on maternal health knowledge and practices of low-income women in India: findings from a pseudo-randomized controlled trial. BMC Public Health, 20, 1-10.

Murthy, N., Chandrasekharan, S., Prakash, M. P., Kaonga, N. N., Peter, J., Ganju, A., &

Mechael, P. N. (2019). The Impact of an mHealth voice message service (mMitra) on infant care knowledge, and practices among low-income women in india: findings from a pseudo-randomized controlled trial. Maternal and child health journal, 23(12), 1658-1669.

Nair, N., Tripathy, P., Prost, A., Costello, A., & Osrin, D. (2010). Improving newborn survival in low-income countries: community-based approaches and lessons from South Asia. PLoS Med, 7(4), e1000246.

Nair, U., Armfield, N. R., Chatfield, M. D., & Edirippulige, S. (2018). The effectiveness of telemedicine interventions to address maternal depression: a systematic review and meta-analysis. Journal of Telemedicine and Telecare, 24(10), 639-650.

- Oliveira-Ciabati, L., Vieira, C. S., Franzon, A. C. A., Alves, D., Zaratini, F. S., Braga, G. C., ... & Souza, J. P. (2017). PRENACEL—a mHealth messaging system to complement antenatal care: a cluster randomized trial. *Reproductive health*, 14(1), 1-12.
- Omole, O., Ijadunola, M. Y., Olotu, E., Omotoso, O., Bello, B., Awoniran, O., ... & Fatusi, A. (2018). The effect of mobile phone short message service on maternal health in south-west Nigeria. *The International journal of health planning and management*, 33(1), 155-170.
- Ouzzani, M., Hammady, H., Fedorowicz, Z., & Elmagarmid, A. (2016). Rayyan—a web and mobile app for systematic reviews. *Systematic Reviews*, 5(1), 210.
- Palmer, M. J., Henschke, N., Villanueva, G., Maayan, N., Bergman, H., Glenton, C., ... & Free, C. (2020). Targeted client communication via mobile devices for improving sexual and reproductive health. *Cochrane Database of Systematic Reviews*, (8), CD013679.
- Patel, A., Kuhite, P., Puranik, A., Khan, S. S., Borkar, J., & Dhande, L. (2018). Effectiveness of weekly cell phone counselling calls and daily text messages to improve breastfeeding indicators. *BMC pediatrics*, 18(1), 1-12.
- Puhan, M. A., Schünemann, H. J., Murad, M. H., Li, T., Brignardello-Petersen, R., Singh, J. A., ... & Guyatt, G. H. (2014). A GRADE Working Group approach for rating the quality of treatment effect estimates from network meta-analysis. *BMJ*, 349, g5630.

- Rivera-Romero, O., Olmo, A., Muñoz, R., Stiefel, P., Miranda, M. L., & Beltrán, L. M. (2018). Mobile health solutions for hypertensive disorders in pregnancy: scoping literature review. *JMIR mHealth and uHealth*, 6(5), e130.
- Rivet Amico, K. (2011). A situated-Information Motivation Behavioral Skills Model of Care Initiation and Maintenance (sIMB-CIM): an IMB model based approach to understanding and intervening in engagement in care for chronic medical conditions. *Journal of health psychology*, 16(7), 1071-1081.
- Rosato, M., Laverack, G., Grabman, L. H., Tripathy, P., Nair, N., Mwansambo, C., ... & Rifkin, S. (2008). Community participation: lessons for maternal, newborn, and child health. *The Lancet*, 372(9642), 962-971.
- Rosenstock, I. M., Strecher, V. J., & Becker, M. H. (1994). The health belief model and HIV risk behavior change. In *Preventing AIDS* (pp. 5-24). Springer, Boston, MA.
- Salanti, G., Ades, A. E., & Ioannidis, J. P. (2011). Graphical methods and numerical summaries for presenting results from multiple-treatment meta-analysis: an overview and tutorial. *Journal of Clinical Epidemiology*, 64(2), 163-171.
- Schiavo, J. H. (2019). PROSPERO: an international register of systematic review protocols. *Med Ref Serv Q*, 38(2), 171-180.
- Sellen, D., Mbugua, S., Webb-Girard, A., Lou, W., Duan, W., & Kamau-Mbuthia, E. (2014). Cell phone based peer counselling can support exclusive breastfeeding: a randomized controlled trial in Kenya (119.5). *The FASEB Journal*, 28, 119-5.

- Shiferaw, S., Spigt, M., Tekie, M., Abdullah, M., Fantahun, M., & Dinant, G. J. (2016). The effects of a locally developed mHealth intervention on delivery and postnatal care utilization; a prospective controlled evaluation among health centres in Ethiopia. *PloS one*, 11(7), e0158600.
- Simoni, J. M., Ronen, K., & Aunon, F. M. (2018). Health behavior theory to enhance eHealth intervention research in HIV: rationale and review. *Current Hiv/aids Reports*, 15(6), 423-430.
- Sondaal, S. F. V., Browne, J. L., Amoakoh-Coleman, M., Borgstein, A., Miltenburg, A. S., Verwijs, M., & Klipstein-Grobusch, K. (2016). Assessing the effect of mHealth interventions in improving maternal and neonatal care in low-and middle-income countries: a systematic review. *PloS One*, 11(5), e0154664.
- Song, F., Loke, Y. K., Walsh, T., Glenny, A. M., Eastwood, A. J., & Altman, D. G. (2009). Methodological problems in the use of indirect comparisons for evaluating healthcare interventions: survey of published systematic reviews. *BMJ*, 338, b1147.
- Tamrat, T., & Kachnowski, S. (2012). Special delivery: an analysis of mHealth in maternal and newborn health programs and their outcomes around the world. *Maternal and Child Health Journal*, 16(5), 1092-1101.
- Thaddeus, S., & Maine, D. (1994). Too far to walk: maternal mortality in context. *Social science & medicine*, 38(8), 1091-1110.

- Thompson, S., Mercer, M. A., Hofstee, M., Stover, B., Vasconcelos, P., & Meyanathan, S. (2019). Connecting mothers to care: Effectiveness and scale-up of an mHealth program in Timor-Leste. *Journal of global health*, 9(2).
- Tolossa, T., Fekadu, G., Mengist, B., Mulisa, D., Fetensa, G., & Bekele, D. (2020). Impact of antenatal care on neonatal mortality among neonates in Ethiopia: a systematic review and meta-analysis. *Archives of Public Health*, 78(1), 1-11.
- Unger, J. A., Ronen, K., Perrier, T., DeRenzi, B., Slyker, J., Drake, A. L., ... & John-Stewart, G. (2018). Short message service communication improves exclusive breastfeeding and early postpartum contraception in a low-to middle-income country setting: a randomised trial. *BJOG: An International Journal of Obstetrics & Gynaecology*, 125(12), 1620-1629.
- UNICEF. (2019). Healthy mothers, healthy babies: Taking stock of maternal health.
- Van Den Heuvel, J. F., Groenhof, T. K., Veerbeek, J. H., Van Solinge, W. W., Lely, A. T., Franx, A., & Bekker, M. N. (2018). eHealth as the next-generation perinatal care: an overview of the literature. *Journal of Medical Internet Research*, 20(6), e202.
- Victora, C. G., Bahl, R., Barros, A. J., França, G. V., Horton, S., Krusevec, J., . . . Rollins, N. C. (2016). Breastfeeding in the 21st century: epidemiology, mechanisms, and lifelong effect. *The Lancet*, 387(10017), 475-490.
- Vodopivec-Jamsek, V., de Jongh, T., Gurol-Urganci, I., Atun, R., & Car, J. (2012). Mobile phone messaging for preventive health care. *Cochrane Database of Systematic Reviews*, (12).

- Wagnew, F., Dessie, G., Alebel, A., Mulugeta, H., Belay, Y. A., & Abajobir, A. A. (2018). Does short message service improve focused antenatal care visit and skilled birth attendance? A systematic review and meta-analysis of randomized clinical trials. *Reproductive Health*, 15(1), 191.
- Watterson, J. L., Castaneda, D., & Catalani, C. (2020). Promoting Antenatal Care Attendance Through a Text Messaging Intervention in Samoa: Quasi-Experimental Study. *JMIR mHealth and uHealth*, 8(6), e15890.
- Watterson, J. L., Walsh, J., & Madeka, I. (2015). Using mHealth to improve usage of antenatal care, postnatal care, and immunization: a systematic review of the literature. *BioMed research international*, 2015.
- Wells, G., Shea, B., O'connell, D., Peterson, J., Welch, V., Losos, M., & Tugwell, P. (2014). The Newcastle-Ottawa Scale (NOS) for assessing the quality of nonrandomised studies in meta-analyses [Internet]. Ott. Hosp. Res. Inst. Available from: [http://www.ohri.ca/programs/clinical\\_epidemiology/oxford.asp](http://www.ohri.ca/programs/clinical_epidemiology/oxford.asp).
- White, I. R., Barrett, J. K., Jackson, D., & Higgins, J. P. (2012). Consistency and inconsistency in network meta-analysis: model estimation using multivariate meta-regression. *Research Synthesis Methods*, 3(2), 111-125.
- WHO. (2011). mHealth: new horizons for health through mobile technologies. *mHealth: new horizons for health through mobile technologies. Glob Obse Health Ser.*, 3: 112. World Health Organization, ISBN-9789241564250.
- WHO. (2019). WHO guideline recommendations on digital interventions for health system strengthening.

WHO. (2019a). Trends in maternal mortality 2000 to 2017: estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division.

WHO. (2019b). WHO guideline: recommendations on digital interventions for health system strengthening: World Health Organization.

WHO. (2020). eHealth. Accessed on June 2020 from:

<https://www.who.int/ehealth/en/>.

WHO. (2021). eHealth. World Health Organization, Access on March 2021 from  
<https://www.who.int/ehealth/about/en/>.

World Bank. (2019). World Bank Country and Lending Groups. Retrieved from  
<https://datahelpdesk.worldbank.org/knowledgebase/articles/906519-world-bank-country-and-lending-groups>.

Xie, R. H., Tan, H., Taljaard, M., Liao, Y., Krewski, D., Du, Q., & Wen, S. W. (2018). The impact of a maternal education program through text messaging in rural China: cluster randomized controlled trial. *JMIR mHealth and uHealth*, 6(12), e11213.

Yakoob, M. Y., Ali, M. A., Ali, M. U., Imdad, A., Lawn, J. E., Van Den Broek, N., & Bhutta, Z. A. (2011). The effect of providing skilled birth attendance and emergency obstetric care in preventing stillbirths. *BMC Public Health*, 11(3), 1-8.

Zhou, Z., Su, Y., Heitner, J., Si, Y., Wang, D., Zhou, Z., & Yuan, C. (2020). The effects on inappropriate weight for gestational age of an SMS based educational

intervention for pregnant women in Xi'an China: a quasi-randomized controlled trial. International journal of environmental research and public health, 17(5), 1482.