

## References

Abe, Y. (2016). *Simulation education for nursing: A first step workbook (2nd ed)*.

Tokyo: Japanese Nursing Association Publishing Company, Ltd. (in Japanese)

Abe, Y., & Fujino, Y. (2018). *Introduction of simulation education in basic nursing*

*education: Basic concept and examples*. Tokyo: Japanese Nursing Association

Publishing Company, Ltd. (in Japanese)

Abe, Y., & Itabashi, A. (2013). *Simulation-based education for nurses*. Tokyo: Igaku-

Shoin Ltd. (in Japanese)

Air, J., Oakland, E., & Walters, C. (2015). The secrets behind the rise of video scribing.

*Bristol, UK: Sparkol Books.*

Akane, A., Ito, K., Hayashi, A., Shiina, K., Osawa, K., Yanai, H., & Taguri, M. (2006).

Item analysis of non-curriculum-based ability test based upon discrimination

index. *Journal of the National Center for University Entrance Examinations*, 35,

19-47. <https://www.dnc.ac.jp/albums/abm00001088.pdf> (in Japanese)

Ambrose, S. A., Bridges, M. W., DiPietro, M., Lovett, M. C., & Norman, M. K. (2014).

*How learning works: 7 research-based principles for smart teaching*. (K. Kurita,

Trans.). Machida: Tamagawa University Press (Original work published 2010).

Aoyagi, Y. & Nagano, M. (2012). The current state and issues of the continuing education for hospital midwives: From interviews with ward managers and midwives. *Journal of Health Care and Nursing*, 8(2), 8-15.

[http://www.nurs.juntendo.ac.jp/file/kango\\_kenkyu08\\_2.pdf](http://www.nurs.juntendo.ac.jp/file/kango_kenkyu08_2.pdf) (in Japanese)

Association Texas Midwives. (n.d.). *Clinical and skills requirements*. [Cited 28 Dec 2020.] Retrieved from <https://www.texasmidwives.com/clinical-skills-requirements.asp>

Benjamin, S. E., Tate, D. F., Bangdiwala, S. I., Neelon, B. H., Ammerman, A. S., Dodds, J. M., & Ward, D. S. (2008). Preparing child care health consultants to address childhood overweight: A randomized controlled trial comparing web to in-person training. *Maternal and Child Health Journal*, 12(5), 662-669.  
<https://doi.org/0.1007/s10995-007-0277-1>

Benner, P. E. (2005). *From novice to expert: Excellence and power in clinical nursing practice (New Translation)*. (T. Ibe, M. Imura, K. Kamiizumi, & K. Niizuma, Trans.). Tokyo: Igaku-Shoin Ltd. (Original work published 2001).

Benner, P. E., Tanner, C. A., & Chesla C. A. (2015). *Expertise in nursing practice: Caring, clinical judgment, and ethics*. (M. Hayano, Trans.). Tokyo: Igaku-Shoin Ltd. (Original work published 1996).

Billings, D. M. (2019). Teaching nurses to make clinical judgments that ensure patient safety. *Journal of Continuing Education in Nursing*, 50(7), 300-302.

<https://doi.org/10.3928/00220124-20190612-04>

Bock, A., Kniha, K., Goloborodko, E., Lemos, M., Rittich, A. B., Möhlhenrich, S. C., Rafai, N., Hölzle, F., & Modabber, A. (2021). Effectiveness of face-to-face, blended and e-learning in teaching the application of local anaesthesia: A randomised study. *BMC Medical Education*, 21(1), 1-8.

<https://doi.org/10.1186/s12909-021-02569-z>

Bonk, C. J., & Graham, C. R. (2012). *The handbook of blended learning: Global perspectives, local designs* John Wiley & Sons.

Bowen, D. J., Kreuter, M., Spring, B., Cofta-Woerpel, L., Linnan, L., Weiner, D., Bakken, S., Kaplan, C. P., Squiers, L., & Fabrizio, C. (2009). How we design feasibility studies. *American Journal of Preventive Medicine*, 36(5), 452-457.

<https://doi.org/10.1016/j.amepre.2009.02.002>

Brettle, A., & Raynor, M. (2013). Developing information literacy skills in pre-registration nurses: An experimental study of teaching methods. *Nurse*

*Education Today*, 33(2), <https://doi.org/10.1016/j.nedt.2011.12.003>

Campbell, M. K., Piaggio, G., Elbourne, D. R., Altman, D. G., & CONSORT Group.

(2012). Consort 2010 statement: Extension to cluster randomised trials. *BMJ (Clinical Research Ed.)*, 345, e5661. <https://doi.org/10.1136/bmj.e5661>

Cantrell, M. A., Mariani, B., & Meakim, C. (2016). An innovative approach using clinical simulation to teach quality and safety principles to undergraduate nursing students. *Nursing Education Perspectives*, 37(4), 236-238.

<https://doi.org/10.1097/01.NEP.0000000000000034>

Cappelletti, A., Engel, J. K., & Prentice, D. (2014). Systematic review of clinical judgment and reasoning in nursing. *Journal of Nursing Education*, 53(8), 453-458. <https://doi.org/10.3928/01484834-20140724-01>

Dizon, J. M. R., Grimmer-Somers, K., & Kumar, S. (2014). Effectiveness of the tailored evidence based practice training program for Filipino physical therapists: A randomized controlled trial. *BMC Medical Education*, 14(1), 1-12. <https://doi.org/10.1186/1472-6920-14-147>

Egan, G. (1998). *The skilled helper: A systematic approach to effective helping*. (M. Narusawa, & S. Handa, Trans.). Osaka: Sogensha.

Ericsson, K. A., & Simon, H. A. (1980). Verbal reports as data. *Psychological Review*, 87(3), 215-251.

Fernandez, R. S., Tran, D. T., Ramjan, L., Ho, C., & Gill, B. (2014). Comparison of four teaching methods on evidence-based practice skills of postgraduate nursing students. *Nurse Education Today*, 34(1), 61-66.

<https://doi.org/10.1016/j.nedt.2012.10.005> +AFs-doi+AF0-

Fordis, M., King, J. E., Ballantyne, C. M., Jones, P. H., Schneider, K. H., Spann, S. J., Greenberg, S. B., & Greisinger, A. J. (2005). Comparison of the instructional efficacy of Internet-based CME with live interactive CME workshops: A randomized controlled trial. *JAMA*, 294(9),

<https://doi.org/10.1001/jama.294.9.1043>

Forsetlund, L., Bradley, P., Forsen, L., Nordheim, L., Jamtvedt, G., & Bjørndal, A. (2003). Randomised controlled trial of a theoretically grounded tailored intervention to diffuse evidence-based public health practice [ISRCTN23257060]. *BMC Medical Education*, 3(1), 2.

<https://doi.org/10.1186/1472-6920-3-2>

Fransen, A. F., de Ven, J., Banga, F. R., Mol, B. W. J., & Oei, S. G. (2020). Multi-professional simulation-based team training in obstetric emergencies for improving patient outcomes and trainees' performance. *Cochrane Database of Systematic Reviews*, 12(12).

<https://doi.org/10.1002/14651858.CD011545.pub2>.

Gregg, M., & Ikenishi, E. (2009). *Nursing pedagogy: Facing yourself in nursing*.

Tokyo: Nankodo Co., Ltd. (in Japanese)

Hanyu, C. (2019). Review of domestic and international literature on educational strategy of clinical judgment in nursing. *The Annual Bulletin of Musashino University Institute of Nursing*, (13), 41-48. <http://id.nii.ac.jp/1419/00000954/> (in Japanese)

Harris, J. M., Elliott, T. E., Davis, B. E., Chabal, C., Fulginiti, J. V., & Fine, P. G. (2008). Educating generalist physicians about chronic pain: Live experts and online education can provide durable benefits. *Pain Medicine (Malden, Mass.)*, 9(5), 555-563. <https://doi.org/10.1111/j.1526-4637.2007.00399.x>

Hirano, R., & Koyama, M. (2018). Novice preceptors' difficulties with clinical instructions for newly graduated nurses, their behaviors and support needs to

overcome these difficulties. *Journal of Japan Society of Nursing Research*, 41(5), 971-981. <https://doi.org/10.15065/jjsnr.20180427022> (in Japanese)

Hirayama, E., Kitamura, Y., Takada, M., Hashizume, K., & Baba, N. (2011). The difficulties in clinical judgment that newcomer nurses experienced. *Journal of Society of Nursing Practice*, 23(1), 57-65. (in Japanese)

Hiruta, A., Horiuchi, S., Ishi, K., & Horiuchi, G. S. (2016). Development and evaluation of a CBT-based communication skills training for perinatal loss care providers. *Journal of Japan Academy of Midwifery*, 30(1), 4-16. <http://search.jamas.or.jp/link/ui/2016341043> (in Japanese)

Hoffman, K. A., Aitken, L. M., & Duffield, C. (2009). A comparison of novice and expert nurses' cue collection during clinical decision-making: Verbal protocol analysis. *International Journal of Nursing Studies*, 46(10), 1335-1344. <https://doi.org/10.1016/j.ijnurstu.2009.04.001>

Horiuchi, S., Yaju, Y., Koyo, M., Sakyo, Y., & Nakayama, K. (2009). Evaluation of a web-based graduate continuing nursing education program in Japan: A randomized controlled trial. *Nurse Education Today*, 29(2), 140-149. <https://doi.org/10.1016/j.nedt.2008.08.009>

Hsu, L., Chang, W., & Hsieh, S. (2015). The effects of scenario-based simulation course training on nurses' communication competence and self-efficacy: A randomized controlled trial. *Journal of Professional Nursing*, 31(1), 37-49.  
<https://doi.org/10.1016/j.profnurs.2014.05.007>

Hugenholtz, N. I., De Croon, E. M., Smits, P. B., Van Dijk, F. J., & Nieuwenhuijsen, K. (2008). Effectiveness of e-learning in continuing medical education for occupational physicians. *Occupational Medicine*, 58(5), 370-372.  
<https://doi.org/10.1093/occmed/kqn053>

Ikeda, K., & Hiruko, M. (2019). Difficulties experienced by new practical instructors and the support they seek from educators. *Journal of Japanese Nursing: Nursing Education*, (49), 115-118. <https://kango-sakuin.nurse.or.jp/company/pdf/1804518.pdf> (in Japanese)

Ikeda, Y. (2016). Thinking aloud for the development of clinical Judgment. *The Japanese Journal of Nursing Education*, 57(9), 716-719.  
<http://search.jamas.or.jp/link/ui/2016359126> (in Japanese)

Ilic, D., Hart, W., Fiddes, P., Misso, M., & Villanueva, E. (2013). Adopting a blended learning approach to teaching evidence based medicine: A mixed methods study.



*BMC Medical Education*, 13, 169-6920. [https://doi.org/10.1186/1472-6920-13-](https://doi.org/10.1186/1472-6920-13-169)

169

Ilic, D., Nordin, R. B., Glasziou, P., Tilson, J. K., & Villanueva, E. (2015). A randomised controlled trial of a blended learning education intervention for teaching evidence-based medicine. *BMC Medical Education*, 15(1), 39. <https://doi.org/10.1186/s12909-015-0321-6>

International Confederation of Midwives. (2012). *Model curriculum outlines for professional midwifery education 2012*. Retrieved from <https://www.nurse.or.jp/nursing/international/icm/basic/standard/pdf/e-09.pdf>

Isoyama, A., Morimoto, K., Ebine, J., Hayashi, K., & Kondo, M. (2012). Involvement of supervising midwives in the review scene of delivery care. *The Japanese Journal for Midwives*, 66(5), 424-430. <https://doi.org/10.11477/mf.1665102183> (in Japanese)

Ito, A., Otsu, M., & Higai, S. (2014). Support from senior nurses for new nurses' motivation to learn. *Journal of Japanese Nursing: Nursing Education*, (44), 181-184. <https://kango-sakuin.nurse.or.jp/company/pdf/1305211.pdf> (in Japanese)

Iwamoto, Mami., Iwamoto, Mikiko., & Takaoka, Y. (2005). Differences in clinical judgments by clinical experience in emergency first aid nursing: From interviews with nurses with one year of first aid experience and those with five years or more. *Journal of Japanese Association for Emergency Nursing*, 16(2), 13-22.

[https://mol.medicalonline.jp/library/journal/download?GoodsID=fj6emerg/2014/001602/002&name=0013-0022j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=fj6emerg/2014/001602/002&name=0013-0022j&UserID=58.5.157.20&base=jamas_pdf) (in Japanese)

Iwata, T., Nagami, K., Nimura, R., Wachi, S., Ohira, M., Domoto, M., Matsumoto, A., Ichikawa, Y., & Tanaka, R. (2017). Perceptions of midwives in leadership positions regarding their professional autonomy and development of their clinical competency: Based on surveys conducted as part of a prefectural project. *Journal of Mie Nursing College*, 21, 57-68.

<https://doi.org/10.15060/00000226> (in Japanese)

Japan Society of Obstetrics and Gynecology. (2011). *Search for Delivery Facilities*

[Cited 15 Oct 2020.] Retrieved from <http://shusanki.org/area.html>

Japanese Nursing Association. (2012). *Midwife training guide*. [Cited 15 Oct 2020.]

Retrieved from <https://www.mhlw.go.jp/file/06-Seisakujouhou-10800000-Iseikyoku/0000078005.pdf>

Japanese Nursing Association. (2020). *Clinical ladder of competencies for midwifery*

*practice*. [Cited 15 Oct 2020.] Retrieved from

[https://www.nurse.or.jp/home/publication/pdf/guideline/CLoCMiP\\_katsuyo.pdf](https://www.nurse.or.jp/home/publication/pdf/guideline/CLoCMiP_katsuyo.pdf)

Kamei, T., Kajii, F., Horiuchi, S., & Hishinuma, M. (2004). The needs survey on e-

learning lectures in the professional nurses who work in health, medical,

welfare and educational facilities. *Journal of St. Luke's College of Nursing*,

(30), 66-73. <http://hdl.handle.net/10285/468> (in Japanese)

Kamin, C., Glicken, A., Hall, M., Quarantillo, B., & Merenstein, G. (2001). Evaluation

of electronic discussion groups as a teaching/learning strategy in an evidence-

based medicine course: A pilot study. *Education for Health-Abingdon-Carfax*

*Publishing Limited*-, 14(1), 21-32. <https://doi.org/10.1080/13576280010015380>

Kavanagh, J. M., & Szveda, C. (2017). A crisis in competency: The strategic and

ethical imperative to assessing new graduate nurses' clinical reasoning. *Nursing*

*Education Perspectives*, 38(2), 57-62.

<https://doi.org/10.1097/01.NEP.0000000000000112>

Khan, R., Plahouras, J., Johnston, B. C., Scaffidi, M. A., Grover, S. C., & Walsh, C. M.

(2018). Virtual reality simulation training for health professions trainees in gastrointestinal endoscopy. *Cochrane Database of Systematic Reviews*, 2018(8)

<https://doi.org/10.1002/14651858.CD008237.pub3>

Khatony, A., Nayery, N. D., Ahmadi, F., Haghani, H., & Vehvilainen-Julkunen, K.

(2009). The effectiveness of web-based and face-to-face continuing education methods on nurses' knowledge about AIDS: A comparative study. *BMC*

*Medical Education*, 9(1), 41. <https://doi.org/10.1186/1472-6920-9-41>.

Kim, R. S., Seitz, A. R., & Shams, L. (2008). Benefits of stimulus congruency for

multisensory facilitation of visual learning. *PloS One*, 3(1), e1532.

<https://doi.org/10.1371/journal.pone.0001532>

Kim, Y. H., & Jang, K. S. (2011). Effect of a simulation-based education on cardio-

pulmonary emergency care knowledge, clinical performance ability and problem solving process in new nurses. *Journal of Korean Academy of Nursing*, 41(2),

245-255. <https://doi.org/10.4040/jkan.2011.41.2.245>

Kimura, A. (2016). Characteristics of clinical judgement performed by hospital-based expert midwives: Clinical judgment process along the first stage of labor.

*Journal of Japan Academy of Midwifery*, 30(2), 312-322.

<https://doi.org/10.3418/jjam.30.312> (in Japanese)

Kitagawa, E., Tanaka, K., Igarashi, K., Watanabe, S., & Kubo, Y. (2001). Results of the training seminar for instructors of clinical practice (second report): For instructors with less than 3 years of teaching experience. *Journal of Kanagawa Rehabilitation Center*, 27, 59-63. (in Japanese)

Knowles, M. S. (1988). *The modern practice of adult education: From pedagogy to andragogy* (Rev. and updated ed.). New York: Englewood Cliffs, N.J.: Association Press; Cambridge, The Adult Education Co.

Kojima, A., Suzuki, S., Asaoka, M., Sugiura, M., & Fukuda, Y. (2019). The support new nurses seek from their supervisors: The analysis focusing on environmental factors. *Journal of Japanese Nursing: Nursing Education*, (49), 111-114.  
<https://kango-sakuin.nurse.or.jp/company/pdf/1804517.pdf> (in Japanese)

Kok, R., Hoving, J. L., Smits, P. B., Ketelaar, S. M., van Dijk, F. J., & Verbeek, J. H. (2013). A clinically integrated post-graduate training programme in evidence-

based medicine versus ‘no intervention’ for improving disability evaluations: A cluster randomised clinical trial. *PLoS One*, 8(3), e57256.

<https://doi.org/10.1371/journal.pone.0057256>

Kulier, R., Coppus, S. F., Zamora, J., Hadley, J., Malick, S., Das, K., Weinbrenner, S., Meyerrose, B., Decsi, T., Horvath, A. R., Nagy, E., Emparanza, J. I., Arvanitis, T. N., Burls, A., Cabello, J. B., Kaczor, M., Zanrei, G., Pierer, K., Stawiarz, K., . . . Khan, K. S. (2009). The effectiveness of a clinically integrated e-learning course in evidence-based medicine: A cluster randomised controlled trial. *BMC Medical Education*, 9, <https://doi.org/21-6920-9-21>. 10.1186/1472-6920-9-21

Kulier, R., Gulmezoglu, A. M., Zamora, J., Plana, M. N., Carroli, G., Cecatti, J. G., Germar, M. J., Pisake, L., Mittal, S., Pattinson, R., Wolomby-Molondo, J. J., Bergh, A. M., May, W., Souza, J. P., Koppenhoefer, S., & Khan, K. S. (2012). Effectiveness of a clinically integrated e-learning course in evidence-based medicine for reproductive health training: A randomized trial. *Jama*, 308(21), 2218-2225. <https://doi.org/10.1001/jama.2012.33640>

Lasater, K. (2007). Clinical judgment development: Using simulation to create an assessment rubric. *Journal of Nursing Education*, 46(11), 496-503.  
<https://doi.org/10.3928/01484834-20071101-04>.

Lasater, K. (2011). Clinical judgment: The last frontier for evaluation. *Nurse Education in Practice*, 11(2), 86-92. <https://doi.org/10.1016/j.nepr.2010.11.013>

Lasater, K., Nielsen, A. E., Stock, M., & Ostrogorsky, T. L. (2015). Evaluating the clinical judgment of newly hired staff nurses. *Journal of Continuing Education in Nursing*, 46(12), 563-571. <https://doi.org/10.3928/00220124-20151112-09>

Levine, D. A., Funkhouser, E. M., Houston, T. K., Gerald, J. K., Johnson-Roe, N., Allison, J. J., Richman, J., & Kiefe, C. I. (2011). Improving care after myocardial infarction using a 2-year internet-delivered intervention: The Department of Veterans Affairs myocardial infarction-plus cluster-randomized trial. *Archives of Internal Medicine*, 171(21), 1910-1917.  
<https://doi.org/10.1001/archinternmed.2011.498>

Lindsey, P. L., & Jenkins, S. (2013). Nursing students' clinical judgment regarding rapid response: The influence of a clinical simulation education intervention. *Nursing Forum*, 48(1), 61-70. <https://doi.org/10.1111/nuf.12002>

Matsuo, M. (2006). *Learning from experience: The process of growing into a professional*. Tokyo: Doubunkan Publishing. (in Japanese)

McPeake, J., Iwashyna, T. J., Boehm, L. M., Hibbert, E., Bakhru, R. N., Bastin, A. J., Butcher, B. W., Eaton, T. L., Harris, W., Hope, A. A., Jackson, J., Johnson, A., Kloos, J. A., Korzick, K. A., Meyer, J., Montgomery-Yates, A., Mikkelsen, M. E., Slack, A., Wade, D., . . . Haines, K. J. (2021). Benefits of peer support for intensive care unit survivors: Sharing experiences, care debriefing, and altruism. *American Journal of Critical Care*, 30(2), 145-149.  
<https://doi.org/10.4037/ajcc2021702>

Mimura, A., Nakamura, T., Nakata, M., Furuta, H., Shimada, K., & Kameda, Y. (2001). A comparison of the thinking processes of new and experienced midwives for [women's] first stage of childbirth. *Journal of Japan Academy of Midwifery*, 14(3), 74-75. [https://doi.org/10.3418/jjam.14.3\\_74](https://doi.org/10.3418/jjam.14.3_74) (in Japanese)

Ministry of Education, Culture, Sports, Science and Technology. (2002). *A collection of one-point advice for teachers in supplementary schools*. [Cited 1 Feb 2020.]

Retrieved from

[https://www.mext.go.jp/a\\_menu/shotou/clarinet/002/003/002/004.htm](https://www.mext.go.jp/a_menu/shotou/clarinet/002/003/002/004.htm)



Ministry of Education, Culture, Sports, Science and Technology & Ministry of Health,

Labour and Welfare. (1951). *Rules for designation of training schools for public health nurses, midwives and nurses*. [Cited 1 Feb 2020.]

[https://www.niph.go.jp/h-crisis/wp-](https://www.niph.go.jp/h-crisis/wp-content/uploads/2021/01/20210128104153_content_10800000_000729103.pdf)

[content/uploads/2021/01/20210128104153\\_content\\_10800000\\_000729103.pdf](https://www.niph.go.jp/h-crisis/wp-content/uploads/2021/01/20210128104153_content_10800000_000729103.pdf)

Ministry of Health, Labour and Welfare. (2014). *Training guidelines for new nursing staff*. [Cited 1 Feb 2020.] Retrieved from [https://www.mhlw.go.jp/file/05-](https://www.mhlw.go.jp/file/05-Shingikai-10801000-Iseikyoku-Soumuka/0000049472.pdf)

[Shingikai-10801000-Iseikyoku-Soumuka/0000049472.pdf](https://www.mhlw.go.jp/file/05-Shingikai-10801000-Iseikyoku-Soumuka/0000049472.pdf)

Ministry of Health, Labour and Welfare. (2017). *Guidelines for the establishment of a perinatal care system*. [Cited 1 Feb 2020.] Retrieved from

[https://www.mhlw.go.jp/file/06-Seisakujouhou-10800000-Iseikyoku/4\\_2.pdf](https://www.mhlw.go.jp/file/06-Seisakujouhou-10800000-Iseikyoku/4_2.pdf)

Ministry of Health, Labour and Welfare. (2018). *List of perinatal medical center facilities*. [Cited 1 Feb 2020.] Retrieved from

<https://www.mhlw.go.jp/stf/seisakunitsuite/bunya/0000186912.html>

Miraglia, R., & Asselin, M. E. (2015). The Lasater clinical judgment rubric as a framework to enhance clinical judgment in novice and experienced nurses.

*Journal for Nurses in Professional Development*, 31(5), 284-291.

<https://doi.org/10.1097/NND.0000000000000209>

Miyatake, M. (2003). Attitudes of staff nurses and new nurses in teaching situations for new nurses. *Journal of Nursing Education, Kanagawa Prefectural College of Nursing Education*, (28), 252-259.

Mori, T., Kunikata, H., Tada, S., & Wada, S. (2020). The effectiveness of a cognitive-behavioral therapy approach to self-efficacy in new nurses: A pilot study. *Journal of Japan Academy of Psychiatric and Mental Health Nursing*, 29(1), 33-41. <http://search.jamas.or.jp/link/ui/2021249151> (in Japanese)

Morita, N., & Nakano, Y. (2018). Learning effectiveness of situational simulation education in training for new nurses. *Kagawa Journal of Nursing*, 9, 18-21.  
[https://kagawa-kango.com/kyoiku\\_kensyu/%e9%a6%99%e5%b7%9d%e7%9c%8c%e7%9c%8b%e8%ad%b7%e5%ad%a6%e4%bc%9a/](https://kagawa-kango.com/kyoiku_kensyu/%e9%a6%99%e5%b7%9d%e7%9c%8c%e7%9c%8b%e8%ad%b7%e5%ad%a6%e4%bc%9a/) (in Japanese)

Murakami, D. (2019). Research trend in active learning in nursing education. *Journal of Tohoku Bunka Gakuen College of Nursing*, 8(1), 19-26.

[https://tbgu.repo.nii.ac.jp/?action=repository\\_action\\_common\\_download&item\\_id=920&item\\_no=1&attribute\\_id=22&file\\_no=1](https://tbgu.repo.nii.ac.jp/?action=repository_action_common_download&item_id=920&item_no=1&attribute_id=22&file_no=1) (in Japanese)

Nakai, T., & Sato, H. (2014). *Pedagogical theories and techniques that can be used in the nursing field: 100 key words useful for individual guidance and participatory training: Young people will grow if you teach them well*. Osaka: Medicus Shuppan, Publisher (in Japanese)

Nakata, M., Emisu, F., Ogata, M., & Shimo, C. (2015). Actual situation of clinical instructors in charge of clinical practice in labor and delivery (third report) — impact on instructors and their expectations —. *Japanese Journal of Maternal Health*, 56(2), 282-291.  
[https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2015/005602/006&name=0282-0291j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2015/005602/006&name=0282-0291j&UserID=58.5.157.20&base=jamas_pdf) (in Japanese)

Nielsen, A., Lasater, K., & Stock, M. (2016). A framework to support preceptors' evaluation and development of new nurses' clinical judgment. *Nurse Education in Practice*, 19, 84-90. <https://doi.org/10.1016/j.nepr.2016.03.012>

Nishibori, S. (2018). Study of practical knowledge used by midwives working in private practice for decision-making when transferring or transporting pregnant and parturient women to a hospital. *Japanese Journal of Maternal Health*, 59(2), 375-382.

[https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2018/005902/011&name=0375-0382j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2018/005902/011&name=0375-0382j&UserID=58.5.157.20&base=jamas_pdf) (in Japanese)

Nishida, T. (2006). Nursing practice of new graduated nurses: Focused on clinical judgment and nursing practice as part of a medical team. *Journal of Japan Academy of Nursing Education*, 16(2), 1-12.

[https://jrccn.repo.nii.ac.jp/?action=repository\\_action\\_common\\_download&item\\_id=139&item\\_no=1&attribute\\_id=22&file\\_no=1](https://jrccn.repo.nii.ac.jp/?action=repository_action_common_download&item_id=139&item_no=1&attribute_id=22&file_no=1) (in Japanese)

Ochiai, M., & Kano, N. (2016). The formation process and structure of practice based knowledge in midwifery care during labor and delivery. *Journal of Ibaraki Prefectural University of Health Sciences*, 20, 25-35.

<https://mol.medicalonline.jp/library/journal/download?GoodsID=eh8ibara/2015/>

002000/003&name=0025-0035j&UserID=58.5.157.20&base=jamas\_pdf (in  
Japanese)

Oda, A., Komura, M., & Ito, K. (2016). Care for primiparas to overcome the distress in  
the first stage of labor. *Japanese Journal of Maternal Health*, 57(4), 726-732.  
[https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2017  
/005704/021&name=0726-0732j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2017/005704/021&name=0726-0732j&UserID=58.5.157.20&base=jamas_pdf) (in  
Japanese)

Oermann, M. H. (2008). Ideas for post clinical conferences. *Teaching and Learning in  
Nursing*, 3(3), 90-93. <https://doi.org/10.1016/j.teln.2008.02.005>

Ogata, M., Emisu, F., Nakata, M., & Shimo, C. (2015). Survey of midwives who take  
up mentorship of student midwives (Part 1) —background of mentors—. *Japanese Journal of Maternal Health*, 55(4), 721-729.  
[https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2015  
/005504/012&name=0721-0729j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2015/005504/012&name=0721-0729j&UserID=58.5.157.20&base=jamas_pdf) (in  
Japanese)

Okamoto, C., Nakano, J., Kondo, C., Fujii, H., Okuyama, Y., Aritomo, R., Shimazawa,  
K., Takada, M., Akitsu, N., Higashi, Y., & Oouchi, H. (2017). The touch care by

independent midwives during examination for pregnant women: Midwives

views about touching and interaction with signs of pregnancy

adaptation. *Journal of Kobe City Junior College of Nursing*, 21, 11-19.

<https://kobe->

[ccn.repo.nii.ac.jp/?action=pages\\_view\\_main&active\\_action=repository\\_view\\_m](https://ccn.repo.nii.ac.jp/?action=pages_view_main&active_action=repository_view_m)

[ain\\_item\\_detail&item\\_id=210&item\\_no=1&page\\_id=13&block\\_id=21](https://ccn.repo.nii.ac.jp/?action=pages_view_main&active_action=repository_view_main_item_detail&item_id=210&item_no=1&page_id=13&block_id=21) (in

Japanese)

Okubo, N., Kamai, T., Kajii, F., Horiuchi, S., Hishinuma, M., Toyomasu, K., Nakayama,

K., Yanai, H. (2005). A study of factor and causal model structure analyses

related to e-learning needs of professional nurses. *Japan Journal of Nursing*

*Science*, 25(1), 31-38.

<https://mol.medicalonline.jp/library/journal/download?GoodsID=eg4jaons/2005/>

[002501/004&name=0031-0038j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=eg4jaons/2005/002501/004&name=0031-0038j&UserID=58.5.157.20&base=jamas_pdf) (in

Japanese)

Okuno, N., Tsujimoto, Y., & Konishi, K. (2016). Learning activities contributing to the

acquisition of practical nursing skills of new nurses working in intensive care

unit. *Journal of Kyoto Tachibana University*, (42), 131-146.

[https://tachibana.repo.nii.ac.jp/?action=repository\\_action\\_common\\_download&item\\_id=306&item\\_no=1&attribute\\_id=22&file\\_no=1](https://tachibana.repo.nii.ac.jp/?action=repository_action_common_download&item_id=306&item_no=1&attribute_id=22&file_no=1) (in Japanese)

Padalino, Y., & Peres, H. H. C. (2007). E-learning: A comparative study for knowledge apprehension among nurses. *Revista Latino-Americana De Enfermagem*, 15(3), 397-403. <https://doi.org/10.1590/s0104-11692007000300006>

Perkins, G. D., Kimani, P. K., Bullock, I., Clutton-Brock, T., Davies, R. P., Gale, M., Lam, J., Lockey, A., Stallard, N., & Electronic Advanced Life Support Collaborators. (2012). Improving the efficiency of advanced life support training: A randomized, controlled trial. *Annals of Internal Medicine*, 157(1), 19-28. <https://doi.org/10.7326/0003-4819-157-1-201207030-00005>

Profetto-McGrath, J., Smith, K. B., Day, R. A., & Yonge, O. (2004). The questioning skills of tutors and students in a context based baccalaureate nursing program. *Nurse Education Today*, 24(5), 363-372. <https://doi.org/10.1016/j.nedt.2004.03.004>

Ramos-Morcillo, A. J., Fernandez-Salazar, S., Ruzafa-Martinez, M., & Del-Pino-Casado, R. (2015). Effectiveness of a brief, basic evidence-based practice course

for clinical nurses. *Worldviews on Evidence-Based Nursing*, 12(4), 199-207.

<https://doi.org/10.1111/wvn.12103>

Rohwer, A., Motaze, N., Villyen, Rehfuess, E., Young, T., McCutcheon, K., Lohan, M., & Traynor, M. (2017). E-Learning of evidence-based health care (EBHC) in healthcare professionals: A systematic review. *Campbell Systematic Reviews*, 13(1) 1-147. <https://doi.org/10.4073/csr2017.4>

Rohwer, A., Rehfuess, E. & Young, T. (2014). A systematic review protocol on the use of online learning versus blended learning for teaching clinical skills to undergraduate health professional students. *Campbell Systematic Reviews*, 10(1), 1-55. <https://doi.org/10.1002/CL2.133>

Sampson, M., Melnyk, B. M., & Hoying, J. (2019). Intervention effects of the MINDBODYSTRONG cognitive behavioral skills building program on newly licensed registered nurses' mental health, healthy lifestyle behaviors, and job satisfaction. *The Journal of Nursing Administration*, 49(10), 487-495. <https://doi.org/10.1097/NNA.0000000000000792>

Sasakawa, A., Shimura, C., & Kamiya, S. (2015). Abdominal palpation techniques used by skilled midwives to examine pregnant women. *Japanese Journal of Maternal*



*Health*, 57(2), 376-384.

[https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2016/005702/014&name=0376-0384j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2016/005702/014&name=0376-0384j&UserID=58.5.157.20&base=jamas_pdf) (in Japanese)

Saunders, H., Vehvilainen-Julkunen, K., & Stevens, K. R. (2016). Effectiveness of an education intervention to strengthen nurses' readiness for evidence-based practice: A single-blind randomized controlled study. *Applied Nursing Research* 31, 175-185. <https://doi.org/10.1016/j.apnr.2016.03.004>

Simmons, B., Lanuza, D., Fonteyn, M., Hicks, F., & Holm, K. (2003). Clinical reasoning in experienced nurses. *Western Journal of Nursing Research*, 25(6), 701; 719; discussion 720-724.  
<https://www.embase.com/search/results?subaction=viewrecord&id=L137558625&from=export>

Statistics Bureau, Ministry of Internal Affairs and Communications. (2016). *The number of live births, rate of live births (% of population), sex ratio of live births, and total fertility rate by year*. [Cited 1 Feb 2020.] Retrieved from <https://www.e-stat.go.jp/dbview?sid=0003214664>

Sprague, J., & Stuart, D. (2000). *The speaker's handbook*. Fort Worth, TX: Harcourt College Publishers.

Sumida, C., & Hosoda, Y. (2016). Proficient nurses' support that contributes to the improvement of the nursing competency of novice nurses. *Japanese Journal of Medical and Nursing Education*, (25-1), 32-37.  
[https://mol.medicalonline.jp/library/journal/download?GoodsID=ed1ikaky/2016/000025/005&name=0032-0037j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=ed1ikaky/2016/000025/005&name=0032-0037j&UserID=58.5.157.20&base=jamas_pdf) (in Japanese)

Suzuki, K., Ichikawa, H., & Nemoto, J. (2016). *Instructional design toolbox 101*. Kyoto: Kitaohji Shobo. (in Japanese)

Tango, T. (2018). *Randomized controlled trials: Design and statistical analysis (new edition ed.)*. Tokyo: Asakura Shoten. (in Japanese)

Taniguchi, H., Yagi, K., & Kabeyama, K. (2012). An approach to improve situation assessment using simulation learning methods, and the evaluation of midwifery students' learning motivation. *Annual Reports of School of Health Sciences Faculty of Medicine, Kyoto University*, 7, 43-47. <https://doi.org/10.14989/155981> (in Japanese)

Tanner, C. A. (2006). Thinking like a nurse: A research-based model of clinical

judgment in nursing. *Journal of Nursing Education*, 45(6), 204-211.

<https://doi.org/10.3928/01484834-20060601-04>

Tokyo Nursing Association. (2019). *Outline of training for practical training instructors*.

Tonai, M., & Miyakoshi, Y. (2005). Literature review of clinical judgement in nursing:

Elements and characteristics of clinical judgement due to nurses' expertise.

*Japanese Journal of Occupational Medicine and Traumatology*, 53(4), 213-219.

[https://mol.medicalonline.jp/library/journal/download?GoodsID=dr7jjomt/2005/005304/005&name=0213-0219j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=dr7jjomt/2005/005304/005&name=0213-0219j&UserID=58.5.157.20&base=jamas_pdf) (in Japanese)

Tonai, M., Miyakoshi, Y., & Ando, K. (2008). Clinical judgment among relatively

inexperienced nurses: Toward the development of educational methods to teach

critical thinking: the ability of relatively to apply clinical judgment while

taking a health history. *Journal of Japanese Society of Nursing Research*,

31(5), 29-37. <https://doi.org/10.15065/jjsnr.20080725002> (in Japanese)

Tropea, J., Johnson, C. E., Nestel, D., Paul, S. K., Brand, C. A., Hutchinson, A. F., . . .

Lim, W. K. (2019). A screen-based simulation training program to improve palliative care of people with advanced dementia living in residential aged care facilities and reduce hospital transfers: Study protocol for the IMproving palliative care education and training using simulation in dementia (IMPETUS-D) cluster randomised controlled trial. *BMC Palliative Care*, 18(1) <https://doi.org/10.1186/s12904-019-0474-x>

Tsumagari, M., & Nagoshi, M. (2018). Review of literature on clinical judgment of nurses in Japan. *Japanese Journal of International Nursing Care Research*, 17(4), 111-120. (in Japanese)

Uchida, S., Manai, R., Abe, N., Yamada, F., Akasato, H., Suehiro, R., & Tominaga, S. (2019). Actual teaching of new nurses by practical instructors who experienced the rotation training for new nurses. *Journal of Japanese Nursing: Nursing Education*, (49), 99-102. <https://kango-sakuin.nurse.or.jp/company/pdf/1804514.pdf> (in Japanese)

Vaona, A., Banzi, R., Kwag, K. H., Rigon, G., Cereda, D., Pecoraro, V., Tramacere, I., &

Moja, L. (2018). E-learning for health professionals. *The Cochrane Database*

*of Systematic Reviews*, <https://doi.org/10.1002/14651858.CD011736.pub2> [doi]

Watanabe, J., & Emisu, F. (2010). Clues to judgment made by expert midwives in

assisting labor. *Journal of Japan Academy of Midwifery*, 24(1), 53-64.

<https://doi.org/10.3418/jjam.24.53> (in Japanese)

Watanabe, J., Emisu, F., & Katsuno, T. (2010). Characteristics of care made by expert

midwives for the first stage of labor. *The Journal of Japan Academy of Health*

*Sciences*, 13(1), 21-30.

[https://mol.medicalonline.jp/library/journal/download?GoodsID=cy7healt/2010](https://mol.medicalonline.jp/library/journal/download?GoodsID=cy7healt/2010/001301/003&name=0021-0030j&UserID=58.5.157.20&base=jamas_pdf)

[/001301/003&name=0021-0030j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=cy7healt/2010/001301/003&name=0021-0030j&UserID=58.5.157.20&base=jamas_pdf) (in

Japanese)

Watanabe, T., & Endo, T. (2010). Clinical judgement of the progress of labor through

non-invasive observations made by midwives. *Japanese Journal of Maternal*

*Health*, 51(2), 473-481.

<https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/201>

0/005102/023&name=0473-0481j&UserID=58.5.157.20&base=jamas\_pdf (in Japanese)

Watanabe, T., Kobayashi, Y., Nakagome, S., & Ishida, S. (2016). Novice nurses' abilities to manage labor: One year later. *Yamanashi Nursing Journal*, 15(1), 43-50. <https://doi.org/10.34429/00003356> (in Japanese)

World Health Organization. (2009). *European Union standards for nursing and midwifery: Information for accession countries*. [Cited 28 Mar 2021.]

Retrieved from

[https://www.euro.who.int/\\_\\_data/assets/pdf\\_file/0005/102200/E92852.pdf](https://www.euro.who.int/__data/assets/pdf_file/0005/102200/E92852.pdf)

Yamaguchi, T. (2010). *Sample size design: No regrets*. Tokyo: iHope International. (in Japanese)

Yamamoto, M., & Kataoka, Y. (2019). Education for novice midwives to promote noticing and interpreting data occurring during delivery. *Journal of Japan Academy of Midwifery*, 33(1), 38-49. <https://doi.org/10.3418/jjam.JJAM-2018-0045> (in Japanese)

Yamamoto, M., & Kataoka, Y. (2020). Actions taken by practicum instructors who are not promoting noticing and interpreting data for novice midwives: Focusing on

deliveries. *Japanese Journal of Maternal Health*, 60(4), 674-682.

[https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2020/006004/021&name=0674-0682j&UserID=58.5.157.20&base=jamas\\_pdf](https://mol.medicalonline.jp/library/journal/download?GoodsID=cu2mater/2020/006004/021&name=0674-0682j&UserID=58.5.157.20&base=jamas_pdf) (in Japanese)

Yang, F., Wang, Y., Yang, C., Zhou, M. H., Shu, J., Fu, B., & Hu, H. (2019). Improving clinical judgment by simulation: A randomized trial and validation of the Lasater clinical judgment rubric in Chinese. *BMC Medical Education*, 19(1), 20. <https://doi.org/10.1186/s12909-019-1454-9>

Zhan, X., Zhang, Z., Sun, F., Liu, Q., Peng, W., Zhang, H., & Yan, W. (2017). Effects of improving primary health care workers' knowledge about public health services in rural China: A comparative study of blended learning and pure e-learning. *Journal of Medical Internet Research*, 19(5), <https://doi.org/10.2196/jmir.6453>

Zhang, H., Mörelius, E., Goh, S. H. L., & Wang, W. (2018). Effectiveness of video-assisted debriefing in simulation-based health professions education: A systematic review of quantitative evidence. *Nurse Educator*, 44(3), E1; E6. <https://doi.org/10.1097/NNE.0000000000000562>