

引用文献

- アメリカ精神医学会. (2014). うつ病(DSM-5)/大うつ病性障害. 高橋三郎, 大野裕(監訳), 日本精神神経医学会(監修), DSM-5 精神疾患の診断・統計マニュアル. 医学書院. (pp160-167).
- Ansari, N.S., Shah, J., Dennis, C.L., & Shah, P.S. (2021). Risk factors for postpartum depressive symptoms among fathers: A systematic review and meta-analysis. *Acta Obstetrica et Gynecologica Scandinavica.*, 100(7), 1186-1199. Retrieved July 14, 2021, from <https://europepmc.org/article/MED/33539548>
- Barrio-Cantalejo, I., Simón-Lorda, P., Jiménez, M.M., & Ruiz, A.M. (2011). Consensus on the legibility criteria of health education leaflets. *Anales del sistema sanitario de Navarra*, 34(2), 153-165. Retrieved January 8, 2022, from <https://doi.org/10.4321/s1137-66272011000200003>
- Beck, A. T., Rush, J., Shaw, B. F., & Emery, G. (1979/2007). うつ病の認知療法《新版》(坂野雄二監訳). 岩崎学術出版社. (pp9-11).
- Brownhill, S., Wilhelm, K., Barclay, L., & Schmied, V. (2005). 'Big build': hidden depression in men. *The Australian and New Zealand journal of psychiatry*, 39(10), 921-931. Retrieved January 9, 2022, from <https://doi.org/10.1080/j.1440-1614.2005.01665.x>
- Bruno, A., Celebre, L., Mento, C., Rizzo, A., Silvestri, M.C., De Stefano, R., . . . & Muscatello, M.R.A. (2020). When Fathers Begin to Falter: A Comprehensive Review on Paternal Perinatal Depression. *International Journal of Environmental Research and Public Health*, 17(4), 1139. Retrieved July 12, 2021, from <https://www.mdpi.com/1660-4601/17/4/1139/html>
- Cameron, E.E., Hunter, D., Sedov, I. D., & Tomfohr-Madsen, L. M. (2017). What do dads want? Treatment preferences for paternal postpartum depression. *Journal of affective disorders*, 215, 62-70. Retrieved June 24, 2021, from <https://doi.org/10.1016/j.jad.2017.03.031>
- Cameron E.E, Sedov I.D, Tomfohr-Madsen L.M. (2016). Prevalence of paternal depression in pregnancy and the postpartum: An updated meta-analysis.

- Journal of Affective Disorders, 206, 189-203. Retrieved July 10, 2021, from <https://www.sciencedirect.com/science/article/abs/pii/S0165032716305705>
- Cui, C., Li, M., Yang, Y., Liu, C., Cao, P., & Wang, L. (2020). The effects of paternal perinatal depression on socioemotional and behavioral development of children: A meta-analysis of prospective studies. *Psychiatry research*, 284, 112775. Retrieved July 22, 2021, from <https://doi.org/10.1016/j.psychres.2020.112775>
- Felder, J.N., Banchevsky, S., Park, B., & Dimidjian, S. (2017). Public Attitudes and Feelings of Warmth Toward Women and Men Experiencing Depression During the Perinatal Period. *Psychiatric services (Washington, D. C.)*, 68(8), 796-802. Retrieved July 22, 2021, from <https://doi.org/10.1176/appi.ps.201600154>
- Fletcher, R. J., Feeman, E., Garfield, C., & Vimpani, G. (2011). The effects of early paternal depression on children's development. *The Medical journal of Australia*, 195(11-12), 685-689. Retrieved July 28, 2021, from <https://doi.org/10.5694/mja11.10192>
- Goldstein, Z., Rosen, B., Howlett, A., Anderson, M., & Herman, D. (2020). Interventions for paternal perinatal depression: A systematic review. *Journal of Affective Disorders*, 265, 505-510. Retrieved July 8, 2021, from <https://doi.org/10.1016/j.jad.2019.12.029>
- 樋貝繁香, 遠藤俊子, 比江島欣慎, 塩江邦彦. (2008). 生後1ヵ月の子どもをもつ父親の産後うつと関連要因. *母性衛生*, 49(1), 91-97. Retrieved June 18, 2021, from <http://search.jamas.or.jp/link/ui/2008183729>
- 岐部 智恵子. (2016). 父親の抑うつと子どもの初期発達に関する文献研究. *小児保健研究*, 75(3), 384-389. Retrieved June 11, 2021, from <http://search.jamas.or.jp/link/ui/2016272699>
- Kim, P., & Swain, J.E. (2007). Sad dads: paternal postpartum depression. *Psychiatry (Edgmont (Pa.:Township))*, 4(2), 35-47. Retrieved July 22, 2021, from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2922346/>
- 厚生労働省. (2019). <https://www.mhlw.go.jp/content/12401000/000502226.pdf> [検索日:2022-01-08]

- 厚生労働省. (2021). <https://www.mhlw.go.jp/content/000735844.pdf> [検索日:2021-07-23]
- Lewis, G., Neary, M., Polek, E., Flouri, E., & Lewis, G. (2017). The association between paternal and adolescent depressive symptoms: evidence from two population-based cohorts. *The lancet. Psychiatry*, *4*(12), 920-926. Retrieved July 12, 2021, from [https://doi.org/10.1016/S2215-0366\(17\)30408-X](https://doi.org/10.1016/S2215-0366(17)30408-X)
- Mayberry, J.F. (2007). The design and application of effective written instructional material: a review of published work. *Postgraduate medical journal*, *83*(983), 596-598. Retrieved January 8, 2022, from <https://doi.org/10.1136/pgmj.2006.053538>
- 日本うつ病学会. (2016). <https://www.secretariat.ne.jp/jsmd/iinkai/katsudou/data/160731.pdf> [検索日: 2021-07-18]
- Nishigori, H., Obara, T., Nishigori, T., Metoki, H., Mizuno, S., Ishikuro, M., . . . Miyagi Regional Center of Japan Environment & Children's Study Group. (2020). The prevalence and risk factors for postpartum depression symptoms of fathers at one and 6 months postpartum: an adjunct study of the Japan Environment & Children's Study. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, *33*(16), 2797-2804. Retrieved July 2, 2021, from <https://doi.org/10.1080/14767058.2018.1560415>
- Nishimura, A., Fujita, Y., Katsuta, M., Ishihara, A., & Ohashi, K. (2015). Paternal postnatal depression in Japan: an investigation of correlated factors including relationship with a partner. *BMC pregnancy and childbirth*, *15*, 128. Retrieved July 2, 2021, from <https://doi.org/10.1186/s12884-015-0552-x>
- O'Brien, A.P., McNeil, K.A., Fletcher, R., Conrad, A., Wilson, A.J., Jones, D., & Chan, S.W. (2017). New Fathers' Perinatal Depression and Anxiety-Treatment Options: An Integrative Review. *American journal of men's health*, *11*(4),

- 863-876. Retrieved July 12, 2021, from
<https://doi.org/10.1177/1557988316669047>
- Paulson, J.F., & Bazemore, S.D. (2010). Prenatal and postpartum depression in fathers and its association with maternal depression: a meta-analysis. *JAMA*, *303*(19), 1961-1969. Retrieved July 12, 2021, from
<https://doi.org/10.1001/jama.2010.605>
- Pedersen, S.C., Maindal, H.T., & Ryom, K. (2021). “I Wanted to Be There as a Father, but I Couldn’t” : A Qualitative Study of Fathers’ Experiences of Postpartum Depression and Their Help-Seeking Behavior. *American Journal of Men’s Health*. *15*(3), 15579883211024375, Retrieved July 21, 2021, from
<https://doi.org/10.1177/15579883211024375>
- Rao, W. W., Zhu, X. M., Zong, Q. Q., Zhang, Q., Hall, B. J., Ungvari, G. S., & Xiang, Y. T. (2020). Prevalence of prenatal and postpartum depression in fathers: A comprehensive meta-analysis of observational surveys. *Journal of affective disorders*, *263*, 491-499. Retrieved August 2, 2021, from
<https://doi.org/10.1016/j.jad.2019.10.030>
- Sawamura, K., Ito, H., Koyama, A., Tajima, M., & Higuchi, T. (2010). The effect of an educational leaflet on depressive patients’ attitudes toward treatment. *Psychiatry research*, *177*(1-2), 184-187. Retrieved July 12, 2021, from <https://doi.org/10.1016/j.psychres.2010.02.002>
- Seidler, Z.E., Dawes, A.J., Rice, S.M., Oliffe, J.L., & Dhillon, H.M. (2016). The role of masculinity in men’s help-seeking for depression: A systematic review. *Clinical psychology review*, *49*, 106-118. Retrieved January 9, 2022, from <https://doi.org/10.1016/j.cpr.2016.09.002>
- Shi, P., Yang, A., Zhao, Q., Chen, Z., Ren, X., & Dai, Q. (2021). A Hypothesis of Gender Differences in Self-Reporting Symptom of Depression: Implications to Solve Under-Diagnosis and Under-Treatment of Depression in Males. *Frontiers in psychiatry*, *12*, 589687. Retrieved January 8, 2022, from
<https://doi.org/10.3389/fpsy.2021.589687>
- 塩谷友理子, 我部山キヨ子. (2018). 産後1ヵ月までの夫婦の抑うつ状態. *女性心身医*

- 学, 22(3), 299-306. Retrieved April 27, 2021,
from <http://search.jamas.or.jp/link/ui/2018193736>
- 島田等, 西垣正憲, 小野和則. (2004). 院内報や人目を引くリーフレットの作り方. 外来小児科, 7(3-4), 290-291. Retrieved July 12, 2021, from
https://mol.medicalonline.jp/library/journal/download?GoodsID=dk8pedia/2004/000703/033&name=0290-0291j&UserID=58.5.157.23&base=jamas_pdf
- Spendelow, J.S. (2015). Cognitive-behavioral treatment of depression in men: tailoring treatment and directions for future research. *American journal of men's health*, 9(2), 94-102. Retrieved July 1, 2021, from
<https://doi.org/10.1177/1557988314529790>
- 竹原健二, 須藤茉衣子. (2012). 父親の産後うつ. *小児保健研究*, 71(3), 343-349.
Retrieved April 27, 2021, from <http://search.jamas.or.jp/link/ui/2012340334>
- Takehara, K., Suto, M., Kato, T. (2020). Parental psychological distress in the postnatal period in Japan: a population-based analysis of a national cross-sectional survey. *Scientific reports*, 10(1), 13770. Retrieved May 3, 2021, from <https://doi.org/10.1038/s41598-020-70727-2>
- Tokumitsu, K., Sugawara, N., Maruo, K., Suzuki, T., Yasui-Furukori, N., & Shimoda, K. (2020a). Prevalence of perinatal depression among Japanese men: a meta-analysis. *Ann Gen Psychiatry*. 2020 Nov 18;19(1):65. Retrieved July 28, 2021, from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7677771/>
- Tokumitsu, K., Sugawara, N., Maruo, K., Suzuki, T., Shimoda, K., & Yasui-Furukori, N. (2020b). Prevalence of perinatal depression among Japanese women: a meta-analysis. *Annals of general psychiatry*, 19, 41. Retrieved Oct 26, 2021, from <https://doi.org/10.1186/s12991-020-00290-7>
- 東京都福祉保健局. (2011).
<https://www.fukushihoken.metro.tokyo.lg.jp/kiban/machizukuri/kanren/color.files/colorudguideline.pdf>
- Wang, D., Li, Y.L., Qiu, D., & Xiao, S.Y. (2021). Factors Influencing Paternal Postpartum Depression: A Systematic Review and Meta-Analysis. *Journal of Affective Disorders*. 293, 51-63. Retrieved July 22, 2021, from

<https://www.sciencedirect.com/science/article/pii/S0165032721005322>