

引用文献

- Adachi, T., Kawamura, K., Furusawa, Y., Nishizaki, Y., Imanishi, N., Umehara, S., Izumi, K., & Suematsu, M. (2017). Japan's initiative on rare and undiagnosed diseases (IRUD): Towards an end to the diagnostic odyssey. *European Journal of Human Genetics : EJHG*, 25(9), 1025-1028. <https://doi.org/10.1038/ejhg.2017.106>
- AMED (Japan Agency for Medical Research and Development 国立研究開発法人日本医療研究開発機構). (2020a, November). *IRUD(Initiative on Rare and Undiagnosed Diseases)企画書*. AMED. <https://www.amed.go.jp/content/000072480.pdf>
- AMED (Japan Agency for Medical Research and Development 国立研究開発法人日本医療研究開発機構). (2020b, December). *目的、主な事業内容*. AMED について. <https://www.amed.go.jp/aboutus/mokuteki.html>
- AMED (Japan Agency for Medical Research and Development 国立研究開発法人日本医療研究開発機構). (2020c, October). *令和 2 年度総合パンフレット*. 機構紹介パンフレット. <https://www.amed.go.jp/content/000071155.pdf>
- AMED (Japan Agency for Medical Research and Development 国立研究開発法人日本医療研究開発機構). (2021, March). *IRUD 6 年間の実績*. IRUD 解析センターにおける遺伝学的解析. <https://www.amed.go.jp/content/000052968.pdf>
- 有森直子, 中込さと子, 溝口満子, 守田美奈子, 安藤広子, 森明子, 堀内成子, Holzemer, W., 広島大学, 日本赤十字看護大学, 東海大学, 聖路加看護大学, 岩手県立大学, & カリフォルニア大学サンフランシスコ校. (2004). 看護職者に求められる遺伝看護実践能力—一般看護職者と遺伝専門看護職者の比較. *Nihon Kango Kagakkai Shi*, 24(2), 13-23. https://doi.org/10.5630/jans1981.24.2_13
- 有森直子, 溝口満子, & 井ノ上逸朗. (2018). *遺伝/ゲノム看護* / 有森直子, 溝口満子編集・執筆. 医歯薬出版.
- Ashtiani, S., Makela, N., Carrion, P., & Austin, J. (2014). Parents' experiences of receiving their child's genetic diagnosis: a qualitative study to inform clinical genetics practice. *American journal of medical genetics. Part A*, 164A(6), 1496–1502. <https://doi.org/10.1002/ajmg.a.36525>

- Babul-Hirji, R., Hewson, S., & Frescura, M. (2010). A sociolinguistic exploration of genetic counseling discourse involving a child with a new genetic diagnosis. *Patient Education and Counseling*, 78(1), 40-45.
<https://doi.org/10.1016/j.pec.2009.06.007>
- Bandura, A. (1994). Self-efficacy. In V. S. Ramachaudran (Ed.), *Encyclopedia of human behavior*, 4, 71-81. New York: Academic Press. (Reprinted in H. Friedman [Ed.], *Encyclopedia of mental health*. San Diego: Academic Press, 1998).
- Basel, D., & McCarrier, J. (2017). Ending a diagnostic odyssey: Family education, counseling, and response to eventual diagnosis. *The Pediatric Clinics of North America*, 64(1), 265-272. <https://doi.org/10.1016/j.pcl.2016.08.017>
- Bonadona, V., Saltel, P., Desseigne, F., Mignotte, H., Saurin, J. C., Wang, Q., Sinilnikova, O., Giraud, S., Freyer, G., Plauchu, H., Puisieux, A., & Lasset, C. (2002). Cancer patients who experienced diagnostic genetic testing for cancer susceptibility: reactions and behavior after the disclosure of a positive test result. *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology*, 11(1), 97-104.
- Bordet, C., Brice, S., Maupain, C., Gandjbakhch, E., Isidor, B., Palmyre, A., Moerman, A., Toutain, A., Akloul, L., Brehin, A. C., Sawka, C., Rooryck-Thambo, C., Schaefer, E., Nguyen, K., Dupin Deguine, D., Rouzier, C., Billy, G., Séné, K., Denjoy, I., Leheup, B., ... Charron, P. (2020). Psychosocial Impact of Predictive Genetic Testing in Hereditary Heart Diseases: The PREDICT Study. *Journal of clinical medicine*, 9(5), 1365. <https://doi.org/10.3390/jcm9051365>
- Brain, K., Gray, J., Norman, P., Parsons, E., Clarke, A., Rogers, C., Mansel, R., & Harper, P. (2000). Why do women attend familial breast cancer clinics? *Journal of Medical Genetics*, 37(3), 197-202. <https://doi.org/10.1136/jmg.37.3.197>
- Cohen, M. H. (1993). Diagnostic closure and the spread of uncertainty. *Issues in Comprehensive Pediatric Nursing*, 16(3), 135-146.
<https://doi.org/10.3109/01460869309078270>

- Dinc, L., & Terzioglu, F. (2006). The psychological impact of genetic testing on parents. *Journal of Clinical Nursing*, 15(1), 45-51. <https://doi.org/10.1111/j.1365-2702.2005.01228.x>
- Fitzgerald, J., Wilson, C., Kelly, C., & Gallagher, L. (2021). 'More than a box of puzzles': Understanding the parental experience of having a child with a rare genetic condition. *European Journal of Medical Genetics*, 64(4), 104164-104164. <https://doi.org/10.1016/j.ejmg.2021.104164>
- Frets, P. G., Verhage, F., & Niermeijer, M. F. (1991). Characteristics of the postcounseling reproductive decision-making process: An explorative study. *American Journal of Medical Genetics*, 40(3), 298.
- Gaff, C. L., Collins, V., Symes, T., & Halliday, J. (2005). Facilitating family communication about predictive genetic testing: Proband's perceptions. *Journal of Genetic Counseling*, 14(2), 133-140. <https://doi.org/10.1007/s10897-005-0412-3>
- Gormley, K. J. (2014). Medically unexplained symptoms: The need for effective communication and an integrated care strategy. *British Journal of Community Nursing*, 19(2), 86-90. <https://doi.org/10.12968/bjcn.2014.19.2.86>
- Hatcher, S., & Arroll, B. (2008). Assessment and management of medically unexplained symptoms. *Bmj*, 336(7653), 1124-1128. <https://doi.org/10.1136/bmj.39554.592014.BE>
- 市川弥生子. (2011). 遺伝子診断が被検者に及ぼす心理的影響と医師の認識に関する研究. ファイザーヘルスリサーチ振興財団. https://www.health-research.or.jp/library/pdf/forum19/fo19_3_03.pdf
- 一般社団法人日本衛生検査所協会遺伝子関連検査受託倫理審査委員会. (2020, April). 第10回遺伝子関連検査・染色体検査アンケート調査報告書. 一般社団法人日本衛生検査所協会. <http://www.jrcla.or.jp/info/info/020713.pdf>
- Jaitovich Groisman, I., Hurlimann, T., Shoham, A., & Godard, B. (2017). Practices and views of neurologists regarding the use of whole-genome sequencing in clinical settings: A web-based survey. *European Journal of Human Genetics : EJHG*, 25(7), 801-808. <https://doi.org/10.1038/ejhg.2017.64>

- 小出馨子. (2017). 再発率の推定. *産婦人科の実際*, 66(4), 383-388.
- 甲畑(照井)宏子, 沼部博直, 赤木究, お茶の水女子大学大学院人間文化創成科学研究科ライフサイエンス専攻遺伝カウンセリング領域, & 埼玉県立がんセンター腫瘍診断予防科. (2013). 文献検討: 遺伝性腫瘍領域における遺伝学的検査の曖昧な結果が与える心理社会的影響. *日本遺伝カウンセリング学会誌*, 34(4), 147-160.
- 厚生労働省/中央社会保険医療協議会. (2020, February 7). 総会(第451回)議事次第 総-1 資料 個別改定項目について. 令和2年度診療報酬改定について.
https://www.mhlw.go.jp/stf/shingi2/0000193003_00002.html
- 厚生労働省/健康局がん・疾病対策課. (2021, March 5). がんゲノム医療推進に向けた取組について. 第4回がんゲノム医療推進コンソーシアム運営会議.
<https://www.mhlw.go.jp/content/10901000/000748554.pdf>
- Landsbergen, K. M., Prins, J. B., Brunner, H. G., Kraaimaat, F. W., & Hoogerbrugge, N. (2009). Genetic testing for Lynch syndrome in the first year of colorectal cancer: a review of the psychological impact. *Familial cancer*, 8(4), 325-337.
<https://doi.org/10.1007/s10689-009-9239-7>
- Leos, C., Khan, C. M., & Rini, C. (2016; Original work published 2015). Understanding self-management behaviors in symptomatic adults with uncertain etiology using an illness perceptions framework. *Journal of Behavioral Medicine*, 39(2), 310-319.
<https://doi.org/10.1007/s10865-015-9698-2>
- Lewis, C., Skirton, H., & Jones, R. (2010). Living without a diagnosis: The parental experience. *Genetic Testing and Molecular Biomarkers*, 14(6), 807.
- Li, X., Nusbaum, R., Smith - Hicks, C., Jamal, L., Dixon, S., & Mahida, S. (2019). Caregivers' perception of and experience with variants of uncertain significance from whole exome sequencing for children with undiagnosed conditions. *Journal of Genetic Counseling*, 28(2), 304-312. <https://doi.org/10.1002/jgc4.1093>
- Macnamara, E. (2014). *The Role of Uncertainty in Coping Efficacy: The Experience of Parents of Children with Undiagnosed Medical Conditions*. Jscholarship. 1-108.
<http://jhir.library.jhu.edu/handle/1774.2/37261>

- Madeo, A. C., O'Brien, K. E., Bernhardt, B. A., & Biesecker, B. B. (2012). Factors associated with perceived uncertainty among parents of children with undiagnosed medical conditions. *American Journal of Medical Genetics Part A*, *158A*(8), 1877-1884. <https://doi.org/10.1002/ajmg.a.35425>
- Marshall, D. A., MacDonald, K. V., Heidenreich, S., Hartley, T., Bernier, F. P., Gillespie, M. K., McInnes, B., Innes, A. M., Armour, C. M., & Boycott, K. M. (2019). The value of diagnostic testing for parents of children with rare genetic diseases. *Genetics in Medicine*, *21*(12), 2798-2806. <https://doi.org/10.1038/s41436-019-0583-1>
- 松下一之, & 野村文夫. (2014). コンパニオン診断の基礎知識—概念, 関連するガイドライン, 最近の情勢など. *臨床検査*, *58*(8), 889-901. <https://doi.org/10.11477/mf.1542103974>
- McAllister, M., Davies, L., Payne, K., Nicholls, S., Donnai, D., & MacLeod, R. (2007a). The emotional effects of genetic diseases: Implications for clinical genetics. *American Journal of Medical Genetics Part A*, *143A*(22), 2651-2661. <https://doi.org/10.1002/ajmg.a.32013>
- McAllister, M., Payne, K., Nicholls, S., MacLeod, R., Donnai, D., & Davies, L. M. (2007b). Improving service evaluation in clinical genetics: Identifying effects of genetic diseases on individuals and families. *Journal of Genetic Counseling*, *16*(1), 71-83. <https://doi.org/10.1007/s10897-006-9046-3>
- McFarlane, A. C., Ellis, N., Barton, C., Browne, D., & Van Hooff, M. (2008). The conundrum of medically unexplained symptoms: questions to consider. *Psychosomatics*, *49*(5), 369-377. <https://doi.org/10.1176/appi.psy.49.5.369>
- 三菱総合研究所. (2016, March 31). 平成 27 年度国内外における遺伝子診療の実態調査報告. AMED. <https://www.amed.go.jp/content/000004859.pdf>
- 村上好恵. (2014). 遺伝子検査の結果開示による精神的動揺へのかかわり. *看護技術*, *60*(14), 1417-1420. <https://doi.org/10.1111/j.1547-5069.1990.tb00225.x>

- 永井真理子, 森藤香奈子, 佐々木規子, 松本正, 近藤達郎, & 宮原春美. (2020). 遺伝学的検査を受検した児の結果開示を受けた母親の経験. *日本遺伝看護学会誌 = Journal of Japanese Society of Genetic Nursing*, 18(2), 53-62.
- 鳴海覚志, & 国立成育医療研究センター研究所分子内分泌研究部. (2017). 遺伝学的検査: どんなときにするの? どんな方法があるの? *小児科診療*, 80(6), 725-729.
- Nettleton, S., Watt, I., O'Malley, L., & Duffey, P. (2005). Understanding the narratives of people who live with medically unexplained illness. *Patient Education and Counseling*, 56(2), 205-210. <https://doi.org/10.1016/j.pec.2004.02.010>
- Nettleton, S. (2006). 'I just want permission to be ill': Towards a sociology of medically unexplained symptoms. *Social Science & Medicine* (1982), 62(5), 1167-1178. <https://doi.org/10.1016/j.socscimed.2005.07.030>
- Neustadt, A., Owczarzak, J., Mu, W., Cohen, J. S., & Erby, L. (2020). Adult patients with undiagnosed conditions and their responses to unresolved uncertainty from exome sequencing. *Journal of Genetic Counseling*, 29(6), 992-1003. <https://doi.org/10.1002/jgc4.1223>
- NHS(National Health Service). (2018, May 21). *Medically unexplained symptoms*. NHS. <https://www.nhs.uk/conditions/medically-unexplained-symptoms/>
- 日本遺伝カウンセリング学会. (2016, April). 出生前遺伝カウンセリングに関する提言. 見解・ガイドライン・報告. http://www.jsgc.jp/files/pdf/teigen_20160404.pdf
- 日本医学会. (2011, February). 「医療における遺伝学的検査・診断に関するガイドライン」. ガイドライン. <https://jams.med.or.jp/guideline/genetics-diagnosis.pdf>
- 日本看護協会. (2021, March 15). 看護職の倫理綱領. 看護倫理. https://www.nurse.or.jp/nursing/practice/rinri/pdf/code_of_ethics.pdf
- 小原收, & かずさ DNA 研究所ゲノム事業推進部. (2020). 遺伝学的検査の保険制度下での実施にかかわる取り組み. *小児内科*, 52(8), 1128-1130.
- Ontario Health (Quality). (2020). Genome-wide sequencing for unexplained developmental disabilities or multiple congenital anomalies: *A health technology assessment. Ontario Health Technology Assessment Series*, 20(11), 1-178.

- Petersen A. (2006). The best experts: the narratives of those who have a genetic condition. *Social science & medicine (1982)*, 63(1), 32–42.
<https://doi.org/10.1016/j.socscimed.2005.11.068>
- Richards, S., Aziz, N., Bale, S., Bick, D., Das, S., Gastier-Foster, J., Grody, W. W., Hegde, M., Lyon, E., Spector, E., Voelkerding, K., Rehm, H. L., & ACMG Laboratory Quality Assurance Committee (2015). Standards and guidelines for the interpretation of sequence variants: a joint consensus recommendation of the American College of Medical Genetics and Genomics and the Association for Molecular Pathology. *Genetics in medicine: official journal of the American College of Medical Genetics*, 17(5), 405–424.
<https://doi.org/10.1038/gim.2015.30>
- Rosell, A. M., Pena, L. D. M., Schoch, K., Spillmann, R., Sullivan, J., Hooper, S. R., Jiang, Y., Mathey-Andrews, N., Goldstein, D. B., & Shashi, V. (2016). Not the end of the odyssey: Parental perceptions of whole exome sequencing (WES) in pediatric undiagnosed disorders. *Journal of Genetic Counseling*, 25(5), 1019-1031.
<https://doi.org/10.1007/s10897-016-9933-1>
- Rosenthal, E. T., Biesecker, L. G., & Biesecker, B. B. (2001). Parental attitudes toward a diagnosis in children with unidentified multiple congenital anomaly syndromes. *American Journal of Medical Genetics*, 103(2), 106-114.
<https://doi.org/10.1002/ajmg.1527>
- 酒井規夫, & 大阪大学大学院医学系研究科小児科学. (2014). 遺伝子検査の目的. *周産期医学*, 44(2), 149-151.
- Segal, J., Esplen, M. J., Toner, B., Baedorf, S., Narod, S., & Butler, K. (2004). An investigation of the disclosure process and support needs of *BRCA1* and *BRCA2* carriers. *American Journal of Medical Genetics. Part A*, 125A(3), 267-272.
<https://doi.org/10.1002/ajmg.a.20485>
- Skinner, D., Raspberry, K. A., & King, M. (2016). The nuanced negative: Meanings of a negative diagnostic result in clinical exome sequencing. *Sociology of Health & Illness*, 38(8), 1303-1317. <https://doi.org/10.1111/1467-9566.12460>

- 高田法子, 溝上五十鈴, 岡田浩佑, 広島大学医学部附属病院看護部, & 呉大学看護学部. (1999). 地域のヘルス・ケアにおける遺伝相談システムの研究ならびに遺伝専門看護師の必要性に関する考察. *看護学統合研究*, 1(1), 85-103.
- 高橋祐二, 水澤英洋, 理事長・総長, & 国立精神・神経医療研究センター. (2020). 未診断疾患イニシアチブとは. *Igaku no Ayumi*, 273(7), 555-560.
- Tibben, A., Vegter-van der Vlis, M., Skraastad, M. I., Frets, P. G., van der Kamp, J J, Niermeijer, M. F., van Ommen, G. J., Roos, R. A., Rooijmans, H. G., & Stronks, D. (1992). DNA-testing for huntington's disease in the netherlands: A retrospective study on psychosocial effects. *American Journal of Medical Genetics*, 44(1), 94.
- 特定非営利活動法人 JCCLS 日本臨床検査標準協議会, & JCCLS 遺伝子関連検査標準化専門委員会. (2016). 遺伝子関連検査に関する日本版ベストプラクティス・ガイドライン 解説版. 日本臨床検査標準協議会
- UDN(Undiagnosed Diseases Network). (n.d.). *Undiagnosed Diseases Network's Health Relevance*. National Institutes of Health.
<https://commonfund.nih.gov/Diseases/public>
- Vos, J., van Asperen, C. J., Oosterwijk, J. C., Menko, F. H., Collee, M. J., Garcia, E. G., & Tibben, A. (2013). The counselees' self-reported request for psychological help in genetic counseling for hereditary breast/ovarian cancer: Not only psychopathology matters. *Psycho-Oncology (Chichester, England)*, 22(4), 902-910. <https://doi.org/10.1002/pon.3081>
- Werner - Lin, A., Zaspel, L., Carlson, M., Mueller, R., Walser, S. A., Desai, R., & Bernhardt, B. A. (2018). Gratitude, protective buffering, and cognitive dissonance: How families respond to pediatric whole exome sequencing in the absence of actionable results. *American Journal of Medical Genetics. Part A*, 176(3), 578-588. <https://doi.org/10.1002/ajmg.a.38613>
- 山田瞳, 認定遺伝カウンセラー, & 大阪大学医学部附属病院遺伝子診療部. (2018). (9) 遺伝学的検査前の遺伝カウンセリング 遺伝カウンセリングのポイント. *Neoneitaru Kea*, 31(3), 244-248.

- 米井歩, 遺伝カウンセラー, & 大阪大学医学部附属病院遺伝子診療部. (2018). (10) 遺伝学的検査：結果の開示 結果開示におけるポイント. *Neoneitaru Kea*, 31(3), 249-254.
- 吉橋博史, & 東京都立小児総合医療センター 臨床遺伝科. (2020a). 1. どのような遺伝学的検査をどのような時に考えるか. *小児科臨床*, 73(5), 561-564.
- 吉橋博史, & 東京都立小児総合医療センター 臨床遺伝科. (2020b). 5 未診断疾患イニシアチブの遺伝カウンセリングにおける情報提供の在り方. *日本新生児成育医学会雑誌*, 32(1), 36-40.