

引用文献

- Attanasio, A., Bedin, M., Stocco, S., Negrin, V., Biancon, A., Cecchetto, G., & Tagliapietra, M. (2009). Clinical outcomes and complications of enteral nutrition among older adults. *Minerva Medica*, *100*(2), 159-166.
- Baeten, C., & Hoefnagels, J. (1992). Feeding via nasogastric tube or percutaneous endoscopic gastrostomy. A comparison. *Scandinavian Journal of gastroenterology. Supplement*, *194*, 95-98.
- Bito, S., Yamamoto, T., & Tominaga, H. (2015). Prospective Cohort Study Comparing the Effects of Different Artificial Nutrition Methods on Long-Term Survival in the Elderly : Japan Assessment Study on Procedures and Outcomes of Artificial Nutrition (JAPOAN). *JPEN Journal of Parenteral and Enteral Nutrition*, *39*(4), 456-464. doi.org/10.1177/0148607114522486
- Bouziana, S. D., & Tziomalos, K. (2011). Malnutrition in patients with acute stroke. *Journal of Nutrition and Metabolism*, *2011*, 1-7. doi.org/10.1155/2011/167898
- Chang, C. C., & Roberts, B. L. (2008). Feeding difficulty in older adults with dementia. *Journal of Clinical Nursing*, *17*(17), 2266-2274. doi.org/10.1111/j.1365-2702.2007.02275.x
- Corry, J., Poon, W., McPhee, N., Milner, A. D., Cruickshank, D., Porceddu, S. V., ... Peters, L. J. (2008). Randomized study of percutaneous endoscopic gastrostomy versus nasogastric tubes for enteral feeding in head and neck cancer patients treated with (chemo)radiation. *Journal of Medical Imaging and Radiation Oncology*, *52*(5), 503-510. doi.org/10.1111/j.1440-1673.2008.02003.x
- Cousins, N., Macaulay, F., Lang, H., Macgillivray, S., & Wells, M. (2013). A systematic review of interventions for eating and drinking problems following treatment for head and neck cancer suggests a need to look beyond swallowing and trismus. *Oral Oncology*, *49*(5), 387-400. doi.org/10.1016/j.oraloncology.2012.12.002

- Covinsky, K. E., Martin, G. E., Beyth, R. J., Justice, A. C., Sehgal, A. R., & Landefeld, C. S. (1999). The relationship between clinical assessments of nutritional status and adverse outcomes in older hospitalized medical patients. *Journal of the American Geriatrics Society*, 47(5), 532-538.
- Cutcliffe, J. R., McKenna, H. P. (2008). 看護の重要コンセプト20 : 看護分野における概念分析の試み. 山田智恵里(訳). 東京 : エルゼビア・ジャパン.
- De Castro, J. M. (1993). Age-related Changes in Spontaneous Food Intake and Hunger in Humans. *Appetite*, 21(3), 255-272. doi.org/10.1006/appe.1993.1044
- Dennis, M., Lewis, S., Cranswick, G., & Forbes, J. (2006). FOOD: a multicentre randomised trial evaluating feeding policies in patients admitted to hospital with a recent stroke...Feed Or Ordinary Diet. *Health Technology Assessment*, 10(47), 111-120. doi.org/10.3310/hta10020
- Druml, C., Ballmer, P. E., Druml, W., Oehmichen, F., Shenkin, A., Singer, P., ... Bischoff, S. C. (2016). ESPEN guideline on ethical aspects of artificial nutrition and hydration. *Clinical Nutrition (Edinburgh, Scotland)*, 35(3), 545-556. doi.org/10.1016/j.clnu.2016.02.006 [doi]
- Geeganage, C., Beavan, J., Ellender, S., & Pmw, B. (2012). Interventions for dysphagia and nutritional support in acute and subacute stroke. *Cochrane Database of Systematic Reviews*, 2012(10), 1-96. doi.org/10.1002/14651858.CD000323.pub2.www.cochranelibrary.com
- Hébuterne, X., Broussard, J. F., & Rampal, P. (1995). Acute renutrition by cyclic enteral nutrition in elderly and younger patients. *JAMA*, 273(8), 638-43.
- Herrmann, F. R., Safran, C., Levkoff, S. E., & Minaker, K. L. (1992). Serum albumin level on admission as a predictor of death, length of stay, and readmission. *Archives of Internal Medicine*, 152(1), 125-130.
- Hoyl, M. T., Alessi, C. A., Harker, J. O., Josephson, K. R., Pietruszka, F. M., Koelfgen, M., ... Rubenstein, L. Z. (1999). Development and testing of a five-item version of the Geriatric Depression Scale. *Journal of the American Geriatrics Society*, 47(7), 873-8.

- Ingersoll-Dayton, B., Campbell, R. (2004). *高齢者のカウンセリングとケアマネジメント*. 望月弘子, 黒川由紀子(訳). 東京: 誠信書房.
- Koyama, T., Maeda, K., Anzai, H., Koganei, Y., Shamoto, H., & Wakabayashi, H. (2015). Early Commencement of Oral Intake and Physical Function are Associated with Early Hospital Discharge with Oral Intake in Hospitalized Elderly Individuals with Pneumonia. *Journal of the American Geriatrics Society*, *63*(10), 2183-2185. doi.org/10.1111/jgs.13679
- Kremer, E., Atkinson, J. H., & Ignelzi, R. J. (1981). Measurement of pain: patient preference does not confound pain measurement. *Pain*, *10*(2), 241-248.
- Kuroda, Y. (2016). Factors associated with the level of oral intake in hospitalized older adults with dysphagia: The importance of mental activity. *Clinical Nutrition ESPEN*, *13*, e52-e54. doi.org/10.1016/j.clnesp.2016.03.001
- Lee, A., Sitoh, Y. Y., Lieu, P. K., Phua, S. Y., & Chin, J. J. (1999). Swallowing impairment and feeding dependency in the hospitalised elderly. *Annals of the Academy of Medicine, Singapore*, *28*(3), 371-376.
- Mann, G., Hankey, G. J., & Cameron, D. (1999). Swallowing function after stroke: prognostic factors at 6 months. *Stroke*, *30*(4), 744-748.
- Marchina, S., Schlaug, G., & Kumar, S. (2015). HHS Public Access, *14*(1), 1-14. doi.org/10.14574/ojrnhc.v14i1.276.Using
- McCormack, H. M., Horne, D. J., & Sheather, S. (1988). Clinical applications of visual analogue scales: a critical review. *Psychological Medicine*, *18*(4), 1007-1019.
- McWhirter, J. P., & Pennington, C. R. (1996). A comparison between oral and nasogastric nutritional supplements in malnourished patients. *Nutrition*, *12*(7-8), 502-506. doi.org/10.1016/S0899-9007(96)91727-X
- Mellissa, M. (2016). Hospital management of older adults. In K. E. Schmader, A. D. Auerbach, L. Park (Eds.) Retrieved March 8, 2017, from <https://www.uptodate.com/contents/hospital-management-of-older-adults>
- Michel, M. H. (1988). Uncertainty in Illness, *Image the journal of nursing scholarship*, *20*(4), 225-232.

- Momosaki, R., Yasunaga, H., Matsui, H., Horiguchi, H., Fushimi, K., & Abo, M. (2015). Effect of dysphagia rehabilitation on oral intake in elderly patients with aspiration pneumonia. *Geriatrics Gerontology International*, *15*, 694-699. doi.org/10.1111/ggi.12333
- Morrison, R. S., Ahronheim, J. C., Morrison, G. R., Darling, E., Baskin, S. A., Morris, J., ... Meier, D. E. (1998). Pain and discomfort associated with common hospital procedures and experiences. *Journal of Pain and Symptom Management*, *15*(2), 91-101. http://doi.org/S0885-3924(98)80006-7 [pii]
- Ogita, M., Utsunomiya, H., Akishita, M., & Arai, H. (2012). Indications and practice for tube feeding in Japanese geriatricians: implications of multidisciplinary team approach. *Geriatrics & Gerontology International*, *12*(4), 643-651. http://doi.org/10.1111/j.1447-0594.2011.00831.x [doi]
- Padilla, G. V., Grant, M. M., Rains, B. L., Hansen, B. C., Bergstrom, N., Wong, H. L., ... Kubo, W. (1981). Distress Reduction and the Effects of Preparatory Teaching Films and Patient Control, *Research in Nursing and Health*, *4*, 375-387.
- Padilla, G. V., Grant, M., Wong, H., Hansen, B. W., Hanson, R. L., Bergstrom, N., & Kubo, W. R. (1979). Subjective distresses of nasogastric tube feeding. *JPEN. Journal of Parenteral and Enteral Nutrition*, *3*(2), 53-57. doi.org/10.1177/014860717900300204
- Peck, A., Cohen, C. E., & Mulvihill, M. N. (1990). Long-term enteral feeding of aged demented nursing home patients. *Journal of the American Geriatrics Society*, *38*(11), 1195-1198.
- Persenius, M. W., Hall-Lord, M. L., & Wilde-Larsson, B. (2009). Grasping the nutritional situation: a grounded theory study of patients' experiences in intensive care. *Nursing in Critical Care*, *14*(4), 166-174. doi.org/10.1111/j.1478-5153.2009.00331.x
- Potter, J., Klipstein, K., Reilly, J. J., & Roberts, M. (1995). The nutritional status and clinical course of acute admissions to a geriatric unit. *Age and Ageing*, *24*(2), 131-136.
- Rahim, Z. H. A., Yaacob, H. B., (1991). Effects of Fasting on Saliva Composition. *The*

- Journal of Nihon University School of Dentistry*, 33, 205-210.
- Rodgers, B. L., & Cowles, K. V. (1997a). A conceptual foundation for human suffering in nursing care and research. *Journal of Advanced Nursing*, 25(5), 1048-1053.
- Rourke, F. O., Ong, B. S., & Cordato, D. J. (2008). Dysphagia: causes, assessment, treatment, and management, *Geriatrics*, 63(5), 15-20.
- Rowat, A. (2015). Dysphagic Stroke Patients. *British Journal of Nursing*, 24(3), 140-5.
- Sadasivan, A., Faizal, B., & Kumar, M. (2012). Nasogastric and percutaneous endoscopic gastrostomy tube use in advanced head and neck cancer patients: a comparative study. *Journal of Pain & Palliative Care Pharmacotherapy*, 26(3), 226-232. doi.org/10.3109/15360288.2012.702199 [doi]
- Sharp, H. M. (2006). Ethical issues in the management of dysphagia after stroke. *Topics in Stroke Rehabilitation*, 13(4), 18-25. doi.org/10.1310/tsr1304-18
- Steele, C. M., Caslpo, R., Greenwood, C., Ens, I., Robertson, C., & Seidman-carlson, R. (1997). Mealtime Difficulties in a Home for the Aged : Not Just Dysphagia, *Dysphagia*, 12(1), 43-50. doi.org/10.1007/PL00009517
- Sura, L., Madhavan, A., Carnaby, G., & Crary, M. A. (2012). Dysphagia in the elderly: Management and nutritional considerations. *Clinical Interventions in Aging*, 7, 287-298. doi.org/10.2147/CIA.S23404
- Woodcock, N. P., Zeigler, D., Palmer, M. D., Buckley, P., Mitchell, C. J., & MacFie, J. (2001). Enteral versus parenteral nutrition: a pragmatic study. *Nutrition*, 17(1), 1-12.
- Yesavage, J. A. (1988). Geriatric Depression Scale. *Psychopharmacology Bulletin*, 24(4), 709-11.
- Yesavage, J. A., Brink, T. L., Rose, T. L., Lum, O., Huang, V., Adey, M., & Leirer, V. O. (1982). Development and validation of a geriatric depression screening scale: a preliminary report. *Journal of Psychiatric Research*, 17(1), 37-49.
- 足立蓉子. (1988). 高齢者における食事満足度に及ぼす要因. *栄養学雑誌*, 46(6), 273-287.
- 石井徹郎, 新名理恵, 本間昭, 坂本誠, 平田進英, 竹本泰英, 長谷川和夫. (1993). N式老年者用精神状態評価尺度(NMスケール)の臨床的妥当性, *社会老年学*, (37), 58-62.

- 石原るみ子, 山崎きよ子. (2008). 食支援を通じた高齢者のQOLの向上と介護予防. *九州保健福祉大学研究紀要*, 9, 73-80.
- 岩崎裕子, 芳賀芳衣, 立石佳彰, 田中靖代, 大越ひろ. (2014). 大根を用いたきざみ食の食べやすさの検討, *日本調理科学会誌*, 47(3), 134-142.
- 岩本俊彦. (2016). 誤嚥性肺炎と不顕性誤嚥. *Geriatric Medicine*, 54(12), 1316-1317.
- 小川智恵子, 村尾優美, 福本かおる, 国枝多希, 高橋知美. (2004). 絶食中の患者の不安, ストレスの緩和法実施による患者心理の評価. *京都市立病院紀要*, 24(1), 25-29.
- 大友英一, 高崎絹子. (1999). *ナースのための老年医学*. 東京: 南山堂.
- 大野裕. (2006). *高齢者のうつ病*. 東京: 金子書房.
- 加藤佑佳, 武田圭祐, 成本迅. (2011). 高齢者ケアにおけるアセスメント: 精神的側面, *高齢者のケアと行動科学*, 16, 16-30.
- 亀井智子, 小玉敏江, (2018). *高齢者看護学 第3版* 東京: 中央法規
- 久米輝美, 鎌田和恵, 岡田晴美, 藤田佳子, 早織松永, 祐江仁木, … 里美近久. (2010). 治療上の長期絶食で辛かった体験 長期絶食患者への聞き取り調査より. *日本看護学会論文集: 看護総合*, (40), 12-14.
- 倉鋪桂子, 福森絢子, 網木政江, 原哲也, 松下智美. (2008). 10年間の看護文献にみる口腔ケア方法の検討. *宇部フロンティア大学看護学ジャーナル*, 1(1), 83-89.
- 小林敏子, 播口之朗, 西村健. (1988). 行動観察による痴呆患者の精神状態評価尺度(NMスケール) および日常生活動作能力評価尺度(N-ADL)の作成. *臨床精神医学*, 17(11), 1653-1668.
- 須藤晶子, 葛西春美, 中野渡礼子, 斗賀晶子, 三浦里美. (2014). 絶食患者の不安・ストレスについての実態調査. *十和田市立中央病院研究誌*, 24(1), 33-37.
- 田辺由紀, 金子佳代子. (1998). 食の満足感構成要素の構造. *日本家政学会誌*, 49(9), 1003-1010.
- 遠山雪乃, 今井夕貴, 渡邊睦美. (2016). 治療のために絶食を余儀なくされていた患者の絶食中の思い 看護師の関わり方を検討する. *長野県看護研究会論文集*, 36回, 34-36.
- 吉川千香子, 荒木有紀, 恵木脇子. (2017). A病棟で絶食期間を経験した患者のストレスについての検討. *日本看護学会論文集: 急性期看護*, (47), 126-129.

- 谷口裕重, 真柄仁, 井上誠. (2013). 高齢者の嚥下障害. *日本静脈経腸栄養学会雑誌*, 28(5), 1069-1074.
- 谷口知慎, 谷村学. (2007). 高齢者の栄養管理における薬剤管理のポイント. *日本静脈経腸栄養学会雑誌*, 22(4), 465-469.
- 長寿科学総合研究所CGAガイドライン研究班, 鳥羽研二. (2003). *高齢者総合的機能評価ガイドライン*. 東京: 厚生科学研究所
- 独立行政法人国立長寿医療研究センター. (2012). *摂食嚥下障害に係る調査研究事業報告書*. Retrieved March 8, 2017 from http://www.ncgg.go.jp/ncgg-kenkyu/documents/roken/cl_hokoku1_23.pdf
- 鳥羽研二. (2006). *高齢者への包括的アプローチとリハビリテーション*. 東京: メジカルビュー社.
- 日本静脈経腸栄養学会. (2013). *静脈経腸栄養ガイドライン: 静脈・経腸栄養を適正に実施するためのガイドライン 第3版*. 東京: 照林社.
- 日本老年医学会. (2008). *老年医学テキスト (改訂第3版)*. 東京: メジカルビュー社.
- 藤谷順子. (2010). 高齢者の摂食と嚥下訓練. *日本胸部臨床*, 69(5), 407-417.
- 堀田博子, 各務秀明, 重富俊雄, 澤木佳弘, 宇佐美雄司, 上田実, 金田敏郎. (1994). 口腔乾燥症に関する臨床的研究—口腔乾燥感を訴える患者における服用薬物の影響—. *老年歯学*, 9(1), 19-25.
- 町田いづみ, 青木孝之, 上月清司, 岸泰宏, 保坂隆. (2003). せん妄スクリーニング・ツール (DST) の作成. *総合病院精神医学*, 15(2), 150-155.
- 本部奈緒子, 大川原佳奈, 永谷裕子, 原田尚子, 上田善子. (2007). 経口摂取できない患者の食に対する思い 経腸栄養食の変更に取り組んで. *日本看護学会論文集: 成人看護II*, (37), 206-207.
- 山内知子, 小出あつみ. (2008). 高齢者の咀嚼能力と食事摂取状況の関連. *名古屋女子大学紀要*, (54), 89-98.

