

References

- Baker, D.P., Day, R., & Salas, E. (2006). Teamwork as an Essential Component of High-Reliability Organizations. *Health Services Research*, 41(4), 1576–1598.
<http://doi.org/10.1111/j.1475-6773.2006.00566.x>
- Bangdiwala SI, Fonn S, Okoye O, Tollman S. (2010). Workforce resources for health in developing countries. *Public Health Reviews* 2010, 32(1), 296-318.
- Bhutta, Z. A., Das, J. K., Bahl, R., Lawn, J. E., Salam, R. A., Paul, V. K., . . . Lancet Every Newborn Study Group. (2014). Can available interventions end preventable deaths in mothers, newborn babies, and stillbirths, and at what cost? *Lancet*, 384(9940), 347-370. doi:10.1016/S0140-6736(14)60792-3
- Carlo, W. A., Goudar, S. S., Jehan, I., Chomba, E., Tshefu, A., Garces, A. . . . First Breath Study Group. (2010). Newborn-care training and perinatal mortality in developing countries. *New England Journal of Medicine*, 362(7), 614-623.
doi:10.1056/NEJMsa0806033
- Chandler, C. I., Chonya, S., Mtei, F., Reyburn, H., & Whitty, C. J. (2009). Motivation, money and respect: A mixed-method study of Tanzanian non-physician clinicians. *Social Science & Medicine* (1982), 68(11), 2078-2088.
doi:10.1016/j.socscimed.2009.03.007
- Darmstadt, G. L., Kinney, M. V., Chopra, M., Cousens, S., Kak, L., Paul, V. K. . . . Lancet Every Newborn Study Group. (2014). Who has been caring for the baby? *Lancet*, 384(9938), 174-188. doi:10.1016/S0140-6736(14)60458-X
- de Graft-Johnson, J., Vesel, L., Rosen, H. E., Rawlins, B., Abwao, S., Mazia, G., . . . Tekleberhan, A. (2017). Cross-sectional observational assessment of quality of

newborn care immediately after birth in health facilities across six sub-saharan african countries. *BMJ Open*, 7(3), e014680-2016-014680. doi:10.1136/bmjopen-2016-014680

Dhingra, U., Gittelsohn, J., Suleiman, A. M., Suleiman, S. M., Dutta, A., Ali, S. M. . . . Sazawal, S. (2014). Delivery, immediate newborn and cord care practices in Pemba Tanzania: A qualitative study of community, hospital staff and community level care providers for knowledge, attitudes, belief systems and practices. *BMC Pregnancy and Childbirth*, 14, 173-2393-14-173. doi:10.1186/1471-2393-14-173

Evans, CL., Johnson, P., Bazant, E., Bhatnagar, N., Zgambo, J., & Khamis, AR. (2014). Competency-based training "helping mothers survive: Bleeding after birth" for providers from central and remote facilities in three countries. *International Journal of Gynaecology and Obstetrics: The Official Organ of the International Federation of Gynaecology and Obstetrics*, 126(3), 286-290. doi: 10.1016/j.ijgo.2014.02.021

Forsetlund, L., Bjorndal, A., Rashidian, A., Jamtvedt, G., O'Brien, M. A., Wolf, F., . . . Oxman, A. D. (2009). Continuing education meetings and workshops: Effects on professional practice and health care outcomes. *The Cochrane Database of Systematic Reviews*, (2):CD003030.doi: 10.1002/14651858.CD003030.pub2

Hughes, AM., Gregory, ME., Joseph, DL., Sonesh, SC., Marlow, SL., Lacerenza, CN., . . . Salas, E. (2016). Saving lives: A meta-analysis of team training in healthcare. *The Journal of Applied Psychology*, 101(9), 1266-1304. doi: 10.1037/apl0000120

Jamison Dean T, Breman Joel G, Measham Anthony R, Alleyne George, Claeson Mariam, Evans David B, Jha Prabhat, Mills Anne, Musgrove Philip editor(s). (2006). Disease Control Priorities in Developing Countries. 2nd Edition. Washington (DC). The International Bank for Reconstruction and Development / The World Bank, Retrieved from <https://www.ncbi.nlm.nih.gov/books/NBK11728/>.

Kidanto, H. L., Mogren, I., van Roosmalen, J., Thomas, A. N., Massawe, S. N., Nystrom, L., & Lindmark, G. (2009). Introduction of a qualitative perinatal audit at Muhimbili national hospital, Dar es Salaam, Tanzania. *BMC Pregnancy and Childbirth*, 9, 45-2393-9-45. doi:10.1186/1471-2393-9-45

Kidanto, H., Msemo, G., Mmbando, D., Rusibamayila, N., Ersdal, H., & Perlman, J. (2015). Predisposing factors associated with stillbirth in Tanzania. *International Journal of Gynaecology and Obstetrics*, 130(1), 70-73. doi:10.1016/j.ijgo.2015.01.012

Lassi ZS, Bhutta ZA. Community-based intervention packages for reducing maternal and neonatal morbidity and mortality and improving neonatal outcomes. Cochrane Database of Systematic Reviews 2015, Issue 3. Art. No.: CD007754. DOI: 10.1002/14651858.CD007754.pub3.

Leshabari, MT., Muhondwa, EP., Mwangu, M., & Mbembati, NA. (2008). Motivation of health care workers in Tanzania; a case study of Muhimbili National Hospital. *East Afr. J. Public Health*, 5(1), 32-37

Lingard, L. (2016). Paradoxical truths and persistent myths: Reframing the team competence conversation. *The Journal of Continuing Education in the Health Professions*, 36, S19-21. doi: 10.1097/CEH.0000000000000078

Marston, C., Renedo, A., McGowan, C. R., & Portela, A. (2013). Effects of community participation on improving uptake of skilled care for maternal and newborn health: A systematic review. *PloS One*, 8(2), e55012. doi:10.1371/journal.pone.0055012

Mduma, E., Ersdal, H., Svensen, E., Kidanto, H., Auestad, B., & Perlman, J. (2015). Frequent brief on-site simulation training and reduction in 24-h neonatal mortality--an educational intervention study. *Resuscitation*, 93, 1-7. doi:10.1016/j.resuscitation.2015.04.019

Michie, S., van Stralen, M. M., & West, R. (2011). The behaviour change wheel: A new method for characterising and designing behaviour change interventions. *Implementation Science: IS*, 6, 42-5908-6-42. doi:10.1186/1748-5908-6-42

Ministry of Health, Community Development, Gender, Elderly and Children - MoHCDGEC/Tanzania Mainland, Ministry of Health - MoH/Zanzibar, National Bureau of Statistics - NBS/Tanzania, Office of Chief Government Statistician - OCGS/Zanzibar, and ICF. (2015). Tanzania Service Provision Assessment Survey 2014-2015. Retrieved from <http://dhsprogram.com/>

Ministry of Health, Community Development, Gender, Elderly and Children - MoHCDGEC/Tanzania Mainland, Ministry of Health - MoH/Zanzibar, National Bureau of Statistics - NBS/Tanzania, Office of Chief Government Statistician - OCGS/Zanzibar, and ICF. (2016). Tanzania Demographic and Health Survey and Malaria Indicator Survey 2015-2016. Retrieved from <http://dhsprogram.com/pubs/pdf/FR321/FR321.pdf>.

Ministry of Health and Social Welfare (MOHSW). (2013). Human Resource for Health Strategic Plan 2008-2013. Retrieved from <http://www.socialserviceworkforce.org/resources/human-resource-health-strategic-plan-2008-2013>

Mmbaga, B. T., Lie, R. T., Olomi, R., Mahande, M. J., Kvale, G., & Daltveit, A. K. (2012). Cause-specific neonatal mortality in a neonatal care unit in northern Tanzania: A registry based cohort study. *BMC Pediatrics*, 12, 116-2431-12-116. doi:10.1186/1471-2431-12-116

Moch, S. D., Vandebark, R. T., Pehler, S. R., & Stombaugh, A. (2016). Use of action research in nursing education. *Nursing Research and Practice*, 2016, 8749167. doi:10.1155/2016/8749167

Msemo, G., Massawe, A., Mmbando, D., Rusibamayila, N., Manji, K., Kidanto, H. L. . . . Perlman, J. (2013). Newborn mortality and fresh stillbirth rates in Tanzania after helping babies breathe training. *Pediatrics*, 131(2), e353-60. doi:10.1542/peds.2012-1795

Mubyazi, G. M., Bloch, P., Byskov, J., Magnussen, P., Bygbjerg, I. C., & Hansen, K. S. (2012). Supply-related drivers of staff motivation for providing intermittent preventive treatment of malaria during pregnancy in Tanzania: Evidence from two rural districts. *Malaria Journal*, 11(1), 48. 10.1186/1475-2875-11-48

Muhimbili National Hospital. (2017). Retrieved on March 28, 2017, from
<http://www.mnh.or.tz/index.php>

Nancarrow, S. A., Booth, A., Ariss, S., Smith, T., Enderby, P., & Roots, A. (2013). Ten principles of good interdisciplinary team work. *Human Resources for Health*, 11(1), 19. doi: 10.1186/1478-4491-11-19

National Bureau of Statistics - NBS/Tanzania and ICF Macro. (2011). *Tanzania Demographic and Health Survey 2010*. Retrieved from
<http://dhsprogram.com/pubs/pdf/FR243/FR243.pdf>.

Obara, H., & Sobel, H. (2014). Quality maternal and newborn care to ensure a healthy start for every newborn in the world health organization western pacific region. *BJOG*, 121 Suppl 4, 154-159. doi:10.1111/1471-0528.12943

Penfold, S., Hill, Z., Mrisho, M., Manzi, F., Tanner, M., Mshinda, H. . . . Armstrong Schellenberg, JR. (2010). A large cross-sectional community-based study of newborn care practices in southern Tanzania. *PloS One*, 5(12), e15593. doi:10.1371/journal.pone.0015593

Pettersson, KO., Johansson, E., Pelembe Mde, F., Dgedge, C., & Christensson, K. (2006). Mozambican midwives' views on barriers to quality perinatal care. *Health Care for Women International*, 27(2), 145-168.

Prochaska, J. and DiClemente, C. (1983). Stages and processes of self-change in smoking: toward an integrative model of change. *Journal of Consulting and Clinical Psychology*, 5, 390–395.

Shamba, D., Schellenberg, J., Hildon, Z. J., Mashasi, I., Penfold, S., Tanner, M. . . . Hill, Z. (2014). Thermal care for newborn babies in rural southern Tanzania: A mixed-method study of barriers, facilitators and potential for behaviour change. *BMC Pregnancy and Childbirth*, 14, 267-2393-14-267. doi:10.1186/1471-2393-14-267

Souza, J. P., Widmer, M., Gulmezoglu, A. M., Lawrie, T. A., Adejuyigbe, E. A., Carroli, G. . . . Temmerman, M. (2014). Maternal and perinatal health research priorities beyond 2015: An international survey and prioritization exercise. *Reproductive Health*, 11, 61-4755-11-61. doi:10.1186/1742-4755-11-61

Stanton C., Armbruster D., Knight R., Ariawan I., Gbangdade S., Getachew A., et al. (2009). Use of active management of the third stage of labour in seven developing countries. *Bulletin of the World Health Organization* 2009, 87(3), 207-215. doi: 10.2471/BLT.08.052597

United Nation. (2016). Sustainable Development Goals. Retrieved from <http://www.un.org/sustainabledevelopment/>

United Nations Population Fund, International Confederation of Midwives, & World Health Organization. (2014). The State of the World's Midwifery 2014: a Universal Pathway. A women's Right to Health. UNFPA. Retrieved from <http://www.unfpa.org/sowmy>

Vogel, J. P., Moore, J. E., Timmings, C., Khan, S., Khan, D. N., Defar, A. . . .

Gulmezoglu, A. M. (2016). Barriers, facilitators and priorities for implementation of WHO maternal and perinatal health guidelines in four lower-income countries: A GREAT network research activity. *PloS One*, 11(11), e0160020.
doi:10.1371/journal.pone.0160020

Willis-Shattuck, M., Bidwell, P., Thomas, S., Wyness, L., Blaauw, D., & Ditlopo, P. (2008). Motivation and retention of health workers in developing countries: a systematic review. *BMC Health Services Research*, 8, 247. <http://doi.org/10.1186/1472-6963-8-247>

World Health Organization. (2014a). Action plan for healthy newborn infants in the Western Pacific Region (2014-2020). Retrieved from <http://www.who.int>

World Health Organization. (2014b). Every Newborn: An action plan to end preventable death. Retrieved from <http://www.who.int>

World Health Organization. (2015). WHO recommendations on health promotion interventions for maternal and newborn health. Retrieved from <http://www.who.int>

World Health Organization. (2016). Introducing and sustaining EENC in hospitals: Routine childbirth and newborn care (Early Essential Newborn Care). Retrieved from <http://iris.wpro.who.int/bitstream/handle/10665.1/13409/9789290617808-eng.pdf>

World Health Organization. (2006). The world health report 2006 –working together for health. Retrieved from http://www.who.int/whr/2006/whr06_en.pdf?ua=1.

World Health Organization Regional Office for the Western Pacific. (2016). First biennial progress report: Action plan for healthy newborn infants in the Western Pacific Region (2014-2020). Retrieved from <http://www.wpro.who.int/en/>

Yoshida, S., Martines, J., Lawn, J. E., Wall, S., Souza, J. P., Rudan, I. . . . Bahl, R. (2016). Setting research priorities to improve global newborn health and prevent stillbirths by 2025. *Journal of Global Health*, 6(1), 010508.
doi:10.7189/jogh.06.01050889/jogh.06.010508