

参考文献

- Altaweli, R., & Roberts, J. (2010). Maternal--infant bonding: A concept analysis. *British Journal of Midwifery*, 18(9), 552-559.
- Ayers, S., Jessop, D., Pike, A., Parfitt, Y., & Ford, E. (2014). The role of adult attachment style, birth intervention and support in posttraumatic stress after childbirth: A prospective study. *Journal of Affective Disorders*, 155, 295-298.
- Brockington, I. F., Fraser, C., & Wilson, D. (2006). The postpartum bonding questionnaire: A validation. *Archives of Women's Mental Health*, 9(5), 233-242.
- Crouch, M. (2002). Bonding, postpartum dysphoria, and social ties : A speculative inquiry. *Human Nature* (Hawthorne, N.Y.), 13(3), 363-382.
- Dearman, L. R., Musonda P FAU - Roberts,,F.G., FAU, R. F., FAU, B. K., & Morris, E. P. (0827). Bonding in women with postnatal anaemia: A pilot case control study looking at postnatal bonding in women who have been diagnosed with anaemia at a university hospital in the east of england
- Ford, E., Ayers, S., & Wright, D. B. (2009). Measurement of maternal perceptions of support and control in birth (SCIB). *Journal of Women's Health* (2002), 18(2), 245-252.
- Forster, D. A., McLachlan, H. L., Davey, M. A., Biro, M. A., Farrell, T., Gold, L., et al. (2016). Continuity of care by a primary midwife (caseload midwifery) increases women's satisfaction with antenatal, intrapartum and postpartum care: Results from the COSMOS randomised controlled trial. *BMC Pregnancy and Childbirth*, 16, 28-016-0798-y.
- Gunning, M., Conroy, S., Valoriani, V., Figueiredo, B., Kammerer, M. H., Muzik, M., et al. (2004). Measurement of mother-infant interactions and the home environment in a european setting: Preliminary results from a cross-cultural study. *The British Journal of Psychiatry*.Supplement, 46, s38-44.
- Iida, M., Horiuchi, S., & Nagamori, K. (2014). A comparison of midwife-led care versus obstetrician-led care for low-risk women in japan. *Women and Birth : Journal of the Australian College of Midwives*, 27(3), 202-207.
- Ishak, W. W., Kahloon, M., & Fakhry, H. (2011). Oxytocin role in enhancing well-being:

A literature review. *Journal of Affective Disorders*, 130(1-2), 1-9.

Japan 厚生労働省. 平成 23 年(2011)医療施設（静態・動態）調査・病院報告の概況.

Retrieved 1/29, 2017, from <http://www.mhlw.go.jp/toukei/saikin/hw/iryosd/11/>

Japan 総務省統計局. (2016). 女性の年齢階級別出生数と出生率. Retrieved 1/29, 2017,

from https://www.google.co.jp/url?sa=t&rct=j&q=&esrc=s&source=web&cd=3&cad=rja&uact=8&ved=0ahUKEwjeg-nB0-fRAhUBa7wKHaQvCVkQFggmMAI&url=http%3A%2F%2Fwww.stat.go.jp%2Fdata%2Fnihon%2F02.htm&usg=AFQjCNH_0m9jq01ucL8VyKQwQEwPPCHSkw

Ji, S., Long, Q., Newport, D. J., Na, H., Knight, B., Zach, E. B., et al. (2011). Validity of depression rating scales during pregnancy and the postpartum period: Impact of trimester and parity. *Journal of Psychiatric Research*, 45(2), 213-219.

Kaneko, H., & Honjo, S. (2014). The psychometric properties and factor structure of the postpartum bonding questionnaire in Japanese mothers. *Psychology*, (5), 1135-1142.

Karacam, Z., & Eroglu, K. (2003). Effects of episiotomy on bonding and mothers' health. *Journal of Advanced Nursing*, 43(4), 384-394.

Kennell, J., Klaus, M., McGrath, S., Robertson, S., & Hinkley, C. (1991). Continuous emotional support during labor in a US hospital. A randomized controlled trial. *Jama*, 265(17), 2197-2201.

Kitamura , T. (2016). ボンディングとその障害 . Retrieved /1/29, 2017, from <http://www.institute-of-mental-health.jp/perinatal/pdf/J2-4.pdf>

Marshall H.Klaus, , John H Kennell, , & Phyllis H. Klaus. (1996). マザリング・ザ・マザ — (徹 竹内 Trans.). (初版 ed.) メディカ出版.

Marshall H.Klaus, , John H Kennell, , & Phyllis H. Klaus. (2006). The doula book (竹内 永島 Trans.). (初版 ed.) メディカ出版.

Moloney, S., & Gair, S. (2015). Empathy and spiritual care in midwifery practice: Contributing to women's enhanced birth experiences. *Women and Birth : Journal of the Australian College of Midwives*, 28(4), 323-328.

Murray, L., & Cooper, P. (1014). Effects of postnatal depression on infant development Noyman-Veksler, G., Herishanu-Gilutz, S., Kofman, O., Holchberg, G., & Shahar, G.

- (2015). Post-natal psychopathology and bonding with the infant among first-time mothers undergoing a caesarian section and vaginal delivery: Sense of coherence and social support as moderators. *Psychology & Health*, 30(4), 441-455.
- Noyman-Veksler, G., Herishanu-Gilutz, S., Kofman, O., Holchberg, G., & Shahar, G. (2015). Post-natal psychopathology and bonding with the infant among first-time mothers undergoing a caesarian section and vaginal delivery: Sense of coherence and social support as moderators. *Psychology & Health*, 30(4), 441-455.
- Salzinger, S., Feldman, R. S., Hammer, M., & Rosario, M. (1993). The effects of physical abuse on children's social relationships. *Child Development*, 64(1), 169-187.
- Salzinger, S., Kaplan, S., & Artemyeff, C. (1983). Mothers' personal social networks and child maltreatment. *Journal of Abnormal Psychology*, 92(1), 68-76.
- Sharan, H., Yahav, J. F., Peleg, D. F., Ben-Rafael, Z. F., & Merlob, P. (0607). Hospitalization for early bonding of the genetic mother after a surrogate pregnancy: Report of two cases. *Birth* (Berkeley, Calif.) JID - 8302042,
- Thoits, P. A. (2011). Mechanisms linking social ties and support to physical and mental health. *Journal of Health and Social Behavior*, 52(2), 145-161.
- Walsh, J. (2010). Definitions matter: If maternal-fetal relationships are not attachment, what are they? *Archives of Women's Mental Health*, 13(5), 449-451.
- 吉田 敬子. (2006). 育児支援のチームアプローチ (初版 ed.) 金剛出版.
- 吉田, 敬. (2000). 母子と家族への援助 : 妊娠と分娩の精神医学. 東京: 金剛出版.
- 岡野 稔治, 國分 真佐代, & 南田 智子. (2011). 【C.T. beck 氏の研究から考える 看護における研究と方法】 産褥期のうつ病の研究概観 スクリーニング尺度の開発と課題
- 島袋 史. (2014). 【帝王切開術のお産をケアしよう】 帝王切開術の早期母子接触. 助産雑誌, 68(2), 114-118.
- 常盤 洋子. (2003). 分娩体験の自己評価と産褥早期の産後うつ傾向の関連. 日本助産学会誌, 17(2), 27-38.
- 日本産婦人科学会委員会報告. 2014 年不妊治療実績報告. Retrieved 1/29, 2017, from <http://fa.kyorin.co.jp/jsog/readPDF.php?file=67/9/067092077.pdf>
- 服部 律子, & 中嶋 律子. (2000). 産褥早期から産後 13 カ月の母親の疲労に関する研究(第 1 報) 疲労感の推移と関連する要因. 小児保健研究, 59(6), 663-668.

- 横手 直美. (2004). 緊急帝王切開術後の女性の急性ストレス反応 分娩体験と産褥 1 週間の体験の分析を通して. 日本助産学会誌, 18(1), 37-48.
- 横手 直美. (2004). 緊急帝王切開術後の女性の急性ストレス反応 分娩体験と産褥 1 週間の体験の分析を通して. 日本助産学会誌, 18(1), 37-48.
- 横手 直美. (2014). 【帝王切開術のお産をケアしよう】 帝王切開術をしたお母さんの退院後のニーズと助産ケア. 助産雑誌, 68(2), 124-129.
- 横手 直美. (2014). 【帝王切開術のお産をケアしよう】 帝王切開術をしたお母さんの退院後のニーズと助産ケア. 助産雑誌, 68(2), 124-129.
- 横手 直美, & 渡邊 実香. (2007). 日本における帝王切開術分娩時のケアに関する文献検討. 母性衛生, 48(3), 116.
- 横手 直美, & 渡邊 実香. (2007). 日本における帝王切開術分娩時のケアに関する文献検討. 母性衛生, 48(3), 116.
- 石井京子, . (2002). ナースのための質問紙調査とデータ分析 (第 2 版 ed.) 医学書院.
- 竹内 佳寿子, & 横手 直美. (2014). 選択的反復帝王切開術を受けた経産婦における分娩体験のとらえかた. 母性衛生, 55(3), 170.
- 竹原 健二, 野口 真貴子, 嶋根 卓也, & 三砂 ちづる. (2007). 分娩体験尺度作成の試み. 民族衛生, 73(6), 211-224.
- 鈴木 祐子. (2016). 助産所で分娩した母親の自己変容プロセス. 日本母子看護学会誌, 9(2), 95-102.